

Lead-free Semiconductor Product Conditions**25.February 2010**

1. Please inquire of NEC Electronics sales person about lead-free product status while is not listed in the following table.
2. Please refer [here](#) on the detail of recommended soldering conditions.
3. Please refer [here](#) on the symbol definitions of (*) mark recommended soldering conditions.
Please refer [here](#) on the symbol definitions of (*) no-mark recommended soldering conditions.
("P" definition is partial heating.)
4. "U" is substituted for "μ" of official product number.
5. Identification of Lead-free Products : the product type is indicated by a code suffixed to the part number.

-A : Product contains no lead in any area

-AT: Product contains no lead in any area (Terminal finish is Matte Sn plating)

-AX: Product contains no lead in any area (Terminal finish is Ni/Pd/Au plating)

-G : Product contains no lead in any area (Terminal finish is Ni/Pd/Au plating)

The same plating specification as that of "-AX".

-AZ : Product contains no lead on external pins, but contain lead (European Directive 2002/95/EC)

-AY : Product contains no lead on external pins, but contain lead (European Directive 2002/95/EC)

Terminal finish is Matte Sn plating.

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
03P2J	-AZ	IR60-00-3
03P2M	-AZ	WS60-00-1
03P4J	-AZ	IR60-00-3
03P4M	-AZ	WS60-00-1
03P4MF	-AZ	WS60-00-1
03P4MG	-AZ	WS60-00-1
03P5J	-AZ	IR60-00-3
03P5MG	-AZ	WS60-00-1
03P6MG	-AZ	WS60-00-1
1S2835	-A	IR60-00-3/WS60-00-1
1S2836	-A	IR60-00-3/WS60-00-1
1S2837	-A	IR60-00-3/WS60-00-1
1S2838	-A	IR60-00-3/WS60-00-1
1SS123	-A	IR60-00-3/WS60-00-1
1SS220	-A	IR60-00-3/WS60-00-1
1SS221	-A	IR60-00-3/WS60-00-1
1SS222	-A	IR60-00-3/WS60-00-1
1SS223	-A	IR60-00-3/WS60-00-1
1SS303	-A	IR60-00-3/WS60-00-1
1SS304	-A	IR60-00-3/WS60-00-1
1SS305	-A	IR60-00-3/WS60-00-1
1SZ45A	-AZ	WS60-00-1
1SZ46A	-AZ	WS60-00-1
1SZ47	-AZ	WS60-00-1
1SZ47A	-AZ	WS60-00-1
1SZ48	-AZ	WS60-00-1
1SZ48A	-AZ	WS60-00-1
1SZ50	-AZ	WS60-00-1
1SZ51	-AZ	WS60-00-1
1SZ52	-AZ	WS60-00-1
1SZ53	-AZ	WS60-00-1
1SZ54	-AZ	WS60-00-1
2P4M	-AZ	WS60-00-1
2P6M	-AZ	WS60-00-1
2S4M	-AZ	WS60-00-1
2SA1006B	-AZ	WS60-00-1
2SA1008	-AZ	WS60-00-1
2SA1009	-AZ	WS60-00-1
2SA1010	-AZ	WS60-00-1
2SA1069	-AZ	WS60-00-1
2SA1069A	-AZ	WS60-00-1
2SA1069A-Z	-AZ	IR60-00-3
2SA1069-Z	-AZ	IR60-00-3
2SA1129	-AZ	WS60-00-1
2SA1154	-AT	WS60-00-1

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
2SA1156	-AZ	WS60-00-1
2SA1220	-AZ	WS60-00-1
2SA1220A	-AZ	WS60-00-1
2SA1221	-AY	WS60-00-1
2SA1222	-AY	WS60-00-1
2SA1226	-AT	IR60-00-3/WS60-00-1
2SA1247	-AT	IR60-00-3/WS60-00-1
2SA1330	-AT	IR60-00-3/WS60-00-1
2SA1385	-AZ	WS60-00-1
2SA1385-Z	-AZ	IR60-00-3
2SA1394	-AZ	WS60-00-1
2SA1395	-AZ	WS60-00-1
2SA1396	-AZ	WS60-00-1
2SA1400	-AZ	WS60-00-1
2SA1400-Z	-AZ	IR60-00-3
2SA1412	-AZ	WS60-00-1
2SA1412-Z	-AZ	IR60-00-3
2SA1413	-AZ	WS60-00-1
2SA1413-Z	-AZ	IR60-00-3
2SA1460	-AZ	WS60-00-1
2SA1461	-AT	IR60-00-3/WS60-00-1
2SA1462	-AT	IR60-00-3/WS60-00-1
2SA1463	-AY	IR60-00-3
2SA1464	-AT	IR60-00-3/WS60-00-1
2SA1486	-AZ	WS60-00-1
2SA1546	-AZ	WS60-00-1
2SA1608	-AT	IR60-00-3/WS60-00-1
2SA1610	-AT	IR60-00-3/WS60-00-1
2SA1611	-AT	IR60-00-3/WS60-00-1
2SA1612	-AT	IR60-00-3/WS60-00-1
2SA1615	-AZ	WS60-00-1
2SA1615-Z	-AZ	IR60-00-3
2SA1626	-AY	WS60-00-1
2SA1627	-AY	WS60-00-1
2SA1645	-AZ	WS60-00-1
2SA1645-Z	-AZ	IR60-00-3
2SA1646	-AZ	WS60-00-1
2SA1646-Z	-AZ	IR60-00-3
2SA1647	-AZ	WS60-00-1
2SA1647-Z	-AZ	IR60-00-3
2SA1648	-AZ	WS60-00-1
2SA1648-Z	-AZ	IR60-00-3
2SA1649	-AZ	WS60-00-1
2SA1649-Z	-AZ	IR60-00-3
2SA1650	-AZ	WS60-00-1
2SA1652	-AZ	WS60-00-1
2SA1714	-AZ	WS60-00-1
2SA1720	-AZ	WS60-00-1
2SA1741	-AZ	WS60-00-1
2SA1742	-AZ	WS60-00-1
2SA1743	-AZ	WS60-00-1
2SA1744	-AZ	WS60-00-1
2SA1836	-AT	IR60-00-3/WS60-00-1
2SA1840	-AZ	WS60-00-1
2SA1841	-AZ	WS60-00-1
2SA1843	-AZ	WS60-00-1
2SA1845	-AZ	WS60-00-1
2SA1847	-AZ	WS60-00-1
2SA1871	-AY	IR60-00-3
2SA1897	-AY	WS60-00-1
2SA1977	-A	IR260/WS260/HS350 (*)
2SA1978	-A	IR260/WS260/HS350 (*)

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
2SA1988	-A	WS60-00-1
2SA811A	-AT	IR60-00-3/WS60-00-1
2SA812	-AT	IR60-00-3/WS60-00-1
2SA812A	-AT	IR60-00-3
2SA915	-AZ	WS60-00-1
2SA916	-AZ	WS60-00-1
2SA985A	-AZ	WS60-00-1
2SB1093	-AY	WS60-00-1
2SB1094	-AZ	WS60-00-1
2SB1097	-AZ	WS60-00-1
2SB1114	-AY	IR60-00-3
2SB1115	-AY	IR60-00-3
2SB1115A	-AY	IR60-00-3
2SB1117	-AY	WS60-00-1
2SB1149	-AZ	WS60-00-1
2SB1150	-AZ	WS60-00-1
2SB1151	-AZ	WS60-00-1
2SB1217	-AZ	WS60-00-1
2SB1261	-AZ	WS60-00-1
2SB1261-Z	-AZ	IR60-00-3
2SB1301	-AY	IR60-00-3
2SB1318	-AY	WS60-00-1
2SB1430	-AZ	WS60-00-1
2SB1431	-AZ	WS60-00-1
2SB1432	-AZ	WS60-00-1
2SB1453	-AZ	WS60-00-1
2SB1475	-A	IR60-00-3/WS60-00-1
2SB1571	-AY	IR60-00-3
2SB1572	-AY	IR60-00-3
2SB1578	-AZ	IR60-00-3
2SB1581	-AZ	IR60-00-3
2SB1628	-AY	IR60-00-3
2SB1656	-AZ	WS60-00-1
2SB1657	-AZ	WS60-00-1
2SB1658	-AZ	WS60-00-1
2SB1669	-AZ	WS60-00-1
2SB1669-Z	-AZ	IR60-00-3
2SB1721-Z	-AZ	IR60-00-3
2SB546A	-AZ	WS60-00-1
2SB564	-AY	WS60-00-1
2SB601	-AZ	WS60-00-1
2SB605	-AY	WS60-00-1
2SB624	-AT	IR60-00-3/WS60-00-1
2SB624A	-AT	IR60-00-3/WS60-00-1
2SB707	-AZ	WS60-00-1
2SB708	-AZ	WS60-00-1
2SB733	-AY	WS60-00-1
2SB734	-AY	WS60-00-1
2SB736	-AT	IR60-00-3/WS60-00-1
2SB736A	-AT	IR60-00-3/WS60-00-1
2SB768	-AZ	WS60-00-1
2SB768-Z	-AZ	IR60-00-3
2SB772	-AZ	WS60-00-1
2SB794	-AZ	WS60-00-1
2SB795	-AZ	WS60-00-1
2SB798	-AY	IR60-00-3
2SB799	-AY	IR60-00-3
2SB800	-AY	IR60-00-3
2SB804	-AY	IR60-00-3
2SB805	-AY	IR60-00-3
2SB806	-AY	IR60-00-3
2SB820	-AZ	WS60-00-1
2SB820-Z	-AZ	IR60-00-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
2SB962	-AZ	WS60-00-1
2SB962-Z	-AZ	IR60-00-3
2SB963	-AZ	WS60-00-1
2SB963-Z	-AZ	IR60-00-3
2SC1009A	-AT	IR60-00-3/WS60-00-1
2SC1505	-AZ	WS60-00-1
2SC1621	-AT	IR60-00-3/WS60-00-1
2SC1622A	-AT	IR60-00-3/WS60-00-1
2SC1623	-AT	IR60-00-3/WS60-00-1
2SC1623A	-AT	IR60-00-3
2SC1653	-AT	IR60-00-3/WS60-00-1
2SC1654	-AT	IR60-00-3/WS60-00-1
2SC1941	-AY	WS60-00-1
2SC2223	-AT	IR60-00-3/WS60-00-1
2SC2331	-AZ	WS60-00-1
2SC2333	-AZ	WS60-00-1
2SC2334	-AZ	WS60-00-1
2SC2335	-AZ	WS60-00-1
2SC2351	-A	IR260/WS260/HS350 (*)
2SC2517	-AZ	WS60-00-1
2SC2518	-AZ	WS60-00-1
2SC2570A	-A	WS260/HS350 (*)
2SC2654	-AZ	WS60-00-1
2SC2682	-AZ	WS60-00-1
2SC2688	-AZ	WS60-00-1
2SC2690	-AZ	WS60-00-1
2SC2690A	-AZ	WS60-00-1
2SC2721	-AY	WS60-00-1
2SC2752	-AZ	WS60-00-1
2SC2780	-AY	IR60-00-3
2SC2885	-AZ	WS60-00-1
2SC2946	-AZ	WS60-00-1
2SC2958	-AY	WS60-00-1
2SC2959	-AY	WS60-00-1
2SC3115	-AT	IR60-00-3/WS60-00-1
2SC3209	-AY	WS60-00-1
2SC3355	-A	WS260/HS350 (*)
2SC3356	-A	IR260/WS260/HS350 (*)
2SC3357	-A	IR260/WS260/HS350 (*)
2SC3360	-AT	IR60-00-3/WS60-00-1
2SC3518	-AZ	WS60-00-1
2SC3518-Z	-AZ	IR60-00-3
2SC3554	-AY	IR60-00-3
2SC3567	-AZ	WS60-00-1
2SC3568	-AZ	WS60-00-1
2SC3569	-AZ	WS60-00-1
2SC3571	-AZ	WS60-00-1
2SC3572	-AZ	WS60-00-1
2SC3582	-A	WS260/HS350 (*)
2SC3583	-A	IR260/WS260/HS350 (*)
2SC3585	-A	IR260/WS260/HS350 (*)
2SC3588	-AZ	WS60-00-1
2SC3588-Z	-AZ	IR60-00-3
2SC3617	-AY	IR60-00-3
2SC3618	-AY	IR60-00-3
2SC3624	-AT	IR60-00-3/WS60-00-1
2SC3624A	-AT	IR60-00-3/WS60-00-1
2SC3631	-AZ	WS60-00-1
2SC3631-Z	-AZ	IR60-00-3
2SC3632	-AZ	WS60-00-1
2SC3632-Z	-AZ	IR60-00-3
2SC3733	-AZ	WS60-00-1
2SC3734	-AT	IR60-00-3/WS60-00-1

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
2SC3735	-AT	IR60-00-3/WS60-00-1
2SC3736	-AY	IR60-00-3
2SC3739	-AT	IR60-00-3/WS60-00-1
2SC3840	-AZ	WS60-00-1
2SC3841	-A	IR260/WS260/HS350 (*)
2SC4000	-AY	WS60-00-1
2SC4001	-AZ	WS60-00-1
2SC4093	-A	IR260/WS260/HS350 (*)
2SC4094	-A	IR260/WS260/HS350 (*)
2SC4095	-A	IR260/WS260/HS350 (*)
2SC4173	-AT	IR60-00-3/WS60-00-1
2SC4175	-AT	IR60-00-3/WS60-00-1
2SC4176	-AT	IR60-00-3/WS60-00-1
2SC4177	-AT	IR60-00-3/WS60-00-1
2SC4178	-AT	IR60-00-3/WS60-00-1
2SC4179	-AT	IR60-00-3/WS60-00-1
2SC4180	-AT	IR60-00-3/WS60-00-1
2SC4181	-AT	IR60-00-3/WS60-00-1
2SC4181A	-AT	IR60-00-3/WS60-00-1
2SC4184	-A	IR260/WS260/HS350 (*)
2SC4226	-A	IR260/WS260/HS350 (*)
2SC4227	-A	IR260/WS260/HS350 (*)
2SC4228	-A	IR260/WS260/HS350 (*)
2SC4331	-AZ	WS60-00-1
2SC4331-Z	-AZ	IR60-00-3
2SC4332	-AZ	WS60-00-1
2SC4332-Z	-AZ	IR60-00-3
2SC4336	-AZ	WS60-00-1
2SC4342	-AZ	WS60-00-1
2SC4346	-AZ	WS60-00-1
2SC4346-Z	-AZ	IR60-00-3
2SC4351	-AZ	WS60-00-1
2SC4536	-AZ	IR260/WS260/HS350 (*)
2SC4549	-AZ	WS60-00-1
2SC4550	-AZ	WS60-00-1
2SC4551	-AZ	WS60-00-1
2SC4552	-AZ	WS60-00-1
2SC4553	-AZ	WS60-00-1
2SC4554	-AZ	WS60-00-1
2SC4570	-A	IR260/WS260/HS350 (*)
2SC4571	-A	IR260/WS260/HS350 (*)
2SC4703	-AZ	IR260/WS260/HS350 (*)
2SC4783	-AT	IR60-00-3/WS60-00-1
2SC4810	-AZ	WS60-00-1
2SC4811	-AZ	WS60-00-1
2SC4813	-AZ	WS60-00-1
2SC4814	-AZ	WS60-00-1
2SC4815	-AZ	WS60-00-1
2SC4942	-AY	IR60-00-3
2SC4957	-A	IR260/WS260/HS350 (*)
2SC5004	-A	IR260/WS260/HS350 (*)
2SC5005	-A	IR260/WS260/HS350 (*)
2SC5006	-A	IR260/WS260/HS350 (*)
2SC5007	-A	IR260/WS260/HS350 (*)
2SC5008	-A	IR260/WS260/HS350 (*)
2SC5010	-A	IR260/WS260/HS350 (*)
2SC5011	-A	IR260/WS260/HS350 (*)
2SC5012	-A	IR260/WS260/HS350 (*)
2SC5013	-A	IR260/WS260/HS350 (*)
2SC5015	-A	IR260/WS260/HS350 (*)
2SC5180	-A	IR260/WS260/HS350 (*)
2SC5181	-A	IR260/WS260/HS350 (*)
2SC5185	-A	IR260/WS260/HS350 (*)

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
2SC5186	-A	IR260/WS260/HS350 (*)
2SC5191	-A	IR260/WS260/HS350 (*)
2SC5193	-A	IR260/WS260/HS350 (*)
2SC5195	-A	IR260/WS260/HS350 (*)
2SC5288	-A	IR260/WS260/HS350 (*)
2SC5289	-A	IR260/WS260/HS350 (*)
2SC5292	-AZ	WS60-00-1
2SC5293	-AZ	WS60-00-1
2SC5336	-AZ	IR260/WS260/HS350 (*)
2SC5337	-AZ	IR260/WS260/HS350 (*)
2SC5338	-AZ	IR260/WS260/HS350 (*)
2SC5369	-A	IR260/WS260/HS350 (*)
2SC5431	-A	IR260/WS260/HS350 (*)
2SC5432	-A	IR260/WS260/HS350 (*)
2SC5433	-A	IR260/WS260/HS350 (*)
2SC5435	-A	IR260/WS260/HS350 (*)
2SC5436	-A	IR260/WS260/HS350 (*)
2SC5454	-A	IR260/WS260/HS350 (*)
2SC5455	-A	IR260/WS260/HS350 (*)
2SC5507	-A	IR260/WS260/HS350 (*)
2SC5508	-A	IR260/WS260/HS350 (*)
2SC5509	-A	IR260/WS260/HS350 (*)
2SC5606	-A	IR260/WS260/HS350 (*)
2SC5614	-A	IR260/WS260/HS350 (*)
2SC5615	-A	IR260/WS260/HS350 (*)
2SC5617	-A	IR260/WS260/HS350 (*)
2SC5618	-A	IR260/WS260/HS350 (*)
2SC5664	-A	IR60-00-3/WS60-00-1
2SC5676	-A	IR260/WS260/HS350 (*)
2SC5704	-A	IR260/WS260/HS350 (*)
2SC5746	-A	IR260/WS260/HS350 (*)
2SC5750	-A	IR260/WS260/HS350 (*)
2SC5751	-A	IR260/WS260/HS350 (*)
2SC5752	-A	IR260/WS260/HS350 (*)
2SC5753	-A	IR260/WS260/HS350 (*)
2SC5754	-A	IR260/WS260/HS350 (*)
2SC5761	-A	IR260/WS260/HS350 (*)
2SC5787	-A	IR260/WS260/HS350 (*)
2SC5800	-A	IR260/WS260/HS350 (*)
2SC5801	-A	IR260/WS260/HS350 (*)
2SD1000	-AY	IR60-00-3
2SD1001	-AY	IR60-00-3
2SD1005	-AY	IR60-00-3
2SD1006	-AY	IR60-00-3
2SD1007	-AY	IR60-00-3
2SD1033	-AZ	WS60-00-1
2SD1033-Z	-AZ	IR60-00-3
2SD1164	-AZ	WS60-00-1
2SD1164-Z	-AZ	IR60-00-3
2SD1286	-AZ	WS60-00-1
2SD1286-Z	-AZ	IR60-00-3
2SD1312	-AZ	WS60-00-1
2SD1491	-AZ	WS60-00-1
2SD1579	-AY	WS60-00-1
2SD1581	-AY	WS60-00-1
2SD1582	-AY	WS60-00-1
2SD1583	-AZ	WS60-00-1
2SD1583-Z	-AZ	IR60-00-3
2SD1584	-AZ	WS60-00-1
2SD1584-Z	-AZ	IR60-00-3
2SD1585	-AZ	WS60-00-1
2SD1588	-AZ	WS60-00-1
2SD1592	-AZ	WS60-00-1

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
2SD1614	-AY	IR60-00-3
2SD1615	-AY	IR60-00-3
2SD1615A	-AY	IR60-00-3
2SD1630	-AZ	WS60-00-1
2SD1691	-AZ	WS60-00-1
2SD1692	-AZ	WS60-00-1
2SD1693	-AZ	WS60-00-1
2SD1694	-AZ	WS60-00-1
2SD1695	-AZ	WS60-00-1
2SD1697	-AY	WS60-00-1
2SD1699	-AY	IR60-00-3
2SD1702	-AY	IR60-00-3
2SD1779	-AY	WS60-00-1
2SD1780	-AY	WS60-00-1
2SD1818	-AZ	WS60-00-1
2SD1843	-AY	WS60-00-1
2SD1899	-AZ	WS60-00-1
2SD1899-Z	-AZ	IR60-00-3
2SD1950	-AY	IR60-00-3
2SD2161	-AZ	WS60-00-1
2SD2162	-AZ	WS60-00-1
2SD2163	-AZ	WS60-00-1
2SD2164	-AZ	WS60-00-1
2SD2165	-AZ	WS60-00-1
2SD2217	-AZ	WS60-00-1
2SD2228	-AT	IR60-00-3/WS60-00-1
2SD2230	-AT	IR60-00-3/WS60-00-1
2SD2383	-AT	IR60-00-3/WS60-00-1
2SD2402	-AY	IR60-00-3
2SD2403	-AY	IR60-00-3
2SD2425	-AY	IR60-00-3
2SD401A	-AZ	WS60-00-1
2SD414	-AZ	WS60-00-1
2SD415	-AZ	WS60-00-1
2SD471	-AY	WS60-00-1
2SD560	-AZ	WS60-00-1
2SD571	-AY	WS60-00-1
2SD596	-AT	IR60-00-3/WS60-00-1
2SD596A	-AT	IR60-00-3
2SD773	-AY	WS60-00-1
2SD774	-AY	WS60-00-1
2SD780	-AT	IR60-00-3/WS60-00-1
2SD780A	-AT	IR60-00-3/WS60-00-1
2SD794	-AZ	WS60-00-1
2SD794A	-AZ	WS60-00-1
2SD809	-AZ	WS60-00-1
2SD882	-AZ	WS60-00-1
2SD985	-AZ	WS60-00-1
2SD986	-AZ	WS60-00-1
2SD992	-AZ	WS60-00-1
2SD992A	-AZ	WS60-00-1
2SD992A-Z	-AZ	IR60-00-3
2SD992-Z	-AZ	IR60-00-3
2SD999	-AY	IR60-00-3
2SJ128	-AZ	WS60-00-1
2SJ128-Z	-AZ	IR60-00-3
2SJ132	-AZ	WS60-00-1
2SJ132-Z	-AZ	IR60-00-3
2SJ133	-AZ	WS60-00-1
2SJ133-Z	-AZ	IR60-00-3
2SJ134	-AZ	WS60-00-1
2SJ135	-AZ	WS60-00-1
2SJ138	-AZ	WS60-00-1

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
2SJ142	-AZ	WS60-00-1
2SJ143	-AZ	WS60-00-1
2SJ166	-AT	IR60-00-3/WS60-00-1
2SJ179	-AY	IR60-00-3
2SJ180	-AY	WS60-00-1
2SJ185	-AT	IR60-00-3/WS60-00-1
2SJ197	-AY	IR60-00-3
2SJ199	-AY	IR60-00-3
2SJ202	-AT	IR60-00-3/WS60-00-1
2SJ203	-AT	IR60-00-3/WS60-00-1
2SJ204	-AT	IR60-00-3/WS60-00-1
2SJ205	-AY	IR60-00-3
2SJ206	-AY	IR60-00-3
2SJ207	-AY	IR60-00-3
2SJ208	-AY	IR60-00-3
2SJ209	-AT	IR60-00-3/WS60-00-1
2SJ210	-AT	IR60-00-3/WS60-00-1
2SJ211	-AT	IR60-00-3/WS60-00-1
2SJ212	-AY	IR60-00-3
2SJ213	-AY	IR60-00-3
2SJ243	-AT	IR60-00-3/WS60-00-1
2SJ302	-AZ	WS60-00-1
2SJ302-Z	-AZ	IR60-00-3
2SJ303	-AZ	WS60-00-1
2SJ324	-AZ	WS60-00-1
2SJ324-Z	-AZ	IR60-00-3
2SJ325	-AZ	WS60-00-1
2SJ325-Z	-AZ	IR60-00-3
2SJ326	-AZ	WS60-00-1
2SJ326-Z	-AZ	IR60-00-3
2SJ327	-AZ	WS60-00-1
2SJ327-Z	-AZ	IR60-00-3
2SJ328	-AZ	WS60-00-1
2SJ328-Z	-AZ	IR60-00-3
2SJ329	-AZ	WS60-00-1
2SJ330	-AZ	WS60-00-1
2SJ331	-A	WS60-00-1
2SJ353	-AY	WS60-00-1
2SJ355	-AY	IR60-00-3
2SJ356	-AY	IR60-00-3
2SJ357	-AY	IR60-00-3
2SJ358	-AY	IR60-00-3
2SJ448	-AZ	WS60-00-1
2SJ449	-AZ	WS60-00-1
2SJ461	-AT	IR60-00-3/WS60-00-1
2SJ461A	-AT	IR60-00-3
2SJ462	-AZ	IR60-00-3
2SJ463A	-AT	IR60-00-3/WS60-00-1
2SJ492	-AZ	WS60-00-1
2SJ492-Z	-AZ	IR60-00-3
2SJ493	-AZ	WS60-00-1
2SJ494	-AZ	WS60-00-1
2SJ495	-AZ	WS60-00-1
2SJ557	-AT	IR60-00-3/WS60-00-1
2SJ557A	-AT	IR60-00-3/WS60-00-1
2SJ559	-AT	IR60-00-3/WS60-00-1
2SJ581	-AZ	WS60-00-1
2SJ598	-AZ	WS60-00-1
2SJ598-Z	-AZ	IR60-00-3
2SJ599	-AZ	WS60-00-1
2SJ599-Z	-AZ	IR60-00-3
2SJ600	-AZ	WS60-00-1
2SJ600-Z	-AZ	IR60-00-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
2SJ601	-AZ	WS60-00-1
2SJ601-Z	-AZ	IR60-00-3
2SJ602	-AZ	WS60-00-1
2SJ602-Z	-AZ	IR60-00-3
2SJ603	-AZ	WS60-00-1
2SJ603-Z	-AZ	IR60-00-3
2SJ604	-AZ	WS60-00-1
2SJ604-Z	-AZ	IR60-00-3
2SJ605	-AZ	WS60-00-1
2SJ605-Z	-AZ	IR60-00-3
2SJ606	-AZ	WS60-00-1
2SJ606-Z	-AZ	IR60-00-3
2SJ607	-AZ	WS60-00-1
2SJ607-Z	-AZ	IR60-00-3
2SJ621	-AT	IR60-00-3/WS60-00-1
2SJ624	-AT	IR60-00-3/WS60-00-1
2SJ625	-AT	IR60-00-3/WS60-00-1
2SJ626	-AT	IR60-00-3/WS60-00-1
2SJ647	-AT	IR60-00-3/WS60-00-1
2SJ648	-AT	IR60-00-3/WS60-00-1
2SJ649	-AZ	WS60-00-1
2SJ673	-AZ	WS60-00-1
2SJ687-ZK	-AY	IR60-00-3
2SJ690	-AT	IR60-00-3/WS60-00-1
2SK1001	-AT	IR60-00-3/WS60-00-1
2SK1059	-AZ	WS60-00-1
2SK1060	-AZ	WS60-00-1
2SK1109	-AT	WS60-00-1
2SK1122	-A	WS60-00-1
2SK1123	-A	WS60-00-1
2SK1133	-AT	IR60-00-3/WS60-00-1
2SK1271	-A	WS60-00-1
2SK1273	-AY	IR60-00-3
2SK1274	-AY	WS60-00-1
2SK1282	-AZ	WS60-00-1
2SK1283	-AZ	WS60-00-1
2SK1284	-AZ	WS60-00-1
2SK1284-Z	-AZ	IR60-00-3
2SK1285	-AZ	WS60-00-1
2SK1286	-AZ	WS60-00-1
2SK1288	-AZ	WS60-00-1
2SK1290	-AZ	WS60-00-1
2SK1292	-AZ	WS60-00-1
2SK1295	-AZ	WS60-00-1
2SK1399	-AT	IR60-00-3/WS60-00-1
2SK1483	-AY	IR60-00-3
2SK1485	-AY	IR60-00-3
2SK1491	-A	WS60-00-1
2SK1492	-A	WS60-00-1
2SK1580	-AT	IR60-00-3/WS60-00-1
2SK1581	-AT	IR60-00-3/WS60-00-1
2SK1582	-AT	IR60-00-3/WS60-00-1
2SK1583	-AY	IR60-00-3
2SK1584	-AY	IR60-00-3
2SK1585	-AY	IR60-00-3
2SK1586	-AY	IR60-00-3
2SK1587	-AY	IR60-00-3
2SK1588	-AY	IR60-00-3
2SK1589	-AT	IR60-00-3/WS60-00-1
2SK1590	-AT	IR60-00-3/WS60-00-1
2SK1590A	-AT	IR60-00-3
2SK1591	-AT	IR60-00-3/WS60-00-1
2SK1592	-AY	IR60-00-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
2SK1593	-AY	IR60-00-3
2SK160A	-AT	IR60-00-3/WS60-00-1
2SK1657	-AT	IR60-00-3/WS60-00-1
2SK1658	-AT	IR60-00-3/WS60-00-1
2SK1824	-AT	IR60-00-3/WS60-00-1
2SK1850	-AZ	WS60-00-1
2SK1851	-AZ	WS60-00-1
2SK1852	-AZ	WS60-00-1
2SK1853	-AZ	WS60-00-1
2SK1954	-AZ	WS60-00-1
2SK1954-Z	-AZ	IR60-00-3
2SK1958	-AT	IR60-00-3/WS60-00-1
2SK1959	-AY	IR60-00-3
2SK1960	-AY	IR60-00-3
2SK2040	-AZ	WS60-00-1
2SK2053	-AY	IR60-00-3
2SK2054	-AY	IR60-00-3
2SK2055	-AY	IR60-00-3
2SK2070	-AY	WS60-00-1
2SK2090	-AT	IR60-00-3/WS60-00-1
2SK2109	-AY	IR60-00-3
2SK2110	-AY	IR60-00-3
2SK2111	-AY	IR60-00-3
2SK2112	-AY	IR60-00-3
2SK2131	-AZ	WS60-00-1
2SK2132	-AZ	WS60-00-1
2SK2133	-AZ	WS60-00-1
2SK2133-Z	-AZ	IR60-00-3
2SK2135	-AZ	WS60-00-1
2SK2136	-AZ	WS60-00-1
2SK2157	-AY	IR60-00-3
2SK2158	-AT	IR60-00-3/WS60-00-1
2SK2158A	-AT	IR60-00-3
2SK2159	-AY	IR60-00-3
2SK2341	-AZ	WS60-00-1
2SK2358	-AZ	WS60-00-1
2SK2361	-A	WS60-00-1
2SK2362	-A	WS60-00-1
2SK2363	-AZ	WS60-00-1
2SK2364	-AZ	WS60-00-1
2SK2365	-AZ	WS60-00-1
2SK2367	-A	WS60-00-1
2SK2368	-A	WS60-00-1
2SK2369	-A	WS60-00-1
2SK2370	-A	WS60-00-1
2SK2371	-A	WS60-00-1
2SK2372	-A	WS60-00-1
2SK238	-AT	IR60-00-3/WS60-00-1
2SK2409	-AZ	WS60-00-1
2SK2410	-AZ	WS60-00-1
2SK2412	-AZ	WS60-00-1
2SK2413	-AZ	WS60-00-1
2SK2414	-AZ	WS60-00-1
2SK2414-Z	-AZ	IR60-00-3
2SK2415	-AZ	WS60-00-1
2SK2415-Z	-AZ	IR60-00-3
2SK2461	-AZ	WS60-00-1
2SK2462	-AZ	WS60-00-1
2SK2476	-AZ	WS60-00-1
2SK2477	-A	WS60-00-1
2SK2478	-AZ	WS60-00-1
2SK2479	-AZ	WS60-00-1
2SK2479-Z	-AZ	IR60-00-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
2SK2480	-AZ	WS60-00-1
2SK2481	-AZ	WS60-00-1
2SK2481-Z	-AZ	IR60-00-3
2SK2482	-A	WS60-00-1
2SK2483	-AZ	WS60-00-1
2SK2484	-AZ	WS60-00-1
2SK2484-Z	-AZ	IR60-00-3
2SK2487	-A	WS60-00-1
2SK2488	-A	WS60-00-1
2SK2498	-AZ	WS60-00-1
2SK2499	-AZ	WS60-00-1
2SK2510	-AZ	WS60-00-1
2SK2511	-A	WS60-00-1
2SK2512	-AZ	WS60-00-1
2SK2513	-AZ	WS60-00-1
2SK2514	-A	WS60-00-1
2SK2515	-A	WS60-00-1
2SK2552	-AT	IR60-00-3/WS60-00-1
2SK2552B	-AT	IR60-00-3/WS60-00-1
2SK2552C	-AT	IR60-00-3/WS60-00-1
2SK2723	-AZ	WS60-00-1
2SK2724	-AZ	WS60-00-1
2SK2826	-AZ	WS60-00-1
2SK2826-Z	-AZ	IR60-00-3
2SK2857	-AY	IR60-00-3
2SK2858	-AT	IR60-00-3/WS60-00-1
2SK3053	-AZ	WS60-00-1
2SK3054	-AT	IR60-00-3/WS60-00-1
2SK3055	-AZ	WS60-00-1
2SK3056	-AZ	WS60-00-1
2SK3056-Z	-AZ	IR60-00-3
2SK3057	-AZ	WS60-00-1
2SK3058	-AZ	WS60-00-1
2SK3058-Z	-AZ	IR60-00-3
2SK3059	-AZ	WS60-00-1
2SK3060	-AZ	WS60-00-1
2SK3060-Z	-AZ	IR60-00-3
2SK3061	-AZ	WS60-00-1
2SK3062	-AZ	WS60-00-1
2SK3062-Z	-AZ	IR60-00-3
2SK3105	-AT	IR60-00-3/WS60-00-1
2SK3107	-AT	IR60-00-3/WS60-00-1
2SK3108	-AZ	WS60-00-1
2SK3109	-AZ	WS60-00-1
2SK3109-Z	-AZ	IR60-00-3
2SK3110	-AZ	WS60-00-1
2SK3111	-AZ	WS60-00-1
2SK3111-Z	-AZ	IR60-00-3
2SK3112	-AZ	WS60-00-1
2SK3112-Z	-AZ	IR60-00-3
2SK3113	-AZ	WS60-00-1
2SK3113B(1)-S27	-AY	WS60-00-1
2SK3113B-S15	-AY	WS60-00-1
2SK3113B-ZK	-AY	IR60-00-3
2SK3113-Z	-AZ	IR60-00-3
2SK3114	-AZ	WS60-00-1
2SK3114B-S17	-AY	WS60-00-1
2SK3115	-AZ	WS60-00-1
2SK3115B-S17	-AY	WS60-00-1
2SK3116	-AZ	WS60-00-1
2SK3116B-S19	-AY	WS60-00-1
2SK3116B-ZK	-AY	IR60-00-3
2SK3116-Z	-AZ	IR60-00-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
2SK3204	-AZ	WS60-00-1
2SK3221	-AZ	WS60-00-1
2SK3224	-AZ	WS60-00-1
2SK3224-Z	-AZ	IR60-00-3
2SK3225	-AZ	WS60-00-1
2SK3225-Z	-AZ	IR60-00-3
2SK3230	-AT	IR60-00-3/WS60-00-1
2SK3230B	-AT	IR60-00-3/WS60-00-1
2SK3230C	-AT	IR60-00-3/WS60-00-1
2SK3294	-AZ	WS60-00-1
2SK3294-Z	-AZ	IR60-00-3
2SK3295	-AZ	WS60-00-1
2SK3295-Z	-AZ	IR60-00-3
2SK3296	-AZ	WS60-00-1
2SK3296-Z	-AZ	IR60-00-3
2SK3297	-AZ	WS60-00-1
2SK3298	-AZ	WS60-00-1
2SK3298B-S17	-AY	WS60-00-1
2SK3299	-AZ	WS60-00-1
2SK3299B-S19	-AY	WS60-00-1
2SK3299-Z	-AZ	IR60-00-3
2SK3304	-A	WS60-00-1
2SK3305	-AZ	WS60-00-1
2SK3305B-S19	-AY	WS60-00-1
2SK3305-Z	-AZ	IR60-00-3
2SK3306	-AZ	WS60-00-1
2SK3306B-S17	-AY	WS60-00-1
2SK3307	-A	WS60-00-1
2SK3322	-AZ	WS60-00-1
2SK3322-Z	-AZ	IR60-00-3
2SK3324	-A	WS60-00-1
2SK3325	-AZ	WS60-00-1
2SK3325B-S19	-AY	WS60-00-1
2SK3325B-ZK	-AY	IR60-00-3
2SK3325-Z	-AZ	IR60-00-3
2SK3326	-AZ	WS60-00-1
2SK3326B-S17	-AY	WS60-00-1
2SK3353	-AZ	WS60-00-1
2SK3353-Z	-AZ	IR60-00-3
2SK3354	-AZ	WS60-00-1
2SK3354-Z	-AZ	IR60-00-3
2SK3355	-AZ	WS60-00-1
2SK3355-Z	-AZ	IR60-00-3
2SK3356	-A	WS60-00-1
2SK3357	-A	WS60-00-1
2SK3365	-AZ	WS60-00-1
2SK3365-Z	-AZ	IR60-00-3
2SK3366	-AZ	WS60-00-1
2SK3366-Z	-AZ	IR60-00-3
2SK3367	-AZ	WS60-00-1
2SK3367-Z	-AZ	IR60-00-3
2SK3377	-AZ	WS60-00-1
2SK3377-Z	-AZ	IR60-00-3
2SK3385	-AZ	WS60-00-1
2SK3385-Z	-AZ	IR60-00-3
2SK3386	-AZ	WS60-00-1
2SK3386-Z	-AZ	IR60-00-3
2SK3402	-AZ	WS60-00-1
2SK3402-Z	-AZ	IR60-00-3
2SK3404	-AZ	WS60-00-1
2SK3404-Z	-AZ	IR60-00-3
2SK3405	-AZ	WS60-00-1
2SK3405-Z	-AZ	IR60-00-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
2SK3408	-A	IR60-00-3/WS60-00-1
2SK3424	-AZ	WS60-00-1
2SK3424-Z	-AZ	IR60-00-3
2SK3430	-AZ	WS60-00-1
2SK3430-Z	-AZ	IR60-00-3
2SK3431	-AZ	WS60-00-1
2SK3431-Z	-AZ	IR60-00-3
2SK3432	-AZ	WS60-00-1
2SK3432-Z	-AZ	IR60-00-3
2SK3433	-AZ	WS60-00-1
2SK3433-Z	-AZ	IR60-00-3
2SK3434	-AZ	WS60-00-1
2SK3434-Z	-AZ	IR60-00-3
2SK3435	-AZ	WS60-00-1
2SK3435-Z	-AZ	IR60-00-3
2SK3454	-AZ	WS60-00-1
2SK3455	-AZ	WS60-00-1
2SK3455B-S17	-AY	WS60-00-1
2SK3456	-AZ	WS60-00-1
2SK3456-Z	-AZ	IR60-00-3
2SK3457	-AZ	WS60-00-1
2SK3458	-AZ	WS60-00-1
2SK3458-Z	-AZ	IR60-00-3
2SK3467	-AZ	WS60-00-1
2SK3467-Z	-AZ	IR60-00-3
2SK3479	-AZ	WS60-00-1
2SK3479-Z	-AZ	IR60-00-3
2SK3480	-AZ	WS60-00-1
2SK3480-Z	-AZ	IR60-00-3
2SK3481	-AZ	WS60-00-1
2SK3481-Z	-AZ	IR60-00-3
2SK3482	-AZ	WS60-00-1
2SK3482-Z	-AZ	IR60-00-3
2SK3483	-AZ	WS60-00-1
2SK3483-Z	-AZ	IR60-00-3
2SK3484	-AZ	WS60-00-1
2SK3484-Z	-AZ	IR60-00-3
2SK3503	-AT	IR60-00-3/WS60-00-1
2SK3507-ZK	-AZ	IR60-00-3
2SK3510	-AZ	WS60-00-1
2SK3510-Z	-AZ	IR60-00-3
2SK3511	-AZ	WS60-00-1
2SK3511-Z	-AZ	IR60-00-3
2SK3570	-AZ	WS60-00-1
2SK3570-Z	-AZ	IR60-00-3
2SK3571	-AZ	WS60-00-1
2SK3571-Z	-AZ	IR60-00-3
2SK3572	-AZ	WS60-00-1
2SK3572-Z	-AZ	IR60-00-3
2SK3573	-AZ	WS60-00-1
2SK3573-Z	-AZ	IR60-00-3
2SK3574	-AZ	WS60-00-1
2SK3574-Z	-AZ	IR60-00-3
2SK3575	-AZ	WS60-00-1
2SK3575-Z	-AZ	IR60-00-3
2SK3576	-AT	IR60-00-3/WS60-00-1
2SK3577	-AT	IR60-00-3/WS60-00-1
2SK3634	-AZ	WS60-00-1
2SK3635	-AZ	WS60-00-1
2SK3638-ZK	-AZ	IR60-00-3
2SK3639-ZK	-AZ	IR60-00-3
2SK3640-ZK	-AZ	IR60-00-3
2SK3641-ZK	-AZ	IR60-00-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
2SK3642-ZK	-AZ	IR60-00-3
2SK3643-ZK	-AZ	IR60-00-3
2SK3653	-AT	IR60-00-3/WS60-00-1
2SK3653B	-A	IR60-00-3/WS60-00-1
2SK3653C	-AT	IR60-00-3/WS60-00-1
2SK3659	-AZ	WS60-00-1
2SK3663	-AT	IR60-00-3/WS60-00-1
2SK3664	-AT	IR60-00-3/WS60-00-1
2SK3668-ZK	-AZ	IR60-00-3
2SK3712	-AZ	WS60-00-1
2SK3712-Z	-AZ	IR60-00-3
2SK3713-SK	-AZ	WS60-00-1
2SK3714	-AZ	WS60-00-1
2SK3715	-AZ	WS60-00-1
2SK3716-Z	-AZ	IR60-00-3
2SK3718	-AT	IR60-00-3/WS60-00-1
2SK3719	-A	IR60-00-3/WS60-00-1
2SK3740-ZK	-AZ	IR60-00-3
2SK3749	-AT	IR60-00-3/WS60-00-1
2SK3755	-AZ	WS60-00-1
2SK3782	-AT	IR60-00-3
2SK3782C	-AT	IR60-00-3/WS60-00-1
2SK3783	-AT	IR60-00-3
2SK3793	-AZ	WS60-00-1
2SK3794-Z	-AZ	IR60-00-3
2SK3811-ZP	-AZ	IR60-00-3
2SK3812-ZP	-AZ	IR60-00-3
2SK3813	-AZ	WS60-00-1
2SK3813-Z	-AZ	IR60-00-3
2SK3814	-AZ	WS60-00-1
2SK3814-Z	-AZ	IR60-00-3
2SK3899-ZK	-AZ	IR60-00-3
2SK3900-ZP	-AY	IR60-00-3
2SK3901-ZK	-AZ	IR60-00-3
2SK3902-ZK	-AZ	IR60-00-3
2SK3918	-AZ	WS60-00-1
2SK3918-ZK	-AZ	IR60-00-3
2SK3919	-AZ	WS60-00-1
2SK3919-ZK	-AZ	IR60-00-3
2SK3943-ZP	-AZ	IR60-00-3
2SK3984-ZK	-AZ	IR60-00-3
2SK3991	-AZ	WS60-00-1
2SK3991-ZK	-AZ	IR60-00-3
2SK3992	-AZ	WS60-00-1
2SK3992-ZK	-AZ	IR60-00-3
2SK3993	-AZ	WS60-00-1
2SK3993-ZK	-AZ	IR60-00-3
2SK4027	-AT	IR60-00-3
2SK4028	-AT	IR60-00-3
2SK4028C	-AT	IR60-00-3/WS60-00-1
2SK4035	-AT	IR60-00-3
2SK4036	-AZ	WS60-00-1
2SK4041	-AT	IR60-00-3
2SK4057	-AY	WS60-00-1
2SK4057(1)-S27	-AY	WS60-00-1
2SK4057-ZK	-AY	IR60-00-3
2SK4058(1)-S27	-AY	WS60-00-1
2SK4058-ZK	-AY	IR60-00-3
2SK4069(1)-S27	-AY	WS60-00-1
2SK4069-ZK	-AY	IR60-00-3
2SK4070(1)-S27	-AY	WS60-00-1
2SK4071	-AZ	WS60-00-1
2SK4075-ZK	-AY	IR60-00-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
2SK4076-ZK	-AY	IR60-00-3
2SK4077-ZK	-AY	IR60-00-3
2SK4078-ZK	-AY	IR60-00-3
2SK4080(1)-S27	-AY	WS60-00-1
2SK4080-ZK	-AY	IR60-00-3
2SK4081(1)-S27	-AY	WS60-00-1
2SK4081-S15	-AY	WS60-00-1
2SK4082-S17	-AY	WS60-00-1
2SK4090(1)-S27	-AY	WS60-00-1
2SK4090-ZK	-AY	IR60-00-3
2SK4091(1)-S27	-AY	WS60-00-1
2SK4091-ZK	-AY	IR60-00-3
2SK4092-A	-A	WS60-00-1
2SK4095	-AZ	WS60-00-1
2SK4143-S17	-AY	WS60-00-1
2SK4144	-AZ	WS60-00-1
2SK4145-S18/19	-AY	WS60-00-1
2SK4146-S19	-AY	WS60-00-1
2SK4147	-AT	IR60-00-3/WS60-00-1
2SK4148	-AZ	WS60-00-1
2SK4178(1)-S27	-AY	WS60-00-1
2SK4184-ZK	-AY	IR60-00-3
2SK4201-S19	-AY	WS60-00-1
2SK4202-S19	-AY	WS60-00-1
2SK4212-ZK	-AY	IR60-00-3
2SK4213-ZK	-AY	IR60-00-3
2SK425	-AT	IR60-00-3/WS60-00-1
2SK508	-AT	IR60-00-3/WS60-00-1
2SK515	-AT	IR60-00-3/WS60-00-1
2SK520	-AT	IR60-00-3/WS60-00-1
2SK680A	-AY	IR60-00-3
2SK681A	-AZ	WS60-00-1
2SK852	-AT	IR60-00-3/WS60-00-1
2SK853	-AT	IR60-00-3/WS60-00-1
2SK853A	-AT	IR60-00-3/WS60-00-1
2V5P4M	-AZ	WS60-00-1
3P4J	-AZ	WS60-00-1
3P4J-Z	-AZ	IR60-00-3
3P4J-ZK	-AY	IR60-00-3
3P4MH	-AZ	WS60-00-1
3P6MH	-AZ	WS60-00-1
3S4M	-AZ	WS60-00-1
3SK131	-A	IR260/WS260/HS350 (*)
3SK222	-A	IR260/WS260/HS350 (*)
3SK254	-A	IR260/WS260/HS350 (*)
3SK255	-A	IR260/WS260/HS350 (*)
5P4J	-AZ	WS60-00-1
5P4J-Z	-AZ	IR60-00-3
5P4J-ZK	-AY	IR60-00-3
5P4M	-AZ	WS60-00-1
5P4M-Z	-AZ	IR60-00-3
5P4SMA	-AZ	WS60-00-1
5P6J	-AZ	WS60-00-1
5P6J-Z	-AZ	IR60-00-3
5P6J-ZK	-AY	IR60-00-3
5P6M	-AZ	WS60-00-1
5P6M-Z	-AZ	IR60-00-3
5P6SMA	-AZ	WS60-00-1
8P2M	-AZ	WS60-00-1
8P2M-Z	-AZ	IR60-00-3
8P2SMA	-AZ	WS60-00-1
8P4J	-AZ	WS60-00-1
8P4J-Z	-AZ	IR60-00-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
8P4M	-AZ	WS60-00-1
8P4M-Z	-AZ	IR60-00-3
8P4SMA	-AZ	WS60-00-1
AC01DGM	-AZ	WS60-00-1
AC01DJM	-AZ	IR60-00-3
AC03DGM	-AZ	WS60-00-1
AC03DJM	-AZ	WS60-00-1
AC03DJM-Z	-AZ	IR60-00-3
AC03DSMA	-AZ	WS60-00-1
AC03FGM	-AZ	WS60-00-1
AC03FJM	-AZ	WS60-00-1
AC03FJM-Z	-AZ	IR60-00-3
AC03FSMA	-AZ	WS60-00-1
AC05DGM	-AZ	WS60-00-1
AC05DGM-Z	-AZ	IR60-00-3
AC05DJM	-AZ	WS60-00-1
AC05DJM-Z	-AZ	IR60-00-3
AC05DSMA	-AZ	WS60-00-1
AC05FGM	-AZ	WS60-00-1
AC05FGM-Z	-AZ	IR60-00-3
AC05FJM	-AZ	WS60-00-1
AC05FJM-Z	-AZ	IR60-00-3
AC05FSMA	-AZ	WS60-00-1
AC08DGM	-AZ	WS60-00-1
AC08DGM-Z	-AZ	IR60-00-3
AC08DSMA	-AZ	WS60-00-1
AC08FGM	-AZ	WS60-00-1
AC08FGM-Z	-AZ	IR60-00-3
AC08FSMA	-AZ	WS60-00-1
AC0V8DGM	-AZ	WS60-00-1
AC10DGM	-AZ	WS60-00-1
AC10DGM-Z	-AZ	IR60-00-3
AC10DSMA	-AZ	WS60-00-1
AC10FGM	-AZ	WS60-00-1
AC10FGM-Z	-AZ	IR60-00-3
AC10FSMA	-AZ	WS60-00-1
AC12DGM	-AZ	WS60-00-1
AC12DGM-Z	-AZ	IR60-00-3
AC12DSMA	-AZ	WS60-00-1
AC12FGM	-AZ	WS60-00-1
AC12FGM-Z	-AZ	IR60-00-3
AC12FSMA	-AZ	WS60-00-1
AC16DGM	-AZ	WS60-00-1
AC16DGM-Z	-AZ	IR60-00-3
AC16DSMA	-AZ	WS60-00-1
AC16FGM	-AZ	WS60-00-1
AC16FGM-Z	-AZ	IR60-00-3
AC16FSMA	-AZ	WS60-00-1
CE1XXX	-AY	WS60-00-1
CE2XXX	-AY	WS60-00-1
FA1XXX	-AT	IR60-00-3/WS60-00-1
FA4XXX	-AT	IR60-00-3/WS60-00-1
FB1XXX	-AT	IR60-00-3/WS60-00-1
FN1XXX	-AT	IR60-00-3/WS60-00-1
FN4XXX	-AT	IR60-00-3/WS60-00-1
FP1XXX	-AT	IR60-00-3/WS60-00-1
GA1XXX	-AT	IR60-00-3/WS60-00-1
GA4XXX	-AT	IR60-00-3/WS60-00-1
GN1XXX	-AT	IR60-00-3/WS60-00-1
GN4XXX	-AT	IR60-00-3/WS60-00-1
HD1XXX	-AY	IR60-00-3
HD2XXX	-AY	IR60-00-3
HE1XXX	-AY	IR60-00-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
HQ1XXX	-AY	IR60-00-3
HR1XXX	-AY	IR60-00-3
KA4XXX	-AT	IR60-00-3/WS60-00-1
KN4XXX	-AT	IR60-00-3/WS60-00-1
MC-10024F1	-A	IR60-107-3
MC-10041GM	-A	IR60-107-3
MC-10042BGM-GAA	-A	IR60-107-3
MC-10042GM	-A	IR60-107-3
MC-10043BGJ	-A	IR60-107-3
MC-10043FGJ	-A	IR60-107-3
MC-10043GJ	-A	IR60-107-3
MC-10044BGJ-GAY	-A	IR60-107-3
MC-10044FGJ-GAY	-A	IR60-107-3
MC-10044GJ	-A	IR60-107-3
MC-10045GC	-A	IR60-107-3
MC-10050F1-XXX	-A	IR50-107-3
MC-10051BF1	-A	IR60-107-3
MC-10051F1	-A	IR60-107-3
MC-10059F1	-A	IR60-107-3
MC-10068F1-XXX	-A	IR50-207-3
MC-10079F1-XXX-LU2	-A	IR50-207-3
MC-10087F1-XXX	-A	IR50-207-3
MC-10092F1-XXX	-A	IR50-207-3
MC-10103F1	-A	IR60-107-3
MC-10104F1	-A	IR60-107-3
MC-10116F1	-A	IR60-107-3
MC-10118AF1	-A	IR60-107-3
MC-10121AF1-XXX-TA1	-A	IR50-207-2
MC-10121F1-XXX	-A	IR50-207-2
MC-10122AF1-XXX-TA1	-A	IR50-207-2
MC-10122F1-XXX-TA1	-A	IR50-207-2
MC-10146F1	-A	IR50-207-3
MC-10146F1-XXX-LU2	-A	IR50-207-3
MC-10147F1-XXX-LU2	-A	IR50-207-3
MC-10149F1	-A	IR60-107-3
MC-10152F1-RNB	-A	IR50-207-3
MC-10166F1-CA9	-A	IR60-107-3
MC-10167F1-CA9	-A	IR60-107-3
MC-10170F1-CA9	-A	IR60-107-3
N0100P	-AT	IR60-00-3/WS60-00-1
N0300N	-AT	IR60-00-3/WS60-00-1
N0300P	-AT	IR60-00-3/WS60-00-1
N0301N	-AT	IR60-00-3/WS60-00-1
N0301P	-AT	IR60-00-3/WS60-00-1
N0302P	-AT	IR60-00-3/WS60-00-1
N0400P-ZK	-AY	IR60-00-3
N2500N	-AT	IR60-00-3/WS60-00-1
N413	-AZ	WS60-00-1
NE3210S01	no-lead free order code	IR250-N1/HS350-P3 (*)
NE350184C	-A	IR260/HS350 (*)
NE3503M04	-A	IR260/HS350 (*)
NE3508M04	-A	IR260/HS350 (*)
NE3509M04	-A	IR260/HS350 (*)
NE3510M04	-A	IR260/HS350 (*)
NE3511S02	-A	IR260/HS350 (*)
NE3512S02	-A	IR260/HS350 (*)
NE3514S02	-A	IR260/HS350 (*)
NE3515S02	-A	IR260/HS350 (*)
NE3517S03	-A	IR260/HS350 (*)
NE4210S01	no-lead free order code	IR250-N1/HS350-P3 (*)
NE5500134	-AZ	IR260/WS260/HS350 (*)
NE5500179A	-A	IR260/WS260/HS350-P3 (*)
NE5500234	-AZ	IR260/WS260/HS350 (*)

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
NE5500434	-AZ	IR260/WS260/HS350 (*)
NE5500479A	-A	IR260/WS260/HS350-P3 (*)
NE5510279A	-A	IR260/WS260/HS350-P3 (*)
NE5511279A	-A	IR260/WS260/HS350-P3 (*)
NE5520279A	-A	IR260/WS260/HS350-P3 (*)
NE5520379A	-A	IR260/WS260/HS350-P3 (*)
NE552R479A	-A	IR260/WS260/HS350-P3 (*)
NE552R679A	-A	IR260/WS260/HS350-P3 (*)
NE5531079A	-A	IR260/WS260/HS350-P3 (*)
NE55410GR	-AZ	IR260/WS260/HS350 (*)
NE5814M14	-A	IR260/WS260/HS350 (*)
NE6500179A	-A	IR260/WS260/HS350-P3 (*)
NE650103M	-A	HS350-P3 (*)
NE6510179A	-A	IR260/WS260/HS350-P3 (*)
NE651R479A	-A	IR260/WS260/HS350-P3 (*)
NE661M05	-A	IR260/WS260/HS350 (*)
NE662M03	-A	IR260/WS260/HS350 (*)
NE685M33	-A	IR260/WS260/HS350 (*)
NE687M33	-A	IR260/WS260/HS350 (*)
NE851M33	-A	IR260/WS260/HS350 (*)
NEM090303M-28	-A	HS350-P3 (*)
NEM090603M-28	-A	HS350-P3 (*)
NEM090853P-28	-A	HS350-P3 (*)
NEM091203P-28	-A	HS350-P3 (*)
NEM091603P-28	-A	HS350-P3 (*)
NEM091803S-28	-A	HS350-P3 (*)
NES1823M-180	-A	HS350-P3 (*)
NES1823M-240	-A	HS350-P3 (*)
NES1823M-45	-A	HS350-P3 (*)
NES1823S-45	-A	HS350-P3 (*)
NES1823S-90	-A	HS350-P3 (*)
NESG2021M05	-A	IR260/WS260/HS350 (*)
NESG2021M16	-A	IR260/WS260/HS350 (*)
NESG2031M05	-A	IR260/WS260/HS350 (*)
NESG2031M16	-A	IR260/WS260/HS350 (*)
NESG204619	-A	IR260/WS260/HS350 (*)
NESG2046M33	-A	IR260/WS260/HS350 (*)
NESG2101M05	-A	IR260/WS260/HS350 (*)
NESG2101M16	-A	IR260/WS260/HS350 (*)
NESG210719	-A	IR260/WS260/HS350 (*)
NESG2107M33	-A	IR260/WS260/HS350 (*)
NESG210833	-A	IR260/WS260/HS350 (*)
NESG220033	-A	IR260/WS260/HS350 (*)
NESG220034	-A	IR260/WS260/HS350 (*)
NESG240033	-A	IR260/WS260/HS350 (*)
NESG240034	-A	IR260/WS260/HS350 (*)
NESG250134	-AZ	IR260/WS260/HS350 (*)
NESG260234	-AZ	IR260/WS260/HS350 (*)
NESG270034	-AZ	IR260/WS260/HS350 (*)
NESG3031M05	-A	IR260/WS260/HS350 (*)
NESG3031M14	-A	IR260/WS260/HS350 (*)
NESG3032M14	-A	IR260/WS260/HS350 (*)
NESG4030M14	-A	IR260/WS260/HS350 (*)
NFD15	-AZ	WS60-00-1
NNCD()A	-AZ	WS60-00-1
NNCD()B	-AZ	WS60-00-1
NNCD()C	-A,-AT	IR60-00-3/WS60-00-1
NNCD()D	-A,-AT	IR60-00-3/WS60-00-1
NNCD()DA	-AT	IR60-00-3/WS60-00-1
NNCD()DT	-AT	IR60-00-3/WS60-00-1
NNCD()E	-A,-AT	IR60-00-3/WS60-00-1
NNCD()F	-A,-AT	IR60-00-3/WS60-00-1
NNCD()G [except 6.8V]	-A,-AT	IR60-00-3/WS60-00-1

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
NNCD()H [except 6.8V]	-A,-AT	IR60-00-3/WS60-00-1
NNCD()J	-A,-AT	IR60-00-3/WS60-00-1
NNCD()LG [except 6.8V]	-A,-AT	IR60-00-3/WS60-00-1
NNCD()LH [except 6.8V]	-A,-AT	IR60-00-3/WS60-00-1
NNCD()MF	-A,-AT	IR60-00-3/WS60-00-1
NNCD()MG	-AT	IR60-00-3/WS60-00-1
NNCD()PG	-A,-AT	IR60-00-3/WS60-00-1
NNCD()PH	-A,-AT	IR60-00-3/WS60-00-1
NNCD()PL	-A,-AT	IR60-00-3/WS60-00-1
NNCD()RG	-A,-AT	IR60-00-3/WS60-00-1
NNCD()RH	-A,-AT	IR60-00-3/WS60-00-1
NNCD()RL	-A,-AT	IR60-00-3/WS60-00-1
NNCD()ST	-AT	IR60-00-3/WS60-00-1
NNCD6.2MF	-AT	IR60-00-3/WS60-00-1
NNCD6.8G	-A,-AT	IR60-00-3/WS60-00-1
NNCD6.8H	-A,-AT	IR60-00-3/WS60-00-1
NNCD6.8LG	-A,-AT	IR60-00-3/WS60-00-1
NNCD6.8LH	-A,-AT	IR60-00-3/WS60-00-1
NNCD6.8PG	-AT	IR60-00-3/WS60-00-1
NNCD6.8PH	-AT	IR60-00-3/WS60-00-1
NNCD6.8PL	-AT	IR60-00-3/WS60-00-1
NNCD6.8RG	-AT	IR60-00-3/WS60-00-1
NNCD6.8RH	-AT	IR60-00-3/WS60-00-1
NNCD6.8RL	-AT	IR60-00-3/WS60-00-1
NP100P04PDG	-AY	IR60-00-3
NP100P04PLG	-AY	IR60-00-3
NP100P06PDG	-AY	IR60-00-3
NP100P06PLG	-AY	IR60-00-3
NP109N04PUG	-AY	IR60-00-3
NP109N04PUJ	-AY	IR60-00-3
NP109N055PUJ	-AY	IR60-00-3
NP110N03PUG	-AY	IR60-00-3
NP110N04PDG	-AY	IR60-00-3
NP110N04PUG	-AY	IR60-00-3
NP110N04PUJ	-AY	IR60-00-3
NP110N055PUG	-AY	IR60-00-3
NP110N055PUJ	-AY	IR60-00-3
NP15P04SLG	-AY	IR60-00-3
NP15P06SLG	-AY	IR60-00-3
NP160N04TDG	-AY	IR60-00-3
NP160N04TUG	-AY	IR60-00-3
NP161N04TUG	-AY	IR60-00-3
NP180N04TUG	-AY	IR60-00-3
NP20P04SLG	-AY	IR60-00-3
NP20P06SLG	-AY	IR60-00-3
NP22N055HHE	-AZ	WS60-00-1
NP22N055HLE	-AZ	WS60-00-1
NP22N055IHE	-AZ	IR60-00-3
NP22N055ILE	-AZ	IR60-00-3
NP22N055SHE	-AY	IR60-00-3
NP22N055SLE	-AY	IR60-00-3
NP32N055HDE	-AZ	WS60-00-1
NP32N055HHE	-AZ	WS60-00-1
NP32N055HLE	-AZ	WS60-00-1
NP32N055IDE	-AZ	IR60-00-3
NP32N055IHE	-AZ	IR60-00-3
NP32N055ILE	-AZ	IR60-00-3
NP32N055SDE	-AY	IR60-00-3
NP32N055SHE	-AY	IR60-00-3
NP32N055SLE	-AY	IR60-00-3
NP34N055HHE	-AZ	WS60-00-1
NP34N055HLE	-AZ	WS60-00-1
NP34N055IHE	-AZ	IR60-00-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
NP34N055ILE	-AZ	IR60-00-3
NP34N055SHE	-AY	IR60-00-3
NP34N055SLE	-AY	IR60-00-3
NP36N055HHE	-AZ	WS60-00-1
NP36N055HLE	-AZ	WS60-00-1
NP36N055IHE	-AZ	IR60-00-3
NP36N055ILE	-AZ	IR60-00-3
NP36N055SHE	-AY	IR60-00-3
NP36N055SLE	-AY	IR60-00-3
NP36P04KDG	-AY	IR60-00-3
NP36P04SDG	-AY	IR60-00-3
NP36P06KDG	-AY	IR60-00-3
NP36P06SLG	-AY	IR60-00-3
NP40N055CHE	-AZ	WS60-00-1
NP40N055CLE	-AZ	WS60-00-1
NP40N055DHE	-AZ	WS60-00-1
NP40N055DLE	-AZ	WS60-00-1
NP40N055KHE	-AY	IR60-00-3
NP40N055KLE	-AY	IR60-00-3
NP48N055CHE	-AZ	WS60-00-1
NP48N055CLE	-AZ	WS60-00-1
NP48N055DHE	-AZ	WS60-00-1
NP48N055DLE	-AZ	WS60-00-1
NP48N055KHE	-AY	IR60-00-3
NP48N055KLE	-AY	IR60-00-3
NP50P04KDG	-AY	IR60-00-3
NP50P04SDG	-AY	IR60-00-3
NP50P06KDG	-AY	IR60-00-3
NP50P06SDG	-AY	IR60-00-3
NP52N055SUG	-AY	IR60-00-3
NP52N06SLG	-AY	IR60-00-3
NP55N03SUG	-AY	IR60-00-3
NP55N04SUG	-AY	IR60-00-3
NP55N055SDG	-AY	IR60-00-3
NP55N055SUG	-AY	IR60-00-3
NP60N03KUG	-AY	IR60-00-3
NP60N04HLF	-AZ	WS60-00-1
NP60N04ILF	-AZ	IR60-00-3
NP60N04KUG	-AY	IR60-00-3
NP60N04MUG	-AY	WS60-00-1
NP60N055KUG	-AY	IR60-00-3
NP70N04MUG	-AY	WS60-00-1
NP70N10KUF	-AY	IR60-00-3
NP80N03CDE	-AZ	WS60-00-1
NP80N03CLE	-AZ	WS60-00-1
NP80N03DDE	-AZ	WS60-00-1
NP80N03DLE	-AZ	WS60-00-1
NP80N03KDE	-AY	IR60-00-3
NP80N03KLE	-AY	IR60-00-3
NP80N04CHE	-AZ	WS60-00-1
NP80N04DHE	-AZ	WS60-00-1
NP80N04KHE	-AY	IR60-00-3
NP80N04MHE	-AY	WS60-00-1
NP80N04MLG	-AY	WS60-00-1
NP80N04NDG	-AY	IR60-00-3
NP80N04NHE	-AY	IR60-00-3
NP80N04NLG	-AY	IR60-00-3
NP80N04NUG	-AY	IR60-00-3
NP80N04PDG	-AY	IR60-00-3
NP80N04PLG	-AY	IR60-00-3
NP80N04PUG	-AY	IR60-00-3
NP80N055CHE	-AZ	WS60-00-1
NP80N055CLE	-AZ	WS60-00-1

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
NP80N055DHE	-AZ	WS60-00-1
NP80N055DLE	-AZ	WS60-00-1
NP80N055KHE	-AY	IR60-00-3
NP80N055KLE	-AY	IR60-00-3
NP80N055MDG	-AY	WS60-00-1
NP80N055NDG	-AY	IR60-00-3
NP80N055NLE	-AY	IR60-00-3
NP80N055PDG	-AY	IR60-00-3
NP80N06MLG	-AY	WS60-00-1
NP80N06NLG	-AY	IR60-00-3
NP80N06PLG	-AY	IR60-00-3
NP82N03KDF	-AY	IR60-00-3
NP82N03PUG	-AY	IR60-00-3
NP82N04MDG	-AY	WS60-00-1
NP82N04MLG	-AY	WS60-00-1
NP82N04MUG	-AY	WS60-00-1
NP82N04NDG	-AY	IR60-00-3
NP82N04NLG	-AY	IR60-00-3
NP82N04NUG	-AY	IR60-00-3
NP82N04PDG	-AY	IR60-00-3
NP82N04PUG	-AY	IR60-00-3
NP82N055CHE	-AZ	WS60-00-1
NP82N055CLE	-AZ	WS60-00-1
NP82N055DHE	-AZ	WS60-00-1
NP82N055DLE	-AZ	WS60-00-1
NP82N055KHE	-AY	IR60-00-3
NP82N055KLE	-AY	IR60-00-3
NP82N055MLE	-AY	WS60-00-1
NP82N055MUG	-AY	WS60-00-1
NP82N055NUG	-AY	IR60-00-3
NP82N055PUG	-AZ	IR60-00-3
NP82N06MLG	-AY	WS60-00-1
NP82N06NLG	-AY	IR60-00-3
NP82N06PDG	-AY	IR60-00-3
NP82N06PLG	-AY	IR60-00-3
NP82P04PLF	-AY	IR60-00-3
NP83P04PDG	-AY	IR60-00-3
NP83P06PDG	-AY	IR60-00-3
NP84N03KUF	-AY	IR60-00-3
NP84N04CHE	-AZ	WS60-00-1
NP84N04DHE	-AZ	WS60-00-1
NP84N04KHE	-AY	IR60-00-3
NP84N055CHE	-AZ	WS60-00-1
NP84N055CLE	-AZ	WS60-00-1
NP84N055DHE	-AZ	WS60-00-1
NP84N055DLE	-AZ	WS60-00-1
NP84N055KHE	-AY	IR60-00-3
NP84N055KLE	-AY	IR60-00-3
NP84N075CUE	-AZ	WS60-00-1
NP84N075DUE	-AZ	WS60-00-1
NP84N075KUE	-AY	IR60-00-3
NP86N04CHE	-AZ	WS60-00-1
NP86N04DHE	-AZ	WS60-00-1
NP86N04KHE	-AY	IR60-00-3
NP88N03KDG	-AZ	IR60-00-3
NP88N03KUG	-AZ	IR60-00-3
NP88N04CHE	-AZ	WS60-00-1
NP88N04DHE	-AZ	WS60-00-1
NP88N04KHE	-AY	IR60-00-3
NP88N04KUG	-AY	IR60-00-3
NP88N04NUG	-AZ	WS60-00-1
NP88N055CHE	-AZ	WS60-00-1
NP88N055CLE	-AZ	WS60-00-1

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
NP88N055DHE	-AZ	WS60-00-1
NP88N055DLE	-AZ	WS60-00-1
NP88N055KHE	-AY	IR60-00-3
NP88N055KLE	-AY	IR60-00-3
NP88N055KUG	-AY	IR60-00-3
NP88N075CUE	-AZ	WS60-00-1
NP88N075DUE	-AZ	WS60-00-1
NP88N075KUE	-AY	IR60-00-3
NP90N04PUF	-AY	IR60-00-3
NP90N04VDG	-AY	IR60-00-3
NP90N04VLG	-AY	IR60-00-3
NP90N04VUG	-AY	IR60-00-3
NP90N055VDG	-AY	IR60-00-3
NP90N055VUG	-AY	IR60-00-3
NP90N06VLG	-AY	IR60-00-3
NR8300FP	-AZ	HS350-P3 (*)
NR8360JP	-AZ	HS350-P3 (*)
NSAD()F	-AT	IR60-00-3/WS60-00-1
NSAD()H	-AT	IR60-00-3/WS60-00-1
NSAD()S	-AT	IR60-00-3/WS60-00-1
NX5307	-AZ	HS350-P3 (*)
NX6508	-AZ	HS350-P3 (*)
NX8508	-AZ	HS350-P3 (*)
NX8510	-AZ	HS350-P3 (*)
NX8562LF	-AZ	HS350-P3 (*)
NX8563LA	-AZ	HS350-P3 (*)
NX8563LF	-AZ	HS350-P3 (*)
NX8570SC	-AZ	HS350-P3 (*)
PS2501-1	-A	WS260/HS350 (*)
PS2501-2	-A	WS260/HS350 (*)
PS2501-4	-A	WS260/HS350 (*)
PS2501A-1	-A	WS260/HS350 (*)
PS2501AL-1	-A	IR260/WS260/HS350 (*)
PS2501L-1	-A	IR260/WS260/HS350 (*)
PS2501L-2	-A	IR260/WS260/HS350 (*)
PS2501L-4	-A	IR260/WS260/HS350 (*)
PS2502-1	-A	WS260/HS350 (*)
PS2502-2	-A	WS260/HS350 (*)
PS2502-4	-A	WS260/HS350 (*)
PS2502L-1	-A	IR260/WS260/HS350 (*)
PS2502L-2	-A	IR260/WS260/HS350 (*)
PS2502L-4	-A	IR260/WS260/HS350 (*)
PS2503-1	-A	WS260/HS350 (*)
PS2503-2	-A	WS260/HS350 (*)
PS2503-4	-A	WS260/HS350 (*)
PS2503L-1	-A	IR260/WS260/HS350 (*)
PS2503L-2	-A	IR260/WS260/HS350 (*)
PS2503L-4	-A	IR260/WS260/HS350 (*)
PS2505-1	-A	WS260/HS350 (*)
PS2505-2	-A	WS260/HS350 (*)
PS2505-4	-A	WS260/HS350 (*)
PS2505L-1	-A	IR260/WS260/HS350 (*)
PS2505L-2	-A	IR260/WS260/HS350 (*)
PS2505L-4	-A	IR260/WS260/HS350 (*)
PS2506-1	-A	WS260/HS350 (*)
PS2506-2	-A	WS260/HS350 (*)
PS2506-4	-A	WS260/HS350 (*)
PS2506L-1	-A	IR260/WS260/HS350 (*)
PS2506L-2	-A	IR260/WS260/HS350 (*)
PS2506L-4	-A	IR260/WS260/HS350 (*)
PS2513-1	-A	WS260/HS350 (*)
PS2513-1-V	-A	WS260/HS350 (*)
PS2513L-1	-A	IR260/WS260/HS350 (*)

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
PS2513L-1-V	-A	IR260/WS260/HS350 (*)
PS2521-1	-A	WS260/HS350 (*)
PS2521L-1	-A	IR260/WS260/HS350 (*)
PS2525-1	-A	WS260/HS350 (*)
PS2525L-1	-A	IR260/WS260/HS350 (*)
PS2532-1	-A	WS260/HS350 (*)
PS2532-1-V	-A	WS260/HS350 (*)
PS2532L-1	-A	IR260/WS260/HS350 (*)
PS2532L-1-V	-A	IR260/WS260/HS350 (*)
PS2533-1	-A	WS260/HS350 (*)
PS2533-1-V	-A	WS260/HS350 (*)
PS2533L-1	-A	IR260/WS260/HS350 (*)
PS2533L-1-V	-A	IR260/WS260/HS350 (*)
PS2535-1	-A	WS260/HS350 (*)
PS2535-1-V	-A	WS260/HS350 (*)
PS2535L-1	-A	IR260/WS260/HS350 (*)
PS2535L-1-V	-A	IR260/WS260/HS350 (*)
PS2561-1	-A	WS260/HS350 (*)
PS2561-1-V	-A	WS260/HS350 (*)
PS2561A-1	-A	WS260/HS350 (*)
PS2561A-1-V	-A	WS260/HS350 (*)
PS2561AL-1	-A	IR260/WS260/HS350 (*)
PS2561AL1-1	-A	WS260/HS350 (*)
PS2561AL1-1-V	-A	WS260/HS350 (*)
PS2561AL-1-V	-A	IR260/WS260/HS350 (*)
PS2561AL2-1	-A	IR260/WS260/HS350 (*)
PS2561AL2-1-V	-A	IR260/WS260/HS350 (*)
PS2561B-1	-A	WS260/HS350 (*)
PS2561B-1-V	-A	WS260/HS350 (*)
PS2561BL-1	-A	IR260/WS260/HS350 (*)
PS2561BL1-1	-A	WS260/HS350 (*)
PS2561BL1-1-V	-A	WS260/HS350 (*)
PS2561BL-1-V	-A	IR260/WS260/HS350 (*)
PS2561BL2-1	-A	IR260/WS260/HS350 (*)
PS2561BL2-1-V	-A	IR260/WS260/HS350 (*)
PS2561D-1	-A	WS260/HS350 (*)
PS2561DL-1	-A	IR260/WS260/HS350 (*)
PS2561DL1-1	-A	WS260/HS350 (*)
PS2561DL2-1	-A	IR260/WS260/HS350 (*)
PS2561L-1	-A	IR260/WS260/HS350 (*)
PS2561L1-1	-A	WS260/HS350 (*)
PS2561L1-1-V	-A	WS260/HS350 (*)
PS2561L-1-V	-A	IR260/WS260/HS350 (*)
PS2561L2-1	-A	IR260/WS260/HS350 (*)
PS2561L2-1-V	-A	IR260/WS260/HS350 (*)
PS2562-1	-A	WS260/HS350 (*)
PS2562-1-V	-A	WS260/HS350 (*)
PS2562L-1	-A	IR260/WS260/HS350 (*)
PS2562L1-1	-A	WS260/HS350 (*)
PS2562L1-1-V	-A	WS260/HS350 (*)
PS2562L-1-V	-A	IR260/WS260/HS350 (*)
PS2562L2-1	-A	IR260/WS260/HS350 (*)
PS2562L2-1-V	-A	IR260/WS260/HS350 (*)
PS2565-1	-A	WS260/HS350 (*)
PS2565-1-V	-A	WS260/HS350 (*)
PS2565L-1	-A	IR260/WS260/HS350 (*)
PS2565L1-1	-A	WS260/HS350 (*)
PS2565L1-1-V	-A	WS260/HS350 (*)
PS2565L-1-V	-A	IR260/WS260/HS350 (*)
PS2565L2-1	-A	IR260/WS260/HS350 (*)
PS2565L2-1-V	-A	IR260/WS260/HS350 (*)
PS2566-1	-A	WS260/HS350 (*)
PS2566L-1	-A	IR260/WS260/HS350 (*)

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
PS2566L1-1	-A	WS260/HS350 (*)
PS2566L1-1-V	-A	WS260/HS350 (*)
PS2566L-1-V	-A	IR260/WS260/HS350 (*)
PS2566L2-1	-A	IR260/WS260/HS350 (*)
PS2571-1	-A	WS260/HS350 (*)
PS2571-1-V	-A	WS260/HS350 (*)
PS2571L-1	-A	IR260/WS260/HS350 (*)
PS2571L1-1-V	-A	WS260/HS350 (*)
PS2571L-1-V	-A	IR260/WS260/HS350 (*)
PS2581AL1	-A	WS260/HS350 (*)
PS2581AL2	-A	IR260/WS260/HS350 (*)
PS2581L1	-A	WS260/HS350 (*)
PS2581L2	-A	IR260/WS260/HS350 (*)
PS2701-1	-A	IR260/WS260/HS350 (*)
PS2701-1-V	-A	IR260/WS260/HS350 (*)
PS2701A-1	-A	IR260/WS260/HS350 (*)
PS2701A-1-V	-A	IR260/WS260/HS350 (*)
PS2702-1	-A	IR260/WS260/HS350 (*)
PS2702-1-V	-A	IR260/WS260/HS350 (*)
PS2703-1	-A	IR260/WS260/HS350 (*)
PS2703-1-V	-A	IR260/WS260/HS350 (*)
PS2705-1	-A	IR260/WS260/HS350 (*)
PS2705-1-V	-A	IR260/WS260/HS350 (*)
PS2705A-1	-A	IR260/WS260/HS350 (*)
PS2705A-1-V	-A	IR260/WS260/HS350 (*)
PS2706-1	-A	IR260/WS260/HS350 (*)
PS2707-1	-A	IR260/WS260/HS350 (*)
PS2707-1-V	-A	IR260/WS260/HS350 (*)
PS2711-1	-A	IR260/WS260/HS350 (*)
PS2711-1-V	-A	IR260/WS260/HS350 (*)
PS2715-1	-A	IR260/WS260/HS350 (*)
PS2732-1	-A	IR260/WS260/HS350 (*)
PS2732-1-V	-A	IR260/WS260/HS350 (*)
PS2733-1	-A	IR260/WS260/HS350 (*)
PS2733-1-V	-A	IR260/WS260/HS350 (*)
PS2761-1	-A	IR260/WS260/HS350 (*)
PS2761B-1	-A	IR260/WS260/HS350 (*)
PS2761B-1-V	-A	IR260/WS260/HS350 (*)
PS2765-1	-A	IR260/WS260/HS350 (*)
PS2801-1	-A	IR260/WS260/HS350 (*)
PS2801-1-V	-A	IR260/WS260/HS350 (*)
PS2801-4	-A	IR260/WS260/HS350 (*)
PS2801-4-V	-A	IR260/WS260/HS350 (*)
PS2801A-1	-A	IR260/WS260/HS350 (*)
PS2801A-1-V	-A	IR260/WS260/HS350 (*)
PS2801A-4	-A	IR260/WS260/HS350 (*)
PS2801A-4-V	-A	IR260/WS260/HS350 (*)
PS2801C-1	-A	IR260/WS260/HS350 (*)
PS2801C-1-V	-A	IR260/WS260/HS350 (*)
PS2801C-4	-A	IR260/WS260/HS350 (*)
PS2801C-4-V	-A	IR260/WS260/HS350 (*)
PS2802-1	-A	IR260/WS260/HS350 (*)
PS2802-1-V	-A	IR260/WS260/HS350 (*)
PS2802-4	-A	IR260/WS260/HS350 (*)
PS2802-4-V	-A	IR260/WS260/HS350 (*)
PS2805-1	-A	IR260/WS260/HS350 (*)
PS2805-1-V	-A	IR260/WS260/HS350 (*)
PS2805-4	-A	IR260/WS260/HS350 (*)
PS2805-4-V	-A	IR260/WS260/HS350 (*)
PS2805A-1	-A	IR260/WS260/HS350 (*)
PS2805A-1-V	-A	IR260/WS260/HS350 (*)
PS2805A-4	-A	IR260/WS260/HS350 (*)
PS2805C-1	-A	IR260/WS260/HS350 (*)

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
PS2805C-1-V	-A	IR260/WS260/HS350 (*)
PS2805C-4	-A	IR260/WS260/HS350 (*)
PS2805C-4-V	-A	IR260/WS260/HS350 (*)
PS2806-1	-A	IR260/WS260/HS350 (*)
PS2806-4	-A	IR260/WS260/HS350 (*)
PS2811-1	-A	IR260/WS260/HS350 (*)
PS2811-1-V	-A	IR260/WS260/HS350 (*)
PS2811-4	-A	IR260/WS260/HS350 (*)
PS2811-4-V	-A	IR260/WS260/HS350 (*)
PS2815-1	-A	IR260/WS260/HS350 (*)
PS2815-1-V	-A	IR260/WS260/HS350 (*)
PS2815-4	-A	IR260/WS260/HS350 (*)
PS2815-4-V	-A	IR260/WS260/HS350 (*)
PS2832-1	-A	IR260/WS260/HS350 (*)
PS2832-4	-A	IR260/WS260/HS350 (*)
PS2832-4-V	-A	IR260/WS260/HS350 (*)
PS2833-1	-A	IR260/WS260/HS350 (*)
PS2833-4	-A	IR260/WS260/HS350 (*)
PS2841-4A	-A	IR260/WS260/HS350 (*)
PS2841-4B	-A	IR260/WS260/HS350 (*)
PS2845-4A	-A	IR260/WS260/HS350 (*)
PS2861-1	-A	IR245/WS260/HS350 (*)
PS2861-1-V	-A	IR245/WS260/HS350 (*)
PS2861B-1	-A	IR260/WS260/HS353 (*)
PS2865-1	-A	IR245/WS260/HS350 (*)
PS2911-1	-A	IR260/WS260/HS350 (*)
PS2911-1-V	-A	IR260/WS260/HS350 (*)
PS2913-1	-A	IR260/WS260/HS350 (*)
PS2913-1-V	-A	IR260/WS260/HS350 (*)
PS2915-1	-A	IR260/WS260/HS350 (*)
PS2915-1-V	-A	IR260/WS260/HS350 (*)
PS2932-1	-A	IR260/WS260/HS350 (*)
PS2933-1	-A	IR260/WS260/HS350 (*)
PS710A-1A	-A	WS260/HS350 (*)
PS710AL-1A	-A	IR260/WS260/HS350 (*)
PS710B-1A	-A	WS260/HS350 (*)
PS710BL-1A	-A	IR260/WS260/HS350 (*)
PS710CL2-1A	-A	IR260/WS260/HS350 (*)
PS710E-1A	-A	WS260/HS350 (*)
PS710EL-1A	-A	IR260/WS260/HS350 (*)
PS7113-1A	-A	WS260/HS350 (*)
PS7113-2A	-A	WS260/HS350 (*)
PS7113L-1A	-A	IR260/WS260/HS350 (*)
PS7113L-2A	-A	IR260/WS260/HS350 (*)
PS7122A-1A	-A	WS260/HS350 (*)
PS7122A-1B	-A	WS260/HS350 (*)
PS7122A-1C	-A	WS260/HS350 (*)
PS7122A-2A	-A	WS260/HS350 (*)
PS7122A-2B	-A	WS260/HS350 (*)
PS7122AL-1A	-A	IR260/WS260/HS350 (*)
PS7122AL-1B	-A	IR260/WS260/HS350 (*)
PS7122AL-1C	-A	IR260/WS260/HS350 (*)
PS7122AL-2A	-A	IR260/WS260/HS350 (*)
PS7122AL-2B	-A	IR260/WS260/HS350 (*)
PS7141-1A	-A	WS260/HS350 (*)
PS7141-1B	-A	WS260/HS350 (*)
PS7141-1C	-A	WS260/HS350 (*)
PS7141-2A	-A	WS260/HS350 (*)
PS7141-2B	-A	WS260/HS350 (*)
PS7141C-2A	-A	WS260/HS350 (*)
PS7141CL-2A	-A	IR260/WS260/HS350 (*)
PS7141E-1A	-A	WS260/HS350 (*)
PS7141E-2A	-A	WS260/HS350 (*)

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
PS7141EL-1A	-A	IR260/WS260/HS350 (*)
PS7141EL-2A	-A	IR260/WS260/HS350 (*)
PS7141L-1A	-A	IR260/WS260/HS350 (*)
PS7141L-1B	-A	IR260/WS260/HS350 (*)
PS7141L-1C	-A	IR260/WS260/HS350 (*)
PS7141L-2A	-A	IR260/WS260/HS350 (*)
PS7141L-2B	-A	IR260/WS260/HS350 (*)
PS7142-1A	-A	WS260/HS350 (*)
PS7142-1B	-A	WS260/HS350 (*)
PS7142-1C	-A	WS260/HS350 (*)
PS7142-2A	-A	WS260/HS350 (*)
PS7142-2B	-A	WS260/HS350 (*)
PS7142L-1A	-A	IR260/WS260/HS350 (*)
PS7142L-1B	-A	IR260/WS260/HS350 (*)
PS7142L-1C	-A	IR260/WS260/HS350 (*)
PS7142L-2A	-A	IR260/WS260/HS350 (*)
PS7142L-2B	-A	IR260/WS260/HS350 (*)
PS7160-1A	-A	WS260/HS350 (*)
PS7160-2A	-A	WS260/HS350 (*)
PS7160L-1A	-A	IR260/WS260/HS350 (*)
PS7160L-2A	-A	IR260/WS260/HS350 (*)
PS7200A-1A	-A	IR260/WS260/HS350 (*)
PS7200B-1A	-A	IR260/WS260/HS350 (*)
PS7200E-1A	-A	IR260/WS260/HS350 (*)
PS7200H-1A	-A	IR260/WS260/HS350 (*)
PS7200K-1A	-A	IR260/WS260/HS350 (*)
PS7200N-1A	-A	IR260/WS260/HS350 (*)
PS7200R-1A	-A	IR260/WS260/HS350 (*)
PS7200U-1A	-A	IR260/WS260/HS350 (*)
PS7205B-1A	-A	IR260/WS260/HS350 (*)
PS7206-1A	-A	IR260/WS260/HS350 (*)
PS720C-1A	-A	IR260/WS260/HS350 (*)
PS7214-1A	-A	IR260/WS260/HS350 (*)
PS7221A-2A	-A	IR260/WS260/HS350 (*)
PS7241-1A	-A	IR260/WS260/HS350 (*)
PS7241-1B	-A	IR260/WS260/HS350 (*)
PS7241-1C	-A	IR260/WS260/HS350 (*)
PS7241-2A	-A	IR260/WS260/HS350 (*)
PS7241-2B	-A	IR260/WS260/HS350 (*)
PS7241E-1A	-A	IR260/WS260/HS350 (*)
PS7241E-1B	-A	IR260/WS260/HS350 (*)
PS7341-1A	-A	WS260/HS350 (*)
PS7341-1B	-A	WS260/HS350 (*)
PS7341C-1A	-A	WS260/HS350 (*)
PS7341CL-1A	-A	IR260-D31/*-N2 /WS260/HS350 (*)
PS7341L-1A	-A	IR260-D31/*-N2 /WS260/HS350 (*)
PS7341L-1B	-A	IR260-D31/*-N2 /WS260/HS350 (*)
PS7342-1A	-A	WS260/HS350 (*)
PS7342L-1A	-A	IR260-D31/*-N2 /WS260/HS350 (*)
PS7360-1A	-A	WS260/HS350 (*)
PS7360L-1A	-A	IR260-D31/*-N2 /WS260/HS350 (*)
PS7431-1A	-A	IR260/WS260/HS350 (*)
PS7801-1A	-A	IR260/WS260/HS350 (*)
PS7801C-1A	-A	IR260/WS260/HS350 (*)
PS7801D-1A	-A	IR260/WS260/HS350 (*)
PS7801E-1A	-A	IR260/WS260/HS350 (*)
PS7801F-1A	-A	IR260/WS260/HS350 (*)
PS7801K-1A	-A	IR260/WS260/HS350 (*)
PS7801M-1A	-A	IR260/WS260/HS350 (*)
PS7802-1A	-A	IR260/WS260/HS350 (*)
PS7802B-1A	-A	IR260/WS260/HS350 (*)
PS7804-1A	-A	IR260/WS260/HS350 (*)
PS8101	-A	IR260/WS260/HS350 (*)

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
PS8101-V	-A	IR260/WS260/HS350 (*)
PS8103	-A	IR260/WS260/HS350 (*)
PS8302L	-AX	IR260/WS260/HS350 (*)
PS8302L2	-AX	IR260/WS260/HS350 (*)
PS8501	-AX	WS260/HS350 (*)
PS8501L1	-AX	WS260/HS350 (*)
PS8501L1-V	-AX	WS260/HS350 (*)
PS8501L2	-AX	IR260/WS260/HS350 (*)
PS8501L2-V	-AX	IR260/WS260/HS350 (*)
PS8501L3	-AX	IR260/WS260/HS350 (*)
PS8501L3-V	-AX	IR260/WS260/HS350 (*)
PS8501-V	-AX	WS260/HS350 (*)
PS8502	-AX	WS260/HS350 (*)
PS8502L1	-AX	WS260/HS350 (*)
PS8502L1-V	-AX	WS260/HS350 (*)
PS8502L2	-AX	IR260/WS260/HS350 (*)
PS8502L2-V	-AX	IR260/WS260/HS350 (*)
PS8502L3	-AX	IR260/WS260/HS350 (*)
PS8502L3-V	-AX	IR260/WS260/HS350 (*)
PS8502-V	-AX	WS260/HS350 (*)
PS8601	-A	WS260/HS350 (*)
PS8601L	-A	IR260/WS260/HS350 (*)
PS8601L1	-A	WS260/HS350 (*)
PS8601L1-V	-A	WS260/HS350 (*)
PS8601L2	-A	IR260/WS260/HS350 (*)
PS8601L2-V	-A	IR260/WS260/HS350 (*)
PS8601L-V	-A	IR260/WS260/HS350 (*)
PS8601-V	-A	WS260/HS350 (*)
PS8602	-A	WS260/HS350 (*)
PS8602L	-A	IR260/WS260/HS350 (*)
PS8602L1	-A	WS260/HS350 (*)
PS8602L1-V	-A	WS260/HS350 (*)
PS8602L2	-A	IR260/WS260/HS350 (*)
PS8602L2-V	-A	IR260/WS260/HS350 (*)
PS8602L-V	-A	IR260/WS260/HS350 (*)
PS8602-V	-A	WS260/HS350 (*)
PS8741	-A	IR260/WS260/HS350 (*)
PS8802-1	-A	IR260/WS260/HS350 (*)
PS8802-1-V	-A	IR260/WS260/HS350 (*)
PS8802-2	-A	IR260/WS260/HS350 (*)
PS8802-2-V	-A	IR260/WS260/HS350 (*)
PS8821-1	-A	IR260/WS260/HS350 (*)
PS8821-2	-A	IR260/WS260/HS350 (*)
PS9113	-A	IR260/WS260/HS350 (*)
PS9113-V	-A	IR260/WS260/HS350 (*)
PS9114	-A	IR260/WS260/HS350 (*)
PS9114-V	-A	IR260/WS260/HS350 (*)
PS9115	-A	IR260/WS260/HS350 (*)
PS9115-V	-A	IR260/WS260/HS350 (*)
PS9117	-A	IR260/WS260/HS350 (*)
PS9117A	-A	IR260/WS260/HS350 (*)
PS9117A-V	-A	IR260/WS260/HS350 (*)
PS9117-V	-A	IR260/WS260/HS350 (*)
PS9121	-A	IR260/WS260/HS350 (*)
PS9121-V	-A	IR260/WS260/HS350 (*)
PS9122	-AX	IR260/WS260/HS350 (*)
PS9151	-A	IR260/WS260/HS350 (*)
PS9151-V	-A	IR260/WS260/HS350 (*)
PS9213	-A	IR260/WS260/HS350 (*)
PS9213-V	-A	IR260/WS260/HS350 (*)
PS9214	-A	IR260/WS260/HS350 (*)
PS9214-V	-A	IR260/WS260/HS350 (*)
PS9301L	-AX	IR260/WS260/HS350 (*)

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
PS9301L2	-AX	IR260/WS260/HS350 (*)
PS9303L	-AX	IR260/WS260/HS350 (*)
PS9303L2	-AX	IR260/WS260/HS350 (*)
PS9313L	-AX	IR260/WS260/HS350 (*)
PS9313L2	-AX	IR260/WS260/HS350 (*)
PS9317L	-AX	IR260/WS260/HS350 (*)
PS9317L2	-AX	IR260/WS260/HS350 (*)
PS9513	-AX	WS260/HS350 (*)
PS9513L1	-AX	WS260/HS350 (*)
PS9513L1-V	-AX	WS260/HS350 (*)
PS9513L2	-AX	IR260/WS260/HS350 (*)
PS9513L2-V	-AX	IR260/WS260/HS350 (*)
PS9513L3	-AX	IR260/WS260/HS350 (*)
PS9513L3-V	-AX	IR260/WS260/HS350 (*)
PS9513-V	-AX	WS260/HS350 (*)
PS9552	-AX	WS260/HS350 (*)
PS9552L1	-AX	WS260/HS350 (*)
PS9552L1-V	-AX	WS260/HS350 (*)
PS9552L2	-AX	IR260/WS260/HS350 (*)
PS9552L2-V	-AX	IR260/WS260/HS350 (*)
PS9552L3	-AX	IR260/WS260/HS350 (*)
PS9552L3-V	-AX	IR260/WS260/HS350 (*)
PS9552-V	-AX	WS260/HS350 (*)
PS9587	-AX	WS260/HS350 (*)
PS9587L1	-AX	WS260/HS350 (*)
PS9587L1-V	-AX	WS260/HS350 (*)
PS9587L2	-AX	IR260/WS260/HS350 (*)
PS9587L2-V	-AX	IR260/WS260/HS350 (*)
PS9587L3	-AX	IR260/WS260/HS350 (*)
PS9587L3-V	-AX	IR260/WS260/HS350 (*)
PS9587-V	-AX	WS260/HS350 (*)
PS9613	-A	WS260/HS350 (*)
PS9613L	-A	IR260/WS260/HS350 (*)
PS9613L1-V	-A	WS260/HS350 (*)
PS9613L2-V	-A	IR260/WS260/HS350 (*)
PS9613L-V	-A	IR260/WS260/HS350 (*)
PS9613-V	-A	WS260/HS350 (*)
PS9614	-A	WS260/HS350 (*)
PS9614L	-A	IR260/WS260/HS350 (*)
PS9614L-V	-A	IR260/WS260/HS350 (*)
PS9614-V	-A	WS260/HS350 (*)
PS9617	-A	WS260/HS350 (*)
PS9617L	-A	IR260/WS260/HS350 (*)
PS9617L-V	-A	IR260/WS260/HS350 (*)
PS9617-V	-A	WS260/HS350 (*)
PS9661	-A	WS260/HS350 (*)
PS9687L1	-A	WS260/HS350 (*)
PS9687L1-V	-A	WS260/HS350 (*)
PS9687L2	-A	IR260/WS260/HS350 (*)
PS9687L2-V	-A	IR260/WS260/HS350 (*)
PS9814-1	-A	IR260/WS260/HS350 (*)
PS9814-1-V	-A	IR260/WS260/HS350 (*)
PS9814-2	-A	IR260/WS260/HS350 (*)
PS9814-2-V	-A	IR260/WS260/HS350 (*)
PS9817-1	-A	IR260/WS260/HS350 (*)
PS9817-1-V	-A	IR260/WS260/HS350 (*)
PS9817-2	-A	IR260/WS260/HS350 (*)
PS9817-2-V	-A	IR260/WS260/HS350 (*)
PS9817A-1	-A	IR260/WS260/HS350 (*)
PS9817A-1-V	-A	IR260/WS260/HS350 (*)
PS9817A-2	-A	IR260/WS260/HS350 (*)
PS9817A-2-V	-A	IR260/WS260/HS350 (*)
PS9821-1	-A	IR260/WS260/HS350 (*)

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
PS9821-1-V	-A	IR260/WS260/HS350 (*)
PS9821-2	-A	IR260/WS260/HS350 (*)
PS9821-2-V	-A	IR260/WS260/HS350 (*)
PS9822-1	-AX	IR260/WS260/HS350 (*)
PS9822-2	-AX	IR260/WS260/HS350 (*)
PS9851-1	-A	IR260/WS260/HS350 (*)
PS9851-1-V	-A	IR260/WS260/HS350 (*)
PS9851-2	-A	IR260/WS260/HS350 (*)
PS9851-2-V	-A	IR260/WS260/HS350 (*)
QN7002	-AT	IR60-00-3
RD()E	-AZ	WS60-00-1
RD()ES	-AZ	WS60-00-1
RD()EW	-AZ	WS60-00-1
RD()F	-AZ	WS60-00-1
RD()FM	-AY	IR60-00-3/WS60-00-1
RD()FS	-AY	IR60-00-3/WS60-00-1
RD()JS	-AZ	WS60-00-1
RD()M	-AT	IR60-00-3/WS60-00-1
RD()MW	-A,-AT	IR60-00-3/WS60-00-1
RD()P	-AZ	IR60-00-3
RD()S	-A,-AT	IR60-00-3/WS60-00-1
RD()SL	-A,-AT	IR60-00-3/WS60-00-1
RD()UJ	-A,-AT	IR60-00-3/WS60-00-1
RD()UM	-A,-AT	IR60-00-3/WS60-00-1
RD()Z	-A,-AT	IR60-00-3/WS60-00-1
SD113	-AZ	WS60-00-1
SD115	-AZ	WS60-00-1
SD116	-AZ	WS60-00-1
SD117	-AZ	WS60-00-1
UPA1400H	-AZ	WS60-00-1
UPA1428AH	-AZ	WS60-00-1
UPA1434H	-AZ	WS60-00-1
UPA1436AH	-AZ	WS60-00-1
UPA1436H	-AZ	WS60-00-1
UPA1437H	-AZ	WS60-00-1
UPA1453H	-AZ	WS60-00-1
UPA1454H	-AZ	WS60-00-1
UPA1456H	-AZ	WS60-00-1
UPA1458H	-AZ	WS60-00-1
UPA1476H	-AZ	WS60-00-1
UPA1478H	-AZ	WS60-00-1
UPA1500BH	-AZ	WS60-00-1
UPA1501H	-AZ	WS60-00-1
UPA1520BH	-AZ	WS60-00-1
UPA1522H	-AZ	WS60-00-1
UPA1523BH	-AZ	WS60-00-1
UPA1524H	-AZ	WS60-00-1
UPA1526H	-AZ	WS60-00-1
UPA1527H	-AZ	WS60-00-1
UPA1550H	-AZ	WS60-00-1
UPA1552AH	-AZ	WS60-00-1
UPA1552BH	-AZ	WS60-00-1
UPA1556AH	-AZ	WS60-00-1
UPA1560H	-AZ	WS60-00-1
UPA1572BH	-AZ	WS60-00-1
UPA1576H	-AZ	WS60-00-1
UPA1600CX	-A	WS60-00-1/P350
UPA1600GS	-A	IR60-00-3/WS60-00-1/P350
UPA1601CX	-A	WS60-00-1/P350
UPA1601GS	-A	IR60-00-3/WS60-00-1/P350
UPA1602CX	-A	WS60-00-1/P350
UPA1602GS	-A	IR60-00-3/WS60-00-1/P350
UPA1603CX	-A	WS60-00-1/P350

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPA1604CX	-A	WS60-00-1/P350
UPA1640GS	-A	IR60-00-3/WS60-00-1/P350
UPA1706G	-A	IR60-00-3/WS60-00-1
UPA1706TP	-AZ	IR60-00-3
UPA1707G	-A	IR60-00-3/WS60-00-1
UPA1708G	-A	IR60-00-3
UPA1709G	-A	IR60-00-3
UPA1716G	-A	IR60-00-3/WS60-00-1
UPA1717G	-AT	IR60-00-3/WS60-00-1
UPA1720G	-A	IR60-00-3/WS60-00-1
UPA1721G	-A	IR60-00-3/WS60-00-1
UPA1722G	-A	IR60-00-3/WS60-00-1
UPA1723G	-A	IR60-00-3/WS60-00-1
UPA1724G	-AT	IR60-00-3/WS60-00-1
UPA1725G	-AT	IR60-00-3/WS60-00-1
UPA1726G	-A	IR60-00-3/WS60-00-1
UPA1727G	-AT	IR60-00-3/WS60-00-1
UPA1728G	-AT	IR60-00-3/WS60-00-1
UPA1730G	-A	IR60-00-3/WS60-00-1
UPA1730TP	-AZ	IR60-00-3
UPA1731G	-A	IR60-00-3/WS60-00-1
UPA1740TP	-AZ	IR60-00-3
UPA1741TP	-AZ	IR60-00-3
UPA1742TP	-AZ	IR60-00-3
UPA1743TP	-AZ	IR60-00-3
UPA1744TP	-AZ	IR60-00-3
UPA1750G	-AT	IR60-00-3/WS60-00-1
UPA1758G	-AT	IR60-00-3
UPA1759G	-AT	IR60-00-3/WS60-00-1
UPA1760G	-AT	IR60-00-3/WS60-00-1
UPA1763G	-AT	IR60-00-3/WS60-00-1
UPA1764G	-AZ	IR60-00-3/WS60-00-1
UPA1770G	-AT	IR60-00-3/WS60-00-1
UPA1772G	-AT	IR60-00-3/WS60-00-1
UPA1774G	-AT	IR60-00-3/WS60-00-1
UPA1790G	-AT	IR60-00-3/WS60-00-1
UPA1792G	-AT	IR60-00-3/WS60-00-1
UPA1793G	-AT	IR60-00-3
UPA1800GR	-AT	IR60-00-3
UPA1801GR	-AT	IR60-00-3
UPA1802GR	-AT	IR60-00-3/WS60-00-1
UPA1803GR	-AT	IR60-00-3/WS60-00-1
UPA1804GR	-AT	IR60-00-3/WS60-00-1
UPA1806GR	-AT	IR60-00-3
UPA1807GR	-AT	IR60-00-3
UPA1808GR	-AT	IR60-00-3
UPA1809GR	-AT	IR60-00-3
UPA1810GR	-AT	IR60-00-3
UPA1811GR	-AT	IR60-00-3
UPA1812GR	-AT	IR60-00-3
UPA1813GR	-AT	IR60-00-3/WS60-00-1
UPA1814GR	-AT	IR60-00-3/WS60-00-1
UPA1815GR	-AT	IR60-00-3/WS60-00-1
UPA1816GR	-AT	IR60-00-3
UPA1817GR	-AT	IR60-00-3
UPA1818GR	-AT	IR60-00-3
UPA1819GR	-AT	IR60-00-3
UPA1820GR	-AT	IR60-00-3
UPA1830GR	-AT	IR60-00-3
UPA1840GR	-AT	IR60-00-3
UPA1850GR	-AT	IR60-00-3/WS60-00-1
UPA1851GR	-AT	IR60-00-3/WS60-00-1
UPA1852GR	-AT	IR60-00-3/WS60-00-1

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPA1853GR	-AT	IR60-00-3/WS60-00-1
UPA1854GR	-AT	IR60-00-3/WS60-00-1
UPA1855GR	-AT	IR60-00-3/WS60-00-1
UPA1856GR	-AT	IR60-00-3/WS60-00-1
UPA1857GR	-AT	IR60-00-3/WS60-00-1
UPA1858GR	-AT	IR60-00-3
UPA1870BGR	-AT	IR60-00-3
UPA1870GR	-AT	IR60-00-3/WS60-00-1
UPA1871GR	-AT	IR60-00-3/WS60-00-1
UPA1872BGR	-AT	IR60-00-3
UPA1872GR	-AT	IR60-00-3
UPA1873GR	-AT	IR60-00-3
UPA1874BGR	-AT	IR60-00-3
UPA1874GR	-AT	IR60-00-3
UPA1890GR	-AT	IR60-00-3/WS60-00-1
UPA1900TE	-A,-AT	IR60-00-3/WS60-00-1
UPA1901TE	-A,-AT	IR60-00-3/WS60-00-1
UPA1902TE	-A,-AT	IR60-00-3/WS60-00-1
UPA1910TE	-A,-AT	IR60-00-3/WS60-00-1
UPA1911ATE	-A,-AT	IR60-00-3/WS60-00-1
UPA1911TE	-A,-AT	IR60-00-3/WS60-00-1
UPA1912TE	-A,-AT	IR60-00-3/WS60-00-1
UPA1913TE	-A,-AT	IR60-00-3/WS60-00-1
UPA1914TE	-A,-AT	IR60-00-3/WS60-00-1
UPA1915TE	-A,-AT	IR60-00-3/WS60-00-1
UPA1916TE	-A,-AT	IR60-00-3/WS60-00-1
UPA1917TE	-A,-AT	IR60-00-3/WS60-00-1
UPA1918TE	-A,-AT	IR60-00-3/WS60-00-1
UPA1919TE	-A,-AT	IR60-00-3/WS60-00-1
UPA1930TE	-A,-AT	IR60-00-3/WS60-00-1
UPA1950TE	-A,-AT	IR60-00-3/WS60-00-1
UPA1951TE	-A,-AT	IR60-00-3/WS60-00-1
UPA1952TE	-A,-AT	IR60-00-3/WS60-00-1
UPA1970TE	-A,-AT	IR60-00-3/WS60-00-1
UPA1980TE	-A,-AT	IR60-00-3/WS60-00-1
UPA1981TE	-A,-AT	IR60-00-3/WS60-00-1
UPA2001C	-A	WS60-00-1/P350
UPA2001GR	-A	IR60-00-3/WS60-00-1/P350
UPA2002C	-A	WS60-00-1/P350
UPA2002GR	-A	IR60-00-3/WS60-00-1/P350
UPA2003C	-A	WS60-00-1/P350
UPA2003GR	-A	IR60-00-3/WS60-00-1/P350
UPA2004C	-A	WS60-00-1/P350
UPA2004GR	-A	IR60-00-3/WS60-00-1/P350
UPA2201T1M	-AT	IR60-00-3/WS60-00-1
UPA2201UT1M	-AT	IR60-00-3/WS60-00-1
UPA2210T1M	-AT	IR60-00-3/WS60-00-1
UPA2211T1M	-AT	IR60-00-3/WS60-00-1
UPA2350BT1G	-A	IR60-00-3
UPA2350BT1P	-A	IR60-00-3
UPA2350T1G	-A	IR60-00-3
UPA2351T1G	-A	IR60-00-3
UPA2351T1P	-A	IR60-00-3
UPA2352BT1G	-A	IR60-00-3
UPA2352T1G	-A	IR60-00-3
UPA2352T1P	-A	IR60-00-3
UPA2353T1G	-A	IR60-00-3
UPA2354T1G	-A	IR60-00-3
UPA2450BTL	-A	IR60-00-3
UPA2450CTL	-A	IR60-00-3
UPA2450TL	-A	IR60-00-3
UPA2451BTL	-A	IR60-00-3
UPA2451CTL	-A	IR60-00-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPA2451TL	-A	IR60-00-3
UPA2452TL	-A	IR60-00-3
UPA2520T1H	-A	IR60-00-3
UPA2521T1H	-A	IR60-00-3
UPA2550T1H	-A	IR60-00-3
UPA2560T1H	-AT	IR60-00-3
UPA2561T1H	-AT	IR60-00-3
UPA2590T1H	-A	IR60-00-3
UPA2591T1H	-AT	IR60-00-3
UPA2592T1H	-AT	IR60-00-3
UPA2593T1H	-AT	IR60-00-3
UPA2610T1C	-A	IR60-00-3
UPA2650T1E	-AT	IR60-00-3
UPA2680T1E	-AT	IR60-00-3
UPA2700GR	-AT	IR60-00-3/WS60-00-1
UPA2700TP	-AZ	IR60-00-3
UPA2701GR	-AT	IR60-00-3/WS60-00-1
UPA2701TP	-AZ	IR60-00-3
UPA2702GR	-AT	IR60-00-3/WS60-00-1
UPA2702TP	-AZ	IR60-00-3
UPA2706GR	-AT	IR60-00-3/WS60-00-1
UPA2706TP	-AZ	IR60-00-3
UPA2707GR	-AT	IR60-00-3
UPA2707TP	-AZ	IR60-00-3
UPA2708GR	-AT	IR60-00-3
UPA2708TP	-AZ	IR60-00-3
UPA2709AGR	-AT	IR60-00-3
UPA2709GR	-AT	IR60-00-3
UPA2710GR	-A	IR60-00-3
UPA2711GR	-A	IR60-00-3
UPA2712GR	-AT	IR60-00-3/WS60-00-1
UPA2713GR	-AT	IR60-00-3/WS60-00-1
UPA2714GR	-AT	IR60-00-3/WS60-00-1
UPA2715GR	-AT	IR60-00-3
UPA2716AGR	-AT	IR60-00-3
UPA2716GR	-AT	IR60-00-3
UPA2717AGR	-AT	IR60-00-3
UPA2717GR	-AT	IR60-00-3
UPA2718AGR	-AT	IR60-00-3
UPA2718GR	-AT	IR60-00-3
UPA2719AGR	-AT	IR60-00-3
UPA2719GR	-AT	IR60-00-3
UPA2720AGR	-AT	IR60-00-3
UPA2720GR	-A	IR60-00-3
UPA2721AGR	-AT	IR60-00-3
UPA2721GR	-AT	IR60-00-3
UPA2722T1A	-AY	IR60-00-3
UPA2722UGR	-A	IR60-00-3
UPA2722UT1A	-AY	IR60-00-3
UPA2723T1A	-AY	IR60-00-3
UPA2723UT1A	-AY	IR60-00-3
UPA2724T1A	-AY	IR60-00-3
UPA2724UT1A	-AY	IR60-00-3
UPA2725T1A	-AY	IR60-00-3
UPA2725UT1A	-AY	IR60-00-3
UPA2726T1A	-AY	IR60-00-3
UPA2726UT1A	-AY	IR60-00-3
UPA2727T1A	-AY	IR60-00-3
UPA2727UT1A	-AY	IR60-00-3
UPA2728GR	-AT	IR60-00-3
UPA2730TP	-AZ	IR60-00-3
UPA2731T1A	-AY	IR60-00-3
UPA2731UT1A	-AY	IR60-00-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPA2732T1A	-AY	IR60-00-3
UPA2732UT1A	-AY	IR60-00-3
UPA2733GR	-AT	IR60-00-3
UPA2734GR	-AT	IR60-00-3
UPA2742GR	-AT	IR60-00-3/WS60-00-1
UPA2743T1A	-AY	IR60-00-3
UPA2744UT1A	-AY	IR60-00-3
UPA2745UT1A	-AY	IR60-00-3
UPA2746UT1A	-AY	IR60-00-3
UPA2747UT1A	-AY	IR60-00-3
UPA2749UT1A	-AY	IR60-00-3
UPA2750GR	-AT	IR60-00-3/WS60-00-1
UPA2751GR	-AT	IR60-00-3/WS60-00-1
UPA2752GR	-AT	IR60-00-3/WS60-00-1
UPA2753GR	-AT	IR60-00-3/WS60-00-1
UPA2754GR	-AT	IR60-00-3/WS60-00-1
UPA2755AGR	-AT	IR60-00-3
UPA2755GR	-AT	IR60-00-3
UPA2756GR	-AT	IR60-00-3/WS60-00-1
UPA2757GR	-AT	IR60-00-3
UPA2761UGR	-AT	IR60-00-3
UPA2762UGR	-AT	IR60-00-3
UPA2770GR	-AY	IR60-00-3
UPA2780GR	-AT	IR60-00-3
UPA2781GR	-AT	IR60-00-3
UPA2782GR	-AT	IR60-00-3
UPA2790GR	-AT	IR60-00-3
UPA2791GR	-AT	IR60-00-3
UPA2792AGR	-AT	IR60-00-3
UPA2792GR(0)	-AY	IR60-00-3/WS60-00-1
UPA2793AGR	-AT	IR60-00-3
UPA2793GR(0)	-AY	IR60-00-3/WS60-00-1
UPA2794AGR	-AT	IR60-00-3
UPA2794GR(0)	-AY	IR60-00-3/WS60-00-1
UPA2800T1L	-AY	IR60-00-3
UPA2801T1L	-AY	IR60-00-3
UPA2802T1L	-AY	IR60-00-3
UPA2803T1L	-AY	IR60-00-3
UPA2810T1L	-AY	IR60-00-3
UPA2981C	-A	WS60-00-1/P350
UPA2987GS	-A	IR60-00-3/WS60-00-1/P350
UPA500T	-AT	IR60-00-3/WS60-00-1
UPA501T	-AT	IR60-00-3/WS60-00-1
UPA502T	-AT	IR60-00-3/WS60-00-1
UPA503T	-AT	IR60-00-3/WS60-00-1
UPA504T	-AT	IR60-00-3/WS60-00-1
UPA505T	-AT	IR60-00-3/WS60-00-1
UPA506T	-AT	IR60-00-3/WS60-00-1
UPA507TE	-AT	IR60-00-3/WS60-00-1
UPA508TE	-AT	IR60-00-3/WS60-00-1
UPA509TA	-AT	IR60-00-3/WS60-00-1
UPA570T	-AT	IR60-00-3/WS60-00-1
UPA571T	-AT	IR60-00-3/WS60-00-1
UPA572T	-AT	IR60-00-3/WS60-00-1
UPA573T	-AT	IR60-00-3/WS60-00-1
UPA574T	-AT	IR60-00-3/WS60-00-1
UPA600T	-AT	IR60-00-3/WS60-00-1
UPA601T	-AT	IR60-00-3/WS60-00-1
UPA602T	-AT	IR60-00-3/WS60-00-1
UPA603T	-AT	IR60-00-3/WS60-00-1
UPA604T	-AT	IR60-00-3/WS60-00-1
UPA605T	-AT	IR60-00-3/WS60-00-1
UPA606T	-AT	IR60-00-3/WS60-00-1

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPA607T	-AT	IR60-00-3/WS60-00-1
UPA608T	-AT	IR60-00-3/WS60-00-1
UPA609T	-AT	IR60-00-3/WS60-00-1
UPA610TA	-AT	IR60-00-3/WS60-00-1
UPA611TA	-AT	IR60-00-3/WS60-00-1
UPA620TT	-AT	IR60-00-3/WS60-00-1
UPA621TT	-AT	IR60-00-3/WS60-00-1
UPA622TT	-AT	IR60-00-3/WS60-00-1
UPA650TT	-AT	IR60-00-3/WS60-00-1
UPA651TT	-AT	IR60-00-3/WS60-00-1
UPA652TT	-AT	IR60-00-3/WS60-00-1
UPA653TT	-AT	IR60-00-3/WS60-00-1
UPA654TT	-AT	IR60-00-3
UPA670T	-AT	IR60-00-3/WS60-00-1
UPA671T	-AT	IR60-00-3/WS60-00-1
UPA672T	-AT	IR60-00-3/WS60-00-1
UPA673T	-AT	IR60-00-3/WS60-00-1
UPA674T	-AT	IR60-00-3/WS60-00-1
UPA675T	-AT	IR60-00-3/WS60-00-1
UPA677TB	-AT	IR60-00-3/WS60-00-1
UPA678TB	-AT	IR60-00-3/WS60-00-1
UPA679TB	-AT	IR60-00-3/WS60-00-1
UPA800T	-A	IR260/WS260/HS350 (*)
UPA801T	-A	IR260/WS260/HS350 (*)
UPA802T	-A	IR260/WS260/HS350 (*)
UPA804T	-A	IR260/WS260/HS350 (*)
UPA806T	-A	IR260/WS260/HS350 (*)
UPA807T	-A	IR260/WS260/HS350 (*)
UPA808T	-A	IR260/WS260/HS350 (*)
UPA80C	-A	WS60-00-1/P350
UPA80GR	-A	IR60-00-3/WS60-00-1/P350
UPA810T	-A	IR260/WS260/HS350 (*)
UPA811T	-A	IR260/WS260/HS350 (*)
UPA812T	-A	IR260/WS260/HS350 (*)
UPA813T	-A	IR260/WS260/HS350 (*)
UPA814T	-A	IR260/WS260/HS350 (*)
UPA81C	-A	WS60-00-1/P350
UPA828TD	-A	IR260/WS260/HS350 (*)
UPA831TD	-A	IR260/WS260/HS350 (*)
UPA841TD	-A	IR260/WS260/HS350 (*)
UPA851TD	-A	IR260/WS260/HS350 (*)
UPA854TD	-A	IR260/WS260/HS350 (*)
UPA855TD	-A	IR260/WS260/HS350 (*)
UPA859TD	-A	IR260/WS260/HS350 (*)
UPA860TD	-A	IR260/WS260/HS350 (*)
UPA861TD	-A	IR260/WS260/HS350 (*)
UPA862TD	-A	IR260/WS260/HS350 (*)
UPA862TS	-A	IR260/WS260/HS350 (*)
UPA863TD	-A	IR260/WS260/HS350 (*)
UPA863TS	-A	IR260/WS260/HS350 (*)
UPA867TS	-A	IR260/WS260/HS350 (*)
UPA868TS	-A	IR260/WS260/HS350 (*)
UPA869TD	-A	IR260/WS260/HS350 (*)
UPA869TS	-A	IR260/WS260/HS350 (*)
UPA873TC	-A	IR260/WS260/HS350 (*)
UPA873TD	-A	IR260/WS260/HS350 (*)
UPA873TS	-A	IR260/WS260/HS350 (*)
UPA880TS	-A	IR260/WS260/HS350 (*)
UPA891TC	-A	IR260/WS260/HS350 (*)
UPA891TD	-A	IR260/WS260/HS350 (*)
UPA895TD	-A	IR260/WS260/HS350 (*)
UPA895TS	-A	IR260/WS260/HS350 (*)
UPA901TU	-A	IR260/WS260/HS350 (*)

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPB1007K	-A	IR260/WS260/HS350 (*)
UPB1028K	-A	IR260/WS260/HS350 (*)
UPB1507GV	-A	IR260/WS260/HS350 (*)
UPB1508GV	-A	IR260/WS260/HS350 (*)
UPB1509GV	-A	IR260/WS260/HS350 (*)
UPB1510GV	-A	IR260/WS260/HS350 (*)
UPB1512TU	-A	IR260/WS260/HS350 (*)
UPB1513TU	-A	IR260/WS260/HS350 (*)
UPB1514TU	-A	IR260/WS260/HS350 (*)
UPC1093G	-A	IR60-00-3/WS60-00-1/P350
UPC1093TA	-A,-AT	IR60-00-3/WS60-00-1/P350
UPC1094C	-A	WS60-00-1/P350
UPC1094G	-A	IR60-00-3/WS60-00-1/P350
UPC1099CX	-A	WS60-00-1/P350
UPC1099GS	-A	IR60-00-3/WS60-00-1/P350
UPC1100C	-A	WS60-00-1/P350
UPC1100GS	-A	IR60-00-3/WS60-00-1/P350
UPC1150C	-A	WS60-00-1/P350
UPC1150GS	-A	IR60-00-3/WS60-00-1/P350
UPC1237C	-A	WS60-00-1
UPC1246C	-A	WS60-00-1
UPC1246GT	-A	IR50-207-3
UPC1251C	-A	WS60-00-1/P350
UPC1251G2	-A	IR60-00-3/WS60-00-1/P350
UPC1251GR-9LG	-A	IR60-00-3/WS60-00-1/P350
UPC1251MP-KAA	-A	IR60-00-3/WS60-00-1/P350
UPC1297CA	-A	WS60-00-1
UPC1458C	-A	WS60-00-1/P350
UPC1458G2	-A	IR60-00-3/WS60-00-1/P350
UPC1470H	-A	WS60-00-1/P350
UPC1470H-X	-A	WS60-00-1/P350
UPC151C	-A	WS60-00-1/P350
UPC151G2	-A	IR60-00-3/WS60-00-1/P350
UPC1555C	-A	WS60-00-1/P350
UPC1555G2	-A	IR60-00-3/WS60-00-1/P350
UPC1663GV	-A	IR260/WS260/HS350 (*)
UPC1678GV	-A	IR260/WS260/HS350 (*)
UPC1688G	-A	IR260/WS260/HS350 (*)
UPC1701C	-A	WS60-00-1/P350
UPC1702GR	-A	IR60-00-3/WS60-00-1/P350
UPC1702HA	-A	WS60-00-1/P350
UPC177C	-A	WS60-00-1/P350
UPC177G2	-A	IR60-00-3/WS60-00-1/P350
UPC177GR-9LG	-A	IR60-00-3/WS60-00-1/P350
UPC1851BCU	-A	WS60-00-1
UPC1851BGT	-A	IR60-207-3
UPC1905CX	-A	WS60-00-1/P350
UPC1905GS	-A	IR60-00-3/WS60-00-1/P350
UPC1906CX	-A	WS60-00-1/P350
UPC1906GS	-A	IR60-00-3/WS60-00-1/P350
UPC1909CX	-A	WS60-00-1/P350
UPC1909GS	-A	IR60-00-3/WS60-00-1/P350
UPC1933GR	-A	IR60-00-3/WS60-00-1/P350
UPC1943T	-AZ	IR60-00-3/-/P350
UPC1944GR	-A	IR60-00-3/WS60-00-1/P350
UPC1944T	-AZ	IR60-00-3/-/P350
UPC1945TA	-A,-AT	IR60-00-3/WS60-00-1/P350
UPC2405AHF	-AZ	WS60-00-1/P350
UPC2406AHF	-AZ	WS60-00-1/P350
UPC2407AHF	-AZ	WS60-00-1/P350
UPC2408AHF	-AZ	WS60-00-1/P350
UPC2409AHF	-AZ	WS60-00-1/P350
UPC2410AHF	-AZ	WS60-00-1/P350

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPC2412AHF	-AZ	WS60-00-1/P350
UPC2415AHF	-AZ	WS60-00-1/P350
UPC2418AHF	-AZ	WS60-00-1/P350
UPC24A05HF	-AZ	WS60-00-1/P350
UPC24A12HF	-AZ	WS60-00-1/P350
UPC24A15HF	-AZ	WS60-00-1/P350
UPC24M05AHF	-AZ	WS60-00-1/P350
UPC24M06AHF	-AZ	WS60-00-1/P350
UPC24M07AHF	-AZ	WS60-00-1/P350
UPC24M08AHF	-AZ	WS60-00-1/P350
UPC24M09AHF	-AZ	WS60-00-1/P350
UPC24M10AHF	-AZ	WS60-00-1/P350
UPC24M12AHF	-AZ	WS60-00-1/P350
UPC24M15AHF	-AZ	WS60-00-1/P350
UPC24M18AHF	-AZ	WS60-00-1/P350
UPC251C	-A	WS60-00-1/P350
UPC251G2	-A	IR60-00-3/WS60-00-1/P350
UPC258C	-A	WS60-00-1/P350
UPC258G2	-A	IR60-00-3/WS60-00-1/P350
UPC259C	-A	WS60-00-1/P350
UPC259G2	-A	IR60-00-3/WS60-00-1/P350
UPC2708TB	-A	IR260/WS260/HS350 (*)
UPC2709T	-A	IR260/WS260/HS350 (*)
UPC2709TB	-A	IR260/WS260/HS350 (*)
UPC2710TB	-A	IR260/WS260/HS350 (*)
UPC2711TB	-A	IR260/WS260/HS350 (*)
UPC2712TB	-A	IR260/WS260/HS350 (*)
UPC271C	-A	WS60-00-1/P350
UPC271G2	-A	IR60-00-3/WS60-00-1/P350
UPC272C	-A	WS60-00-1/P350
UPC272G2	-A	IR60-00-3/WS60-00-1/P350
UPC2745TB	-A	IR260/WS260/HS350 (*)
UPC2746TB	-A	IR260/WS260/HS350 (*)
UPC2747TB	-A	IR260/WS260/HS350 (*)
UPC2748TB	-A	IR260/WS260/HS350 (*)
UPC2749TB	-A	IR260/WS260/HS350 (*)
UPC2756TB	-A	IR260/WS260/HS350 (*)
UPC2757TB	-A	IR260/WS260/HS350 (*)
UPC2758TB	-A	IR260/WS260/HS350 (*)
UPC2762TB	-A	IR260/WS260/HS350 (*)
UPC2763TB	-A	IR260/WS260/HS350 (*)
UPC2771TB	-A	IR260/WS260/HS350 (*)
UPC2776TB	-A	IR260/WS260/HS350 (*)
UPC277C	-A	WS60-00-1/P350
UPC277G2	-A	IR60-00-3/WS60-00-1/P350
UPC277GR-9LG	-A	IR60-00-3/WS60-00-1/P350
UPC277MP-KAA	-A	IR60-00-3/WS60-00-1/P350
UPC2798GR	-A	IR260/WS260/HS350 (*)
UPC2903HB	-AZ,-AY	WS60-00-1/P350
UPC2903HF	-AZ	WS60-00-1/P350
UPC2903T	-AZ,-AY	IR60-00-3/-/P350
UPC2905AHB	-AZ,-AY	WS60-00-1/P350
UPC2905AHF	-AZ	WS60-00-1/P350
UPC2905AT	-AZ,-AY	IR60-00-3/-/P350
UPC2905BHB	-AZ,-AY	WS60-00-1/P350
UPC2905BHF	-AZ	WS60-00-1/P350
UPC2905BT	-AZ,-AY	IR60-00-3/-/P350
UPC2905BT1D	-AT	IR60-00-3/-/P350
UPC2906HB	-AZ,-AY	WS60-00-1/P350
UPC2906HF	-AZ	WS60-00-1/P350
UPC2906T	-AZ,-AY	IR60-00-3/-/P350
UPC2907HB	-AZ,-AY	WS60-00-1/P350
UPC2907HF	-AZ	WS60-00-1/P350

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPC2907T	-AZ,-AY	IR60-00-3/-P350
UPC2908HB	-AZ,-AY	WS60-00-1/P350
UPC2908HF	-AZ	WS60-00-1/P350
UPC2908T	-AZ,-AY	IR60-00-3/-P350
UPC2909HB	-AZ,-AY	WS60-00-1/P350
UPC2909HF	-AZ	WS60-00-1/P350
UPC2909T	-AZ,-AY	IR60-00-3/-P350
UPC2910HB	-AZ,-AY	WS60-00-1/P350
UPC2910HF	-AZ	WS60-00-1/P350
UPC2910T	-AZ,-AY	IR60-00-3/-P350
UPC2912HB	-AZ,-AY	WS60-00-1/P350
UPC2912HF	-AZ	WS60-00-1/P350
UPC2912T	-AZ,-AY	IR60-00-3/-P350
UPC2918BHB	-AZ,-AY	WS60-00-1/P350
UPC2918BHF	-AZ	WS60-00-1/P350
UPC2918BT	-AZ,-AY	IR60-00-3/-P350
UPC2918BT1D	-AT	IR60-00-3/-P350
UPC2918HB	-AZ,-AY	WS60-00-1/P350
UPC2918HF	-AZ	WS60-00-1/P350
UPC2918T	-AZ,-AY	IR60-00-3/-P350
UPC2925BHB	-AZ,-AY	WS60-00-1/P350
UPC2925BHF	-AZ	WS60-00-1/P350
UPC2925BT	-AZ,-AY	IR60-00-3/-P350
UPC2925BT1D	-AT	IR60-00-3/-P350
UPC2925HB	-AZ,-AY	WS60-00-1/P350
UPC2925HF	-AZ	WS60-00-1/P350
UPC2925T	-AZ,-AY	IR60-00-3/-P350
UPC2926HB	-AZ,-AY	WS60-00-1/P350
UPC2926HF	-AZ	WS60-00-1/P350
UPC2926T	-AZ,-AY	IR60-00-3/-P350
UPC2933AHB	-AZ,-AY	WS60-00-1/P350
UPC2933AHF	-AZ	WS60-00-1/P350
UPC2933AT	-AZ,-AY	IR60-00-3/-P350
UPC2933BHB	-AZ,-AY	WS60-00-1/P350
UPC2933BHF	-AZ	WS60-00-1/P350
UPC2933BT	-AZ,-AY	IR60-00-3/-P350
UPC2933BT1D	-AT	IR60-00-3/-P350
UPC29L03T	-AZ	IR60-00-3/-P350
UPC29L04T	-AZ	IR60-00-3/-P350
UPC29L05T	-AZ	IR60-00-3/-P350
UPC29L33T	-AZ	IR60-00-3/-P350
UPC29M03HB	-AZ,-AY	WS60-00-1/P350
UPC29M03HF	-AZ	WS60-00-1/P350
UPC29M03T	-AZ,-AY	IR60-00-3/-P350
UPC29M05AHB	-AZ,-AY	WS60-00-1/P350
UPC29M05AHF	-AZ	WS60-00-1/P350
UPC29M05AT	-AZ,-AY	IR60-00-3/-P350
UPC29M06HB	-AZ,-AY	WS60-00-1/P350
UPC29M06HF	-AZ	WS60-00-1/P350
UPC29M06T	-AZ,-AY	IR60-00-3/-P350
UPC29M07HB	-AZ,-AY	WS60-00-1/P350
UPC29M07HF	-AZ	WS60-00-1/P350
UPC29M07T	-AZ,-AY	IR60-00-3/-P350
UPC29M08HB	-AZ,-AY	WS60-00-1/P350
UPC29M08HF	-AZ	WS60-00-1/P350
UPC29M08T	-AZ,-AY	IR60-00-3/-P350
UPC29M09HB	-AZ,-AY	WS60-00-1/P350
UPC29M09HF	-AZ	WS60-00-1/P350
UPC29M09T	-AZ,-AY	IR60-00-3/-P350
UPC29M10HB	-AZ,-AY	WS60-00-1/P350
UPC29M10HF	-AZ	WS60-00-1/P350
UPC29M10T	-AZ,-AY	IR60-00-3/-P350
UPC29M12HB	-AZ,-AY	WS60-00-1/P350

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPC29M12HF	-AZ	WS60-00-1/P350
UPC29M12T	-AZ,-AY	IR60-00-3/-P350
UPC29M33AHB	-AZ,-AY	WS60-00-1/P350
UPC29M33AHF	-AZ	WS60-00-1/P350
UPC29M33AT	-AZ,-AY	IR60-00-3/-P350
UPC29S10GR	-A	IR60-00-3/WS60-00-1/P350
UPC29S78GR	-A	IR60-00-3/WS60-00-1/P350
UPC3005H	-AZ	WS60-00-1/P350
UPC3018HB	-AZ	WS60-00-1/P350
UPC3018TJ	-AZ	IR60-00-3/-P350
UPC3025HB	-AZ	WS60-00-1/P350
UPC3025TJ	-AZ	IR60-00-3/-P350
UPC3033H	-AZ	WS60-00-1/P350
UPC305C	-A	WS60-00-1/P350
UPC305G2	-A	IR60-00-3/WS60-00-1/P350
UPC311C	-A	WS60-00-1/P350
UPC311G2	-A	IR60-00-3/WS60-00-1/P350
UPC317HF	-AZ	WS60-00-1/P350
UPC319C	-A	WS60-00-1/P350
UPC319G2	-A	IR60-00-3/WS60-00-1/P350
UPC3215TB	-A	IR260/WS260/HS350 (*)
UPC3217GV	-A	IR260/WS260/HS350 (*)
UPC3218GV	-A	IR260/WS260/HS350 (*)
UPC3219GV	-A	IR260/WS260/HS350 (*)
UPC3220GR	-A	IR260/WS260/HS350 (*)
UPC3221GV	-A	IR260/WS260/HS350 (*)
UPC3223TB	-A	IR260/WS260/HS350 (*)
UPC3224TB	-A	IR260/WS260/HS350 (*)
UPC3225TB	-A	IR260/WS260/HS350 (*)
UPC3226TB	-A	IR260/WS260/HS350 (*)
UPC3227TB	-A	IR260/WS260/HS350 (*)
UPC3228T5S	-A	IR260-D7/10 /HS350 (*)
UPC3230GR	-A	IR260/WS260/HS350 (*)
UPC3231GV	-A	IR260/WS260/HS350 (*)
UPC3232TB	-A	IR260/WS260/HS350 (*)
UPC3234GV	-A	IR260/WS260/HS350 (*)
UPC3237TK	-A	IR260/WS260/HS350 (*)
UPC3239TB	-A	IR260/WS260/HS350 (*)
UPC3240TB	-A	IR260/WS260/HS351 (*)
UPC3241TB	-A	IR260/WS260/HS350-P3 (*)
UPC324C	-A	WS60-00-1/P350
UPC324G2	-A	IR60-00-3/WS60-00-1/P350
UPC324GR-9LG	-A	IR60-00-3/WS60-00-1/P350
UPC3330GC	-A	IR50-103-3
UPC3335GC	-A	IR60-103-3
UPC3340GC	-A	IR60-107-3
UPC3345GC	-A	IR60-107-3
UPC3346GC	-A	IR60-107-3
UPC3360GC	-A	IR60-107-3
UPC337HF	-AZ	WS60-00-1/P350
UPC339C	-A	WS60-00-1/P350
UPC339G2	-A	IR60-00-3/WS60-00-1/P350
UPC339GR-9LG	-A	IR60-00-3/WS60-00-1/P350
UPC3403C	-A	WS60-00-1/P350
UPC3403G2	-A	IR60-00-3/WS60-00-1/P350
UPC3504HF	-AZ	WS60-00-1/P350
UPC3533HF	-AZ	WS60-00-1/P350
UPC358C	-A	WS60-00-1/P350
UPC358G2	-A	IR60-00-3/WS60-00-1/P350
UPC358GR-9LG	-A	IR60-00-3/WS60-00-1/P350
UPC37M21HB	-AZ	WS60-00-1/P350
UPC37M21TJ	-AZ	IR60-00-3/-P350
UPC37M31HB	-AZ	WS60-00-1/P350

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPC37M31TJ	-AZ	IR60-00-3/-/P350
UPC37M32HB	-AZ	WS60-00-1/P350
UPC37M32TJ	-AZ	IR60-00-3/-/P350
UPC393C	-A	WS60-00-1/P350
UPC393G2	-A	IR60-00-3/WS60-00-1/P350
UPC393GR-9LG	-A	IR60-00-3/WS60-00-1/P350
UPC4061C	-A	WS60-00-1/P350
UPC4061G2	-A	IR60-00-3/WS60-00-1/P350
UPC4062C	-A	WS60-00-1/P350
UPC4062G2	-A	IR60-00-3/WS60-00-1/P350
UPC4064C	-A	WS60-00-1/P350
UPC4064G2	-A	IR60-00-3/WS60-00-1/P350
UPC4071C	-A	WS60-00-1/P350
UPC4071G2	-A	IR60-00-3/WS60-00-1/P350
UPC4072C	-A	WS60-00-1/P350
UPC4072G2	-A	IR60-00-3/WS60-00-1/P350
UPC4074C	-A	WS60-00-1/P350
UPC4074G2	-A	IR60-00-3/WS60-00-1/P350
UPC4081C	-A	WS60-00-1/P350
UPC4081G2	-A	IR60-00-3/WS60-00-1/P350
UPC4082C	-A	WS60-00-1/P350
UPC4082G2	-A	IR60-00-3/WS60-00-1/P350
UPC4084C	-A	WS60-00-1/P350
UPC4091C	-A	WS60-00-1/P350
UPC4091G2	-A	IR60-00-3/WS60-00-1/P350
UPC4092C	-A	WS60-00-1/P350
UPC4092G2	-A	IR60-00-3/WS60-00-1/P350
UPC4093C	-A	WS60-00-1/P350
UPC4093G2	-A	IR60-00-3/WS60-00-1/P350
UPC4094C	-A	WS60-00-1/P350
UPC4094G2	-A	IR60-00-3/WS60-00-1/P350
UPC4250C	-A	WS60-00-1/P350
UPC4250G2	-A	IR60-00-3/WS60-00-1/P350
UPC451C	-A	WS60-00-1/P350
UPC451G2	-A	IR60-00-3/WS60-00-1/P350
UPC451GR-9LG	-A	IR60-00-3/WS60-00-1/P350
UPC452C	-A	WS60-00-1/P350
UPC452G2	-A	IR60-00-3/WS60-00-1/P350
UPC4556C	-A	WS60-00-1/P350
UPC4556G2	-A	IR60-00-3/WS60-00-1/P350
UPC4557C	-A	WS60-00-1/P350
UPC4558C	-A	WS60-00-1/P350
UPC4558G2	-A	IR60-00-3/WS60-00-1/P350
UPC4559C	-A	WS60-00-1/P350
UPC4560C	-A	WS60-00-1/P350
UPC4560G2	-A	IR60-00-3/WS60-00-1/P350
UPC4570C	-A	WS60-00-1/P350
UPC4570G2	-A	IR60-00-3/WS60-00-1/P350
UPC4570GR-9LG	-A	IR60-00-3/WS60-00-1/P350
UPC4572C	-A	WS60-00-1/P350
UPC4572G2	-A	IR60-00-3/WS60-00-1/P350
UPC4574C	-A	WS60-00-1/P350
UPC4574G2	-A	IR60-00-3/WS60-00-1/P350
UPC4574GR-9LG	-A	IR60-00-3/WS60-00-1/P350
UPC458C	-A	WS60-00-1/P350
UPC458G2	-A	IR60-00-3/WS60-00-1/P350
UPC4741C	-A	WS60-00-1/P350
UPC4741G2	-A	IR60-00-3/WS60-00-1/P350
UPC4742C	-A	WS60-00-1/P350
UPC4742G2	-A	IR60-00-3/WS60-00-1/P350
UPC4742GR-9LG	-A	IR60-00-3/WS60-00-1/P350
UPC4744C	-A	WS60-00-1/P350
UPC4744G2	-A	IR60-00-3/WS60-00-1/P350

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPC4744GR-9LG	-A	IR60-00-3/WS60-00-1/P350
UPC494C	-A	WS60-00-1/P350
UPC494GS	-A	IR60-00-3/WS60-00-1/P350
UPC494GT	-A	IR60-207-3/-/P350
UPC617C	-A	WS60-00-1/P350
UPC617G2	-A	IR60-00-3/WS60-00-1/P350
UPC741C	-A	WS60-00-1/P350
UPC741G2	-A	IR60-00-3/WS60-00-1/P350
UPC7805AHF	-AZ	WS60-00-1/P350
UPC7808AHF	-AZ	WS60-00-1/P350
UPC7812AHF	-AZ	WS60-00-1/P350
UPC7815AHF	-AZ	WS60-00-1/P350
UPC7818AHF	-AZ	WS60-00-1/P350
UPC7824AHF	-AZ	WS60-00-1/P350
UPC7893AHF	-AZ	WS60-00-1/P350
UPC78L05T	-AZ	IR60-00-3/-/P350
UPC78L06T	-AZ	IR60-00-3/-/P350
UPC78L07T	-AZ	IR60-00-3/-/P350
UPC78L08T	-AZ	IR60-00-3/-/P350
UPC78L10T	-AZ	IR60-00-3/-/P350
UPC78L12T	-AZ	IR60-00-3/-/P350
UPC78L15T	-AZ	IR60-00-3/-/P350
UPC78M05AHF	-AZ	WS60-00-1/P350
UPC78M06AHF	-AZ	WS60-00-1/P350
UPC78M07AHF	-AZ	WS60-00-1/P350
UPC78M08AHF	-AZ	WS60-00-1/P350
UPC78M09AHF	-AZ	WS60-00-1/P350
UPC78M10AHF	-AZ	WS60-00-1/P350
UPC78M12AHF	-AZ	WS60-00-1/P350
UPC78M15AHF	-AZ	WS60-00-1/P350
UPC78M18AHF	-AZ	WS60-00-1/P350
UPC78M24AHF	-AZ	WS60-00-1/P350
UPC78N05H	-AZ	WS60-00-1/P350
UPC78N08H	-AZ	WS60-00-1/P350
UPC78N10H	-AZ	WS60-00-1/P350
UPC78N12H	-AZ	WS60-00-1/P350
UPC78N15H	-AZ	WS60-00-1/P350
UPC78N18H	-AZ	WS60-00-1/P350
UPC78N24H	-AZ	WS60-00-1/P350
UPC7905AHF	-AZ	WS60-00-1/P350
UPC7908AHF	-AZ	WS60-00-1/P350
UPC7912AHF	-AZ	WS60-00-1/P350
UPC7915AHF	-AZ	WS60-00-1/P350
UPC7918AHF	-AZ	WS60-00-1/P350
UPC7924AHF	-AZ	WS60-00-1/P350
UPC79M05HF	-AZ	WS60-00-1/P350
UPC79M08HF	-AZ	WS60-00-1/P350
UPC79M12HF	-AZ	WS60-00-1/P350
UPC79M15HF	-AZ	WS60-00-1/P350
UPC79M18HF	-AZ	WS60-00-1/P350
UPC79M24HF	-AZ	WS60-00-1/P350
UPC79N05H	-AZ	WS60-00-1/P350
UPC79N08H	-AZ	WS60-00-1/P350
UPC79N12H	-AZ	WS60-00-1/P350
UPC79N15H	-AZ	WS60-00-1/P350
UPC79N18H	-AZ	WS60-00-1/P350
UPC79N24H	-AZ	WS60-00-1/P350
UPC801C	-A	WS60-00-1/P350
UPC802C	-A	WS60-00-1/P350
UPC802G2	-A	IR60-00-3/WS60-00-1/P350
UPC803C	-A	WS60-00-1/P350
UPC803G2	-A	IR60-00-3/WS60-00-1/P350
UPC804C	-A	WS60-00-1/P350

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPC8106TB	-A	IR260/WS260/HS350 (*)
UPC8112TB	-A	IR260/WS260/HS350 (*)
UPC811C	-A	WS60-00-1/P350
UPC811G2	-A	IR60-00-3/WS60-00-1/P350
UPC8120T	-A	IR260/WS260/HS350 (*)
UPC8128TB	-A	IR260/WS260/HS350 (*)
UPC812C	-A	WS60-00-1/P350
UPC812G2	-A	IR60-00-3/WS60-00-1/P350
UPC813C	-A	WS60-00-1/P350
UPC813G2	-A	IR60-00-3/WS60-00-1/P350
UPC814C	-A	WS60-00-1/P350
UPC814G2	-A	IR60-00-3/WS60-00-1/P350
UPC8151TB	-A	IR260/WS260/HS350 (*)
UPC815C	-A	WS60-00-1/P350
UPC816C	-A	WS60-00-1/P350
UPC8172TB	-A	IR260/WS260/HS350 (*)
UPC8172TK	-A	IR260/WS260/HS350 (*)
UPC8178TB	-A	IR260/WS260/HS350 (*)
UPC8178TK	-A	IR260/WS260/HS350 (*)
UPC8179TB	-A	IR260/WS260/HS350 (*)
UPC8179TK	-A	IR260/WS260/HS350 (*)
UPC8181TB	-A	IR260/WS260/HS350 (*)
UPC8182TB	-A	IR260/WS260/HS350 (*)
UPC8187TB	-A	IR260/WS260/HS350 (*)
UPC8190K	-A	IR260/WS260/HS350 (*)
UPC8191K	-A	IR260/WS260/HS350 (*)
UPC8194K	-A	IR260/WS260/HS350 (*)
UPC8195K	-A	IR260/WS260/HS350 (*)
UPC8204TK	-A	IR260/WS260/HS350 (*)
UPC8211TK	-A	IR260/WS260/HS350 (*)
UPC8215TU	-A	IR260/WS260/HS350 (*)
UPC8217TU	-A	IR260/WS260/HS350 (*)
UPC8218T5A	-A	IR260/WS260/HS350 (*)
UPC821C	-A	WS60-00-1/P350
UPC821G2	-A	IR60-00-3/WS60-00-1/P350
UPC8220T5A	-A	IR260/WS260/HS350 (*)
UPC822C	-A	WS60-00-1/P350
UPC822G2	-A	IR60-00-3/WS60-00-1/P350
UPC8230TU	-A	IR260/WS260/HS350 (*)
UPC8231TK	-A	IR260/WS260/HS350 (*)
UPC8232T5N	-A	IR260/WS260/HS350 (*)
UPC8233TK	-A	IR260/WS260/HS350 (*)
UPC8236T6N	-A	IR260/WS260/HS350 (*)
UPC8240T6N	-A	IR260/WS260/HS350 (*)
UPC824C	-A	WS60-00-1/P350
UPC824G2	-A	IR60-00-3/WS60-00-1/P350
UPC831C	-A	WS60-00-1/P350
UPC831G2	-A	IR60-00-3/WS60-00-1/P350
UPC832C	-A	WS60-00-1/P350
UPC832G2	-A	IR60-00-3/WS60-00-1/P350
UPC834C	-A	WS60-00-1/P350
UPC834G2	-A	IR60-00-3/WS60-00-1/P350
UPC835MN-KAA	-AT	IR60-107-3/WS60-107-1/P350
UPC842C	-A	WS60-00-1/P350
UPC842G2	-A	IR60-00-3/WS60-00-1/P350
UPC842GR-9LG	-A	IR60-00-3/WS60-00-1/P350
UPC844C	-A	WS60-00-1/P350
UPC844G2	-A	IR60-00-3/WS60-00-1/P350
UPC844GR-9LG	-A	IR60-00-3/WS60-00-1/P350
UPD120N15T1B	-AZ	IR60-00-3/-P350
UPD120N15TA	-A,-AT	IR60-00-3/WS60-00-1/P350
UPD120N18T1B	-AZ	IR60-00-3/-P350
UPD120N18TA	-A,-AT	IR60-00-3/WS60-00-1/P350

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD120N25T1B	-AZ	IR60-00-3/-/P350
UPD120N25TA	-A,-AT	IR60-00-3/WS60-00-1/P350
UPD120N33T1B	-AZ	IR60-00-3/-/P350
UPD120N33TA	-A,-AT	IR60-00-3/WS60-00-1/P350
UPD12115T1F	-AT	IR60-00-3/-/P350
UPD121A10T1F	-AT	IR60-00-3/-/P350
UPD121W00AT1F	-AT	IR60-00-3/-/P350
UPD121W18AT1F	-AT	IR60-00-3/-/P350
UPD121W25AT1F	-AT	IR60-00-3/-/P350
UPD121W33AT1F	-AT	IR60-00-3/-/P350
UPD161451F1	-A	IR60-104-2
UPD16302AGF	-A	IR60-207-1
UPD16305GF	-A	IR60-207-1
UPD16306AGF	-A	IR60-207-1
UPD16306BGF	-A	IR60-207-1
UPD16310GF	-A	IR60-207-1
UPD16311GC	-A	IR50-207-2
UPD16312GB-3BS	-A	IR50-207-2
UPD16314AGJ	-A	IR60-103-3
UPD16315GB	-A	IR50-207-3
UPD16326AGB	-A	IR60-207-3
UPD16430CGF	-A	IR60-207-2
UPD16430DGF	-A	IR60-207-2
UPD16431AGC	-A	IR60-107-2
UPD16432BGC	-A	IR60-107-3
UPD16434GF	-A	IR60-207-3
UPD16502GS	-A	IR60-00-3/WS60-00-1/P350
UPD16510GR	-A	IR60-00-3/WS60-00-1/P350
UPD16520AFH-2Q1	-A	IR60-00-3/-/-
UPD16520GS	-A	IR60-00-3/WS60-00-1/P350
UPD166005GR	-AZ	IR60-00-3/WS60-00-1/P350
UPD166007T1F	-AY	IR60-107-3/-/P350
UPD166009T1F	-AY	IR60-107-3/-/P350
UPD166010T1F	-AY	IR60-107-3/-/P350
UPD166100GR	-AZ	IR60-00-3/WS60-00-1/P350
UPD166101GR	-AZ	IR60-00-3/WS60-00-1/P350
UPD166104GR	-AZ	IR60-107-3/WS60-107-1/P350
UPD168002GA-9EU	-A	IR60-00-3/WS60-00-1/P350
UPD16803GS	-A	IR60-00-3/WS60-00-1/P350
UPD16805GS	-A	IR60-00-3/WS60-00-1/P350
UPD16805MA-6A5	-A	IR60-00-3/WS60-00-1/P350
UPD16808GS	-A	IR60-00-3/WS60-00-1/P350
UPD168101MA-6A5	-A	IR60-00-3/WS60-00-1/P350
UPD168102K9-5B4	-A	IR60-103-3/-/P350
UPD168103AK9-5B4	-A	IR60-103-3/-/P350
UPD168103K9-5B4	-A	IR60-103-3/-/P350
UPD168104K9-9B4	-A	IR60-103-3/-/P350
UPD168105FC-AA3	-A	IR60-107-3/-/-
UPD168110MA-6A5	-A	IR60-00-3/WS60-00-1/P350
UPD168111AMA-6A5	-A	IR60-00-3/WS60-00-1/P350
UPD168112K9-5B4	-A	IR60-103-3/-/P350
UPD168113K9-9B4	-A	IR60-103-3/-/P350
UPD168116AK9-9B4	-A	IR60-103-3/-/P350
UPD168116K9-9B4	-A	IR60-103-3/-/P350
UPD168117AFC-BA2	-A	IR60-107-3/-/-
UPD168117K9-9B4	-A	IR60-103-3/-/P350
UPD168118AFC-AA1	-A	IR60-107-3/-/-
UPD168118BFC-AA1	-A	IR60-107-3/-/-
UPD168119GS-BGG	-A	IR60-00-3/WS60-00-1/P350
UPD16813GS	-A	IR60-00-3/WS60-00-1/P350
UPD16814GS	-A	IR60-00-3/WS60-00-1/P350
UPD168159FC-AN1	-A	IR60-107-3/-/-
UPD16818GS	-A	IR60-00-3/WS60-00-1/P350

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD16823GS	-A	IR60-00-3/WS60-00-1/P350
UPD168302MA-6A5	-A	IR60-00-3/WS60-00-1/P350
UPD16835AGS-BGG	-A	IR60-00-3/WS60-00-1/P350
UPD16835G3	-A	IR60-00-3/WS60-00-1/P350
UPD16854HF	-AZ	WS60-00-1/P350
UPD16854T	-AZ	IR60-00-3/WS60-00-1/P350
UPD16856GS	-A	IR60-00-3/WS60-00-1/P350
UPD16857GS-BGG	-A	IR60-00-3/WS60-00-1/P350
UPD16875G	-A	IR60-00-3/WS60-00-1/P350
UPD16876G	-A	IR60-00-3/WS60-00-1/P350
UPD16877MA-6A5	-A	IR60-00-3/WS60-00-1/P350
UPD16878GS-BGG	-A	IR60-00-3/WS60-00-1/P350
UPD16879GS-BGG	-A	IR60-00-3/WS60-00-1/P350
UPD168801AK8-4E5	-AT	IR60-103-3/-/P350
UPD168802K8-4E5-E1	-AT	IR60-103-3/-/P350
UPD168803FC-AN2	-A	IR60-107-3/-/-
UPD168805FC-AN2	-A	IR60-107-3/-/-
UPD16886MA-6A5	-A	IR60-00-3/WS60-00-1/P350
UPD16905K9-5B4	-A	IR60-103-3/-/P350
UPD16908K9-9B4	-A	IR60-103-3/-/P350
UPD17002GC-XXX-3BE	-A	IR60-203-3
UPD17012GC-XXX-8BT	-A	IR60-207-3
UPD17015GS-XXX-GJG	-A	IR60-203-3
UPD17062GC-XXX-3BE	-A	IR60-203-3
UPD17073GB-XXX-YEU	-A	IR60-107-3
UPD17103GS-XXX	-A	IR60-203-3
UPD17103LGS-XXX	-A	IR60-203-3
UPD17104GS-XXX	-A	IR60-203-3
UPD17104LGS-XXX	-A	IR60-203-3
UPD17107GS-XXX	-A	IR60-203-3
UPD17107LGS-XXX	-A	IR60-203-3
UPD17108GS-XXX	-A	IR60-203-3
UPD17108LGS-XXX	-A	IR60-203-3
UPD17120GT-XXX	-A	IR60-207-3
UPD17121GT-XXX	-A	IR60-207-3
UPD17132GT-XXX	-A	IR60-207-3
UPD17133GT-XXX	-A	IR60-207-3
UPD17145GT-XXX	-A	IR60-207-3
UPD17147GS-XXX-GJG	-A	IR60-207-3
UPD17147GT-XXX	-A	IR60-207-3
UPD17149GT-XXX	-A	IR60-207-3
UPD17202AGF-XXX-3BE	-A	IR50-203-3
UPD17203AGC-XXX-3BH	-A	IR60-203-3
UPD17204GC-XXX-3BH	-A	IR60-203-3
UPD17225GT-XXX	-A	IR60-203-3
UPD17225MC-XXX-5A4	-A	IR60-103-3
UPD17226GT-XXX	-A	IR60-103-3
UPD17226MC-XXX-5A4	-A	IR60-103-3
UPD17227GT-XXX	-A	IR60-203-3
UPD17227MC-XXX-5A4	-A	IR60-103-3
UPD17228GT-XXX	-A	IR60-103-3
UPD17228MC-XXX-5A4	-A	IR60-103-3
UPD17234MC-XXX-5A4	-A	IR60-103-3
UPD17235GT-XXX	-A	IR60-103-3
UPD17235MC-XXX-5A4	-A	IR60-103-3
UPD17236GT-XXX	-A	IR60-207-3
UPD17236MC-XXX-5A4	-A	IR60-103-3
UPD17240MC-XXX-5A4	-A	IR60-103-3
UPD17241MC-XXX-5A4	-A	IR60-103-3
UPD17242MC-XXX-5A4	-A	IR60-103-3
UPD17243MC-XXX-5A4	-A	IR60-103-3
UPD17244MC-XXX-5A4	-A	IR60-103-3
UPD17244MC-XXX-5A4-E1	-A	IR60-103-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD17245MC-XXX-5A4	-A	IR60-103-3
UPD17246MC-XXX-5A4	-A	IR60-103-3
UPD17704AGC-XXX-3B9	-A	IR60-207-3
UPD17704GC-XXX-3B9	-A	IR60-207-3
UPD17705AGC-XXX-3B9	-A	IR60-207-3
UPD17705GC-XXX-3B9	-A	IR60-207-3
UPD17707AGC-XXX-3B9	-A	IR60-207-3
UPD17707GC-XXX-3B9	-A	IR60-207-3
UPD17708AGC-XXX-3B9	-A	IR60-207-3
UPD17708GC-XXX-3B9	-A	IR60-207-3
UPD17709AGC-XXX-3B9	-A	IR60-207-3
UPD17709GC-XXX-3B9	-A	IR60-207-3
UPD17717GC-XXX-3B9	-A	IR60-207-3
UPD17718GC-XXX-3B9	-A	IR60-207-3
UPD17719GC-XXX-3B9	-A	IR60-207-3
UPD178002GC-XXX-3B9	-A	IR60-207-3
UPD178003GC-XXX-3B9	-A	IR60-207-3
UPD178004AGC-XXX-3B9	-A	IR60-207-3
UPD178004GC-XXX-3B9	-A	IR60-207-3
UPD178006AGC-XXX-3B9	-A	IR60-207-3
UPD178016AGC-XXX-3B9	-A	IR60-207-3
UPD178018AGC-XXX-3B9	-A	IR60-207-3
UPD178018GC-XXX-3B9	-A	IR60-207-3
UPD178023GC-XXX-8BT	-A	IR60-207-3
UPD178023GF-XXX-3B9	-A	IR60-203-3
UPD178024GC-XXX-8BT	-A	IR60-207-3
UPD178024GF-XXX-3B9	-A	IR60-203-3
UPD178046GK-XXX-9EU	-A	IR60-207-3
UPD178048GK-XXX-9EU	-A	IR60-207-3
UPD178053GC-XXX-8BT	-A	IR60-207-3
UPD178054GC-XXX-8BT	-A	IR60-207-3
UPD178076GF-XXX-3BA	-A	IR60-207-3
UPD178078BGF-XXX-3BA	-A	IR60-203-3
UPD178078GF-XXX-3BA	-A	IR60-207-3
UPD178096AGF-XXX-3BA	-A	IR60-203-3
UPD178096GF-XXX-3BA	-A	IR60-203-3
UPD178098AGF-XXX-3BA	-A	IR60-203-3
UPD178098GF-XXX-3BA	-A	IR60-203-3
UPD178F054GC-8BT	-A	IR60-207-3
UPD178F098GF-3BA	-A	IR60-203-3
UPD178F124GC-8BT	-A	IR60-207-3
UPD178F124GF-3B9	-A	IR60-203-3
UPD178P018AGC-3B9	-A	IR60-207-3
UPD178P018GC-3B9	-A	IR60-207-3
UPD179322AGB-XXX-8ET	-A	IR60-207-3
UPD179322GB-XXX-8ET	-A	IR60-207-3
UPD179324AGB-XXX-8ET	-A	IR60-207-3
UPD179324GB-XXX-8ET	-A	IR60-207-3
UPD179326GB-XXX-8ET	-A	IR60-207-3
UPD179327GB-XXX-8ET	-A	IR60-207-3
UPD17934AGK-XXX-BE9	-A	IR60-107-3
UPD179F110MC-CAB	-AX	IR60-107-3
UPD179F111MC-CAB	-AX	IR60-107-3
UPD179F112MC-CAB	-AX	IR60-107-3
UPD179F113MC-CAB	-AX	IR60-107-3
UPD179F114MC-CAB	-AX	IR60-107-3
UPD17P012GC-8BT	-A	IR60-207-3
UPD17P103GS	-A	IR60-203-3
UPD17P104GS	-A	IR60-203-3
UPD17P107GS	-A	IR60-203-3
UPD17P108GS	-A	IR60-203-3
UPD17P132GT	-A	IR60-207-3
UPD17P133GT	-A	IR60-207-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD17P149GT	-A	IR60-207-3
UPD17P203AGC-3BH	-A	IR60-203-3
UPD17P204GC-3BH	-A	IR60-203-3
UPD17P246M1MC-5A4	-A	IR60-207-3
UPD17P709AGC-3B9	-A	IR60-207-3
UPD17P709GC-3B9	-A	IR60-207-3
UPD17P719GC-3B9	-A	IR60-207-3
UPD22100C	-A	WS60-00-1/P350
UPD22100GS	-A	IR60-00-3/WS60-00-1/P350
UPD23C128000BLGX	-A	IR60-207-3
UPD23C128000BLGY	-A	IR60-103-3
UPD23C128040BLGX	-A	IR60-207-3
UPD23C128040BLGY	-A	IR60-103-3
UPD23C128080BLGX	-A	IR60-207-3
UPD23C128080BLGY	-A	IR60-103-3
UPD23C16000BLGY	-A	IR60-103-3
UPD23C16300F1	-A	IR60-107-3
UPD23C16300GZ	-A	IR60-107-3
UPD23C32000ALGX	-A	IR60-207-3
UPD23C32000ALGY	-A	IR60-103-3
UPD23C32040ALGX	-A	IR60-207-3
UPD23C32040ALGY	-A	IR60-103-3
UPD23C32080ALGX	-A	IR60-207-3
UPD23C32080ALGY	-A	IR60-103-3
UPD23C32300F9	-A	IR60-107-3
UPD23C32300GZ	-A	IR60-107-3
UPD23C32340F9	-A	IR60-107-3
UPD23C32340GZ	-A	IR60-107-3
UPD23C32380F9	-A	IR60-107-3
UPD23C32380GZ	-A	IR60-107-3
UPD23C64000JLGX	-A	IR60-207-3
UPD23C64000JLGY	-A	IR60-103-3
UPD23C64040JLGX	-A	IR60-207-3
UPD23C64040JLGY	-A	IR60-103-3
UPD23C64080JLGX	-A	IR60-207-3
UPD23C64080JLGY	-A	IR60-103-3
UPD23C64300F9	-A	IR60-107-3
UPD23C64300GZ	-A	IR60-107-3
UPD23C64340F9	-A	IR60-107-3
UPD23C64340GZ	-A	IR60-107-3
UPD23C64380F9	-A	IR60-107-3
UPD23C64380GZ	-A	IR60-107-3
UPD30131F1-200-GA2	-A	IR60-207-3
UPD30133F1-266-GA3	-A	IR60-363-3
UPD30181AF1-131-GA3	-A	IR60-203-3
UPD30181AYF1-131-GA3	-A	IR60-203-3
UPD30181GM-66-8ED	-A	IR60-363-3
UPD30200GD-100-FAA	-A	IR50-203-3
UPD30200GD-80-LBB	-A	IR60-363-3
UPD30210GD-133-MBB	-A	IR60-363-3
UPD30210GD-167-MBB	-A	IR60-363-3
UPD30550AF2-300-NN1	-A	IR50-203-3
UPD30550AF2-400-NN1	-A	IR50-203-3
UPD30550AGD-350-WML	-A	IR60-207-3
UPD30571AF2-333-RN4	-A	IR50-203-3
UPD30671F2-400-UA5	-A	IR50-363-3
UPD31173F1-HN1	-A	IR60-203-3
UPD31577S1-F6	-A	IR30-203-3
UPD33913F1-266-JN3	-A	IR50-203-3
UPD3734ACY	-A	P300
UPD3737CY	-A	P350
UPD3737D	-A	P380
UPD3753CY	-A	P300

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD431000AGU	-A	IR60-107-3
UPD431000AGW	-A	IR60-207-3
UPD431000AGZ	-A	IR60-107-3
UPD43256BGU	-A	IR60-107-3
UPD43256BGW	-A	IR60-107-3
UPD43257BGU	-A	IR60-107-3
UPD4416008G5	-A	IR60-107-3
UPD4416016G5	-A	IR60-107-3
UPD44164082F5	-A	IR60-107-3
UPD44164084F5	-A	IR60-107-3
UPD44164085F5	-A	IR60-107-3
UPD44164182F5	-A	IR60-107-3
UPD44164184F5	-A	IR60-107-3
UPD44164185F5	-A	IR60-107-3
UPD44164362F5	-A	IR60-107-3
UPD44164364F5	-A	IR60-107-3
UPD44164365F5	-A	IR60-107-3
UPD44165082F5	-A	IR60-107-3
UPD44165084F5	-A	IR60-107-3
UPD44165182F5	-A	IR60-107-3
UPD44165184F5	-A	IR60-107-3
UPD44165362F5	-A	IR60-107-3
UPD44165364F5	-A	IR60-107-3
UPD442000AGU	-A	IR60-107-3
UPD442002F1	-A	IR60-107-3
UPD442012AGY	-A	IR60-107-3
UPD44321181GF	-A	IR60-103-3
UPD44321182GF	-A	IR60-103-3
UPD44321361GF	-A	IR60-103-3
UPD44321362GF	-A	IR60-103-3
UPD44323362F1	-A	IR60-203-3
UPD444004LE	-A	IR60-207-3
UPD444004LLE	-A	IR60-207-3
UPD444008LE	-A	IR60-207-3
UPD444008LLE	-A	IR60-207-3
UPD444012AGY	-A	IR60-107-3
UPD444016G5	-A	IR60-107-3
UPD444016LE	-A	IR60-207-3
UPD444016LG5	-A	IR60-107-3
UPD444016LLE	-A	IR60-207-3
UPD44644092AF5	-A	IR60-107-3
UPD44644095AF5	-A	IR60-107-3
UPD44644182AF5	-A	IR60-107-3
UPD44644184AF5	-A	IR60-107-3
UPD44644185AF5	-A	IR60-107-3
UPD44644362AF5	-A	IR60-107-3
UPD44644364AF5	-A	IR60-107-3
UPD44645092AF5	-A	IR60-107-3
UPD44645094AF5	-A	IR60-107-3
UPD44645182AF5	-A	IR60-107-3
UPD44645184AF5	-A	IR60-107-3
UPD44645362AF5	-A	IR60-107-3
UPD44645364AF5	-A	IR60-107-3
UPD44646092AF5	-A	IR60-107-3
UPD44646093AF5	-A	IR60-107-3
UPD44646182AF5	-A	IR60-107-3
UPD44646183AF5	-A	IR60-107-3
UPD44646187AF5	-A	IR60-107-3
UPD44646362AF5	-A	IR60-107-3
UPD44646363AF5	-A	IR60-107-3
UPD44647094AF5	-A	IR60-107-3
UPD44647096AF5	-A	IR60-107-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD44647184AF5	-A	IR60-107-3
UPD44647186AF5	-A	IR60-107-3
UPD44647364AF5	-A	IR60-107-3
UPD44647366AF5	-A	IR60-107-3
UPD448012GY	-A	IR60-103-3
UPD4481362GF	-A	IR60-103-3
UPD4702G	-A	IR60-00-3/WS60-00-1/P350
UPD4704G	-A	IR60-00-3/WS60-00-1/P350
UPD4711BGS	-A	IR60-00-3/WS60-00-1/P350
UPD4721GS	-A	IR60-00-3/WS60-00-1/P350
UPD4722GS	-A	IR60-00-3/WS60-00-1/P350
UPD4723GS	-A	IR60-00-3/WS60-00-1/P350
UPD4724GS	-A	IR60-00-3/WS60-00-1/P350
UPD485505G	-A	IR60-203-3
UPD485506G5	-A	IR60-103-3
UPD4990AG	-A	IR60-00-3/WS60-00-1/P350
UPD4991AGS	-A	IR60-00-3/WS60-00-1/P350
UPD4992GS	-A	IR60-00-3/WS60-00-1/P350
UPD5200C	-A	WS60-00-1
UPD5200G	-A	IR60-107-3
UPD5201C	-A	WS60-00-1
UPD5201G	-A	IR60-00-3
UPD5555C	-A	WS60-00-1
UPD5555G	-A	IR60-00-3
UPD5556C	-A	WS60-00-1
UPD5556G	-A	IR60-107-3
UPD5710TK	-A	IR260/WS260/HS350 (*)
UPD5713TK	-A	IR260/WS260/HS350 (*)
UPD5715GR	-A	IR260/WS260/HS350 (*)
UPD5716GR	-A	IR260/WS260/HS350 (*)
UPD5720K	-A	IR260/HS350 (*)
UPD5729T6J	-A	IR260/WS260/HS350 (*)
UPD5731T6M	-A	IR260/WS260/HS350 (*)
UPD5738T6N	-A	IR260/WS260/HS352 (*)
UPD5740T6N	-A	IR260/HS350 (*)
UPD5741T6J	-A	IR260/WS260/HS350 (*)
UPD5742T6J	-A	IR260/WS260/HS350 (*)
UPD5747T6J	-A	IR260/WS260/HS350 (*)
UPD61051GD	-A	IR50-207-3
UPD61052GD	-A	IR50-207-3
UPD61110F1-100	-A	IR60-107-3
UPD61110GM-100	-A	IR50-107-3
UPD61111GM-100	-A	IR50-107-3
UPD61112GM-101/104	-A	IR50-107-3
UPD61113GM-101/104	-A	IR50-107-3
UPD61114F1-101/104	-A	IR60-107-3
UPD61114GM-101/104/114	-A	IR50-107-3
UPD61115F1-101/104/114	-A	IR60-107-3
UPD61115GM-101/104	-A	IR50-107-3
UPD61116GM-100	-A	IR50-107-3
UPD61120AF1-11X	-A	IR60-207-3
UPD61120AF1-XXX	-A	IR60-207-3
UPD61122AF1-11X	-A	IR60-207-3
UPD61122AF1-XXX	-A	IR60-207-3
UPD61122F1-11X	-A	IR60-207-3
UPD61122F1-XXX	-A	IR60-207-3
UPD61123F1-11X	-A	IR50-207-3
UPD61123F1-XXX	-A	IR50-207-3
UPD61125F1-11X	-A	IR50-207-3
UPD61125F1-XXX	-A	IR50-207-3
UPD61126F1-11X	-A	IR50-207-3
UPD61126F1-XXX	-A	IR50-207-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD61127F1-11X	-A	IR50-207-3
UPD61127F1-XXX	-A	IR50-207-3
UPD61130AS1-11X/13X	-A	IR50-207-3
UPD61130AS1-XXX	-A	IR50-207-3
UPD61132AS1-11X/13X	-A	IR50-207-3
UPD61132AS1-XXX	-A	IR50-207-3
UPD61133S1-11X/13X	-A	IR50-203-3
UPD61133S1-XXX	-A	IR50-203-3
UPD61135F1-11X/13X	-A	IR50-203-3
UPD61135F1-XXX	-A	IR50-203-3
UPD61135S1-11X/13X	-A	IR50-203-3
UPD61135S1-XXX	-A	IR50-203-3
UPD61140F1-XXX	-A	IR50-207-3
UPD61141F1-XX0	-A	IR50-207-4
UPD61142F1-XXX	-A	IR50-207-3
UPD61143F1-XXX	-A	IR50-207-3
UPD6114XF1-XXX	-A	IR50-207-3
UPD61151F1-XXX	-A	IR60-107-3
UPD61152F1-XXX	-A	IR60-107-3
UPD61153BF1	-A	IR50-207-3
UPD61154BF1	-A	IR50-207-3
UPD61160AF1	-A	IR60-207-3
UPD61160F1	-A	IR60-207-3
UPD61162AF1	-A	IR50-207-3
UPD61162BF1	-A	IR50-207-3
UPD61162F1	-A	IR50-207-3
UPD61164F1	-A	IR50-207-3
UPD61166F1-KA5	-A	IR60-107-3
UPD61167F1-KA5	-A	IR60-107-3
UPD61171F1-XXX	-A	IR50-207-3
UPD61175F1-XXX	-A	IR50-207-3
UPD61176F1-XXX	-A	IR50-207-3
UPD61177F1-XXX	-A	IR50-207-3
UPD61179F1-XXX	-A	IR50-207-3
UPD6118XF1-XXX	-A	IR50-207-3
UPD61210F1-100	-A	IR60-103-3
UPD61210F1-101/104	-A	IR60-103-3
UPD61210F1-110	-A	IR60-103-3
UPD61210F1-111/114	-A	IR60-103-3
UPD61210GM-100	-A	IR60-107-3
UPD61210GM-101/104	-A	IR60-107-3
UPD61210GM-110	-A	IR60-107-3
UPD61210GM-111/114	-A	IR60-107-3
UPD61211F1-100	-A	IR60-103-3
UPD61211F1-101/104	-A	IR60-103-3
UPD61211F1-110	-A	IR60-103-3
UPD61211F1-111/114	-A	IR60-103-3
UPD61211GM-100	-A	IR60-107-3
UPD61211GM-101/104	-A	IR60-107-3
UPD61211GM-110	-A	IR60-107-3
UPD61211GM-111/114	-A	IR60-107-3
UPD61212F1-100	-A	IR60-103-3
UPD61212F1-101/104	-A	IR60-103-3
UPD61212F1-110	-A	IR60-103-3
UPD61212F1-111/114	-A	IR60-103-3
UPD61212GM-100	-A	IR60-107-3
UPD61212GM-101/104	-A	IR60-107-3
UPD61212GM-110	-A	IR60-107-3
UPD61212GM-111/114	-A	IR60-107-3
UPD61213F1-100	-A	IR60-103-3
UPD61213F1-101/104	-A	IR60-103-3
UPD61213F1-110	-A	IR60-103-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD61213F1-111/114	-A	IR60-103-3
UPD61213GM-100	-A	IR60-107-3
UPD61213GM-101/104	-A	IR60-107-3
UPD61213GM-110	-A	IR60-107-3
UPD61213GM-111/114	-A	IR60-107-3
UPD61214F1-XXX	-A	IR60-103-3
UPD61215F1-XXX	-A	IR60-103-3
UPD61216GJ-XXX	-A	IR60-107-3
UPD61217GM-XXX-GAA	-A	IR60-107-3
UPD61253F1	-A	IR60-107-3
UPD6127XF1-XXX	-A	IR50-207-3
UPD61283F1	-A	IR50-207-3
UPD61283F1-XXX-LU2	-A	IR50-207-3
UPD61291F1-XXX	-A	IR50-207-3
UPD61300F1	-A	IR60-107-3
UPD61305F1	-A	IR50-207-3
UPD61312F1-XXX	-A	IR50-207-3
UPD6132MC-XXX-5A4	-A	IR60-103-3
UPD61334AF1-XXX	-A	IR50-207-3
UPD6133GS-XXX	-A	IR60-103-3
UPD6133XF1-XXX	-A	IR50-207-3
UPD6134GS-XXX	-A	IR60-103-3
UPD6134MC-XXX-5A4	-A	IR60-103-3
UPD61521GC	-A	IR60-107-3
UPD61522GB	-A	IR60-107-3
UPD61531FH	-A	IR60-00-3
UPD61532FH	-A	IR60-00-5
UPD61533FH	-A	IR60-00-6
UPD61534FH	-A	IR60-00-6
UPD61535FH-2N5	-A	IR60-00-5
UPD61540GB	-A	IR60-00-3
UPD61541GB	-A	IR60-00-3
UPD61P34BGS	-A	IR60-207-3
UPD61P34BMC-5A4	-A	IR60-207-3
UPD62AMC-XXX-5A4	-A	IR60-103-3
UPD62MC-XXX-5A4	-A	IR60-103-3
UPD63200GS	-A	IR60-207-3
UPD6323BC	-A	THDWS
UPD63400GM	-A	IR60-107-3
UPD6340GC	-A	IR50-207-1
UPD63410GD/F1	-A	IR60-107-3
UPD63420/1GM	-A	IR60-107-3
UPD63421BF1	-A	IR60-107-3
UPD63421BGM	-A	IR60-107-3
UPD63425GM	-A	IR60-107-3
UPD6345C	-A	THDWS
UPD6345GS	-A	IR60-00-3
UPD63630GM	-A	IR50-103-3
UPD63635GM	-A	IR60-103-3
UPD63641GM	-A	IR60-107-3
UPD63645AGM	-A	IR60-107-3
UPD63646GM	-A	IR60-107-3
UPD63711AGC-8EU	-A	IR60-107-3
UPD63711GC-8EU	-A	IR60-107-3
UPD63712BGC-8EU	-A	IR60-107-3
UPD63712DGC-8EU	-A	IR60-107-3
UPD63712GC-8EU	-A	IR60-107-3
UPD63713AGJ-8EN	-A	IR60-107-3
UPD63713GJ-8EN	-A	IR60-107-3
UPD63760GJ-8EN	-A	IR60-107-3
UPD63761AGJ-8EN	-A	IR60-107-3
UPD63761GJ-8EN	-A	IR60-107-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD63762AGJ-8EN	-A	IR60-107-3
UPD63762GJ-8EN	-A	IR60-107-3
UPD63763AGJ-8EN	-A	IR60-107-3
UPD63763CGJ-8EN	-A	IR60-107-3
UPD63763DGJ-8EN	-A	IR60-107-3
UPD63763GJ-8EN	-A	IR60-107-3
UPD63770GC-XXX-8EA	-A	IR60-107-3
UPD63780AGJ(A)-XXX-8EN	-A	IR60-107-3
UPD63780CGJ(A)-XXX-8EN	-A	IR60-107-3
UPD63780DGJ(A)-XXX-8EN	-A	IR60-107-3
UPD63780GJ(A)-XXX-8EN	-A	IR60-107-3
UPD63790AGJ(A)-XXX-8EN	-A	IR60-107-3
UPD63790CGJ(A)-XXX-8EN	-A	IR60-107-3
UPD63790DGJ(A)-XXX-8EN	-A	IR60-107-3
UPD63790EGJ(A)-XXX-8EN	-A	IR60-107-3
UPD63790FGJ(A)-XXX-8EN	-A	IR60-107-3
UPD63790GJ(A)-XXX-8EN	-A	IR60-107-3
UPD6379AGR	-A	IR60-107-3
UPD6379ALGR	-A	IR60-107-3
UPD6379GR	-A	IR60-107-3
UPD6379LGR	-A	IR60-107-3
UPD63901AGJ(A)-XXX-8EN	-A	IR60-107-3
UPD63901GJ(A)-303-8EN	-A	IR60-107-3
UPD63901GJ(A)-XXX-8EN	-A	IR60-107-3
UPD63AGS-XXX	-A	IR60-103-3
UPD63F770GC-8EA	-A	IR60-107-3
UPD63F790AGJ(A)-UEN	-A	IR60-107-3
UPD63F790GJ(A)-UEN	-A	IR60-107-3
UPD63F901AGJ(A)-UEN	-A	IR60-107-3
UPD63F901GJ(A)-UEN	-A	IR60-107-3
UPD63GS-XXX	-A	IR60-103-3
UPD64011AGM	-A	IR60-107-3
UPD64011BGM	-A	IR60-107-3
UPD64012GJ	-A	IR60-107-3
UPD64015AGM	-A	IR60-107-3
UPD64017F1	-A	IR60-107-3
UPD64031AGJ-8EN	-A	IR60-107-3
UPD64032GK	-A	IR60-107-3
UPD64082GF	-A	IR50-207-3
UPD64083GF	-A	IR50-207-3
UPD64084GC	-A	IR60-107-3
UPD6461GS-XXX	-A	IR60-207-3
UPD6462GS-XXX	-A	IR60-207-3
UPD64645GM	-A	IR60-107-3
UPD6464AGT-101	-A	IR60-207-3
UPD6464AGT-XXX	-A	IR60-207-3
UPD6465GT-101	-A	IR60-207-3
UPD6465GT-XXX	-A	IR60-207-3
UPD6466GS-001	-A	IR60-107-3
UPD6467GR-XXX	-A	IR60-107-3
UPD64AMC-XXX-5A4	-A	IR60-103-3
UPD64AMC-XXX-5A4-E1	-A	IR60-103-3
UPD64GS-XXX	-A	IR60-203-3
UPD64MC-XXX-5A4	-A	IR60-103-3
UPD65MC-XXX-5A4	-A	IR60-103-3
UPD6600AGS-XXX	-A	IR60-103-3
UPD6604GS-XXX	-A	IR60-207-3
UPD6700GH	-A	IR60-00-1
UPD6708GS	-A	IR60-207-3
UPD6750GC(A)-3B9	-A	IR60-107-3
UPD67AMC-XXX-5A4	-A	IR60-103-3
UPD67BMC-XXX-5A4	-A	IR60-103-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD67MC-XXX-5A4	-A	IR60-103-3
UPD68AMC-XXX-5A4	-A	IR60-103-3
UPD68BMC-XXX-5A4	-A	IR60-103-3
UPD68MC-XXX-5A4	-A	IR60-103-3
UPD69AMC-XXX-5A4	-A	IR60-103-3
UPD69AMC-XXX-5A4-E1	-A	IR60-103-3
UPD6P4BGS	-A	IR60-207-3
UPD6P4BMC-5A4	-A	IR60-103-3
UPD6P5MC-5A4	-A	IR60-103-3
UPD6P8BMC-5A4	-A	IR60-207-3
UPD6P9M1MC-5A4	-A	IR60-103-3
UPD6P9M3MC-5A4	-A	IR60-103-3
UPD703002GC-25-XXX-8EU	-A	IR60-207-3
UPD703003AGC-33-XXX-8EU	-A	IR60-207-3
UPD703004AGC-33-XXX-8EU	-A	IR60-207-3
UPD703009YGJ-33-8EU	-A	IR60-207-3
UPD703014AF1-XXX-EA6	-A	IR60-203-3
UPD703014AYF1-XXX-EA6	-A	IR60-203-3
UPD703014BF1-XXX-EA6	-A	IR60-203-3
UPD703014BGC-XXX-8EU	-A	IR60-207-3
UPD703014BYGC-XXX-8EU	-A	IR60-207-3
UPD703015AF1-XXX-EA6	-A	IR60-203-3
UPD703015AYF1-XXX-EA6	-A	IR60-203-3
UPD703015BF1-XXX-EA6	-A	IR60-203-3
UPD703015BGC-XXX-8EU	-A	IR60-203-3
UPD703015BYGC-XXX-8EU	-A	IR60-203-3
UPD703017AF1-XXX-EA6	-A	IR60-203-3
UPD703017AGC-26-XXX-8EU	-A	IR60-207-3
UPD703017AGC-XXX-8EU	-A	IR60-207-3
UPD703017AYF1-XXX-8EU	-A	IR60-203-3
UPD703017AYF1-XXX-EA6	-A	IR60-203-3
UPD703017AYGC-XXX-8EU	-A	IR60-203-3
UPD703025AGC-25-XXX-8EU	-A	IR60-207-3
UPD703025AGC-33-XXX-8EU	-A	IR60-207-3
UPD703030BGC-XXX-8EU	-A	IR60-207-3
UPD703030BGF-XXX-3BA	-A	IR60-203-3
UPD703030BYGC-XXX-8EU	-A	IR60-207-3
UPD703030BYGF-XXX-3BA	-A	IR60-363-3
UPD703031AGC-XXX-8EU	-A	IR60-207-3
UPD703031AGF-XXX-3BA	-A	IR60-203-3
UPD703031AYGC-XXX-8EU	-A	IR60-207-3
UPD703031AYGF-XXX-3BA	-A	IR60-203-3
UPD703031BGC-XXX-8EU	-A	IR60-207-3
UPD703031BGF-XXX-3BA	-A	IR60-203-3
UPD703031BYGC-XXX-8EU	-A	IR60-207-3
UPD703031BYGF-XXX-3BA	-A	IR60-203-3
UPD703032AGF-XXX-3BA	-A	IR60-203-3
UPD703032AYGF-XXX-3BA	-A	IR60-203-3
UPD703032BGF-XXX-3BA	-A	IR60-203-3
UPD703032BYGF-XXX-3BA	-A	IR60-203-3
UPD703033AGC-XXX-8EU	-A	IR60-207-3
UPD703033AGF-XXX-3BA	-A	IR60-203-3
UPD703033AYGC-XXX-8EU	-A	IR60-207-3
UPD703033AYGF-XXX-3BA	-A	IR60-363-3
UPD703033BGC-XXX-8EU	-A	IR60-207-3
UPD703033BGF-XXX-3BA	-A	IR60-203-3
UPD703033BYGC-XXX-8EU	-A	IR60-207-3
UPD703033BYGF-XXX-3BA	-A	IR60-203-3
UPD703034BGC-XXX-8EU	-A	IR60-207-3
UPD703034BGF-XXX-3BA	-A	IR60-203-3
UPD703034BYGC-XXX-8EU	-A	IR60-203-3
UPD703034BYGF-XXX-3BA	-A	IR60-203-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD703035AGC-XXX-8EU	-A	IR60-207-3
UPD703035AGF-XXX-3BA	-A	IR60-203-3
UPD703035AYGC-XXX-8EU	-A	IR60-207-3
UPD703035AYGF-XXX-3BA	-A	IR60-203-3
UPD703035BGC-XXX-8EU	-A	IR60-207-3
UPD703035BGF-XXX-3BA	-A	IR60-203-3
UPD703035BYGC-XXX-8EU	-A	IR60-203-3
UPD703035BYGF-XXX-3BA	-A	IR60-203-3
UPD703036HGC-XXX-8EU	-A	IR60-207-3
UPD703036HGF-XXX-3BA	-A	IR60-203-3
UPD703036HYGC-XXX-8EU	-A	IR60-203-3
UPD703036HYGF-XXX-3BA	-A	IR60-203-3
UPD703037AGF-3BA	-A	IR60-203-3
UPD703037AYGF-XXX-3BA	-A	IR60-203-3
UPD703037HGF-XXX-3BA	-A	IR60-203-3
UPD703037HYGF-XXX-3BA	-A	IR60-203-3
UPD703038F1-XXX-EN2	-A	IR60-203-3
UPD703038YF1-XXX-EN2	-A	IR60-203-3
UPD703039F1-XXX-EN2	-A	IR60-203-3
UPD703039GM-XXX-UEU	-A	IR60-207-3
UPD703039YF1-XXX-EN2	-A	IR60-203-3
UPD703039YGM-XXX-UEU	-A	IR60-207-3
UPD703040F1-XXX-EN2	-A	IR60-203-3
UPD703040GM-XXX-UEU	-A	IR60-207-3
UPD703040YF1-XXX-EN2	-A	IR60-203-3
UPD703040YGM-XXX-UEU	-A	IR60-207-3
UPD703041GM-XXX-UEU	-A	IR60-207-3
UPD703041YGM-XXX-UEU	-A	IR60-207-3
UPD703067YGJ-XXX-UEN	-A	IR60-203-3
UPD703068YGJ-XXX-UEN	-A	IR60-207-3
UPD703069YGJ-XXX-UEN	-A	IR60-203-3
UPD703075AYGC-XXX-8EU	-A	IR60-207-3
UPD703076AYGC-XXX-8EU	-A	IR60-207-3
UPD703078AYGC-XXX-8EU	-A	IR60-207-3
UPD703078AYGF-XXX-3BA	-A	IR60-203-3
UPD703078YGC-XXX-8EU	-A	IR60-207-3
UPD703079AYGC-XXX-8EU	-A	IR60-207-3
UPD703079AYGF-XXX-3BA	-A	IR60-203-3
UPD703088YGJ-XXX-UEN	-A	IR60-207-3
UPD703089YGJ-XXX-UEN	-A	IR60-207-3
UPD703100AF1-33-FA3	-A	IR60-203-3
UPD703100AGJ-33-UEN	-A	IR60-203-3
UPD703100AGJ-40-UEN	-A	IR60-207-3
UPD703100GJ-33-UEN	-A	IR60-203-3
UPD703100GJ-40-UEN	-A	IR60-207-3
UPD703101AGJ-33-XXX-UEN	-A	IR60-207-3
UPD703101GJ-33-XXX-UEN	-A	IR60-203-3
UPD703102AGJ-33-XXX-UEN	-A	IR60-207-3
UPD703102GJ-33-XXX-UEN	-A	IR60-207-3
UPD703103AGJ-UEN	-A	IR60-203-3
UPD703105AGJ-XXX-UEN	-A	IR60-203-3
UPD703106AF1-XXX-EN4	-A	IR60-203-3
UPD703106AGJ-XXX-UEN	-A	IR60-207-3
UPD703106GJ-XXX-UEN	-A	IR60-207-3
UPD703107AF1-XXX-EN4	-A	IR60-203-3
UPD703107AGJ-XXX-UEN	-A	IR60-363-3
UPD703107GJ-XXX-UEN	-A	IR60-207-3
UPD703108GC-8EU	-A	IR60-207-3
UPD703111AGM-10-UEU	-A	IR50-203-3
UPD703111AGM-13-UEU	-A	IR50-203-3
UPD703111AGM-15-UEU	-A	IR50-203-3
UPD703111BGM-10-UEU	-A	IR50-203-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD703111BGM-13-UEU	-A	IR50-203-3
UPD703111BGM-15-UEU	-A	IR50-203-3
UPD703111GM-10-UEU	-A	IR60-207-3
UPD703111GM-13-UEU	-A	IR50-203-3
UPD703111GM-15-UEU	-A	IR60-207-3
UPD703114GC-XXX-8EU	-A	IR60-207-3
UPD703114GF-XXX-3BA	-A	IR60-203-3
UPD703116GJ-XXX-UEN	-A	IR60-207-3
UPD703130GC-8EU	-A	IR60-207-3
UPD703131AGJ-XXX-UEN	-A	IR60-203-3
UPD703131AYGJ-XXX-UEN	-A	IR60-203-3
UPD703131BYF1-EN4	-A	IR60-203-3
UPD703131BYF1-XXX-EN4	-A	IR60-203-3
UPD703131BYGJ-UEN	-A	IR60-363-3
UPD703131GJ-XXX-UEN	-A	IR60-203-3
UPD703132AGJ-XXX-UEN	-A	IR60-203-3
UPD703132AYGJ-XXX-UEN	-A	IR60-203-3
UPD703132BYF1-EN4	-A	IR60-203-3
UPD703132BYF1-XXX-EN4	-A	IR60-203-3
UPD703132BYGJ-UEN	-A	IR60-363-3
UPD703132GJ-XXX-UEN	-A	IR60-203-3
UPD703133AGJ-XXX-UEN	-A	IR60-203-3
UPD703133AYGJ-XXX-UEN	-A	IR60-203-3
UPD703133BYF1-EN4	-A	IR60-203-3
UPD703133BYF1-XXX-EN4	-A	IR60-203-3
UPD703133BYGJ-UEN	-A	IR60-363-3
UPD703133BYGJ-XXX-UEN	-A	IR60-203-3
UPD703134AGJ-XXX-UEN	-A	IR60-203-3
UPD703134AYGJ-XXX-UEN	-A	IR60-203-3
UPD703134BYF1-EN4	-A	IR60-203-3
UPD703134BYGJ-UEN	-A	IR60-363-3
UPD703134GJ-XXX-UEN	-A	IR60-203-3
UPD703136AGJ-XXX-UEN	-A	IR60-203-3
UPD703136AYF1-XXX-EN4	-A	IR60-203-3
UPD703136AYGJ-XXX-UEN	-A	IR60-203-3
UPD703136BYF1-EN4	-A	IR60-203-3
UPD703136BYGJ-UEN	-A	IR60-363-3
UPD703166F1-XXX-FA5	-A	IR60-207-3
UPD703183GC-XXX-8BT	-A	IR60-203-3
UPD703185GC-XXX-8EU	-A	IR60-203-3
UPD703185GF-XXX-3BA	-A	IR60-203-3
UPD703186GC-XXX-8EU	-A	IR60-203-3
UPD703186GF-XXX-3BA	-A	IR60-203-3
UPD703201GC-XXX-YEU	-A	IR60-203-3
UPD703201YGC-XXX-YEU	-A	IR60-207-3
UPD703204F1-XXX-EA6	-A	IR60-203-3
UPD703204YF1-XXX-EA6	-A	IR60-203-3
UPD703207GB-XXX-8EU	-A	IR60-207-3
UPD703207GK-XXX-9ET	-A	IR60-207-3
UPD703207YGB-XXX-8EU	-A	IR60-207-3
UPD703207YGK-XXX-9ET	-A	IR60-207-3
UPD703208GC-XXX-8BT	-A	IR60-207-3
UPD703208GK-XXX-9EU	-A	IR60-203-3
UPD703208YGC-XXX-8BT	-A	IR60-207-3
UPD703208YGK-XXX-9EU	-A	IR60-203-3
UPD703209GC-XXX-8BT	-A	IR60-207-3
UPD703209GK-XXX-9EU	-A	IR60-203-3
UPD703209YGC-XXX-8BT	-A	IR60-207-3
UPD703209YGK-XXX-9EU	-A	IR60-203-3
UPD703210GC(A)-XXX-UBT	-A	IR60-203-3
UPD703210GC-XXX-8BT	-A	IR60-207-3
UPD703210GK-XXX-9EU	-A	IR60-363-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD703210YGC(A)-XXX-UBT	-A	IR60-203-3
UPD703210YGC-XXX-8BT	-A	IR60-207-3
UPD703210YGK-XXX-9EU	-A	IR60-203-3
UPD703211ZGC-XXX-8BT	-A	IR60-207-3
UPD703211ZGK-XXX-9EU	-A	IR60-207-3
UPD703212GC-XXX-8EU	-A	IR60-203-3
UPD703212YGC-XXX-8EU	-A	IR60-207-3
UPD703213GC-XXX-8EU	-A	IR60-203-3
UPD703213YGC-XXX-8EU	-A	IR60-207-3
UPD703214GC-XXX-8EU	-A	IR60-203-3
UPD703214YGC-XXX-8EU	-A	IR60-207-3
UPD703215GC-XXX-8EA	-A	IR60-207-3
UPD703215GF-XXX-JBT	-A	IR60-207-3
UPD703215YGC-XXX-8EA	-A	IR60-207-3
UPD703215YGF-XXX-JBT	-A	IR60-207-3
UPD703216GJ-XXX-UEN	-A	IR60-203-3
UPD703216YGJ-XXX-UEN	-A	IR60-207-3
UPD703217GJ-XXX-UEN	-A	IR60-207-3
UPD703217YGJ-XXX-UEN	-A	IR60-207-3
UPD703220GC-9EB	-A	IR60-207-3
UPD703220GJ-UEN	-A	IR60-207-3
UPD703221GF-GAT	-AX	IR60-207-3
UPD703228GC-XXX-8EU	-A	IR60-207-3
UPD703229AYGC-XXX-8EA	-A	IR50-203-3
UPD703230AGB(A)-XXX-8EU	-A	IR60-207-3
UPD703230AGB(A)-XXX-GAH	-AX	IR60-207-3
UPD703230GB(A)-XXX-8EU	-A	IR60-207-3
UPD703230GB(A)-XXX-GAH	-AX	IR60-207-3
UPD703231AGB(A)-XXX-8EU	-A	IR60-207-3
UPD703231AGB(A)-XXX-GAH	-AX	IR60-207-3
UPD703231GB(A)-XXX-8EU	-A	IR60-207-3
UPD703231GB(A)-XXX-GAH	-AX	IR60-207-3
UPD703232AGK(A)-XXX-9EU	-A	IR60-207-3
UPD703232GK(A)-XXX-9EU	-A	IR60-207-3
UPD703232GK(A)-XXX-GAK	-AX	IR60-207-3
UPD703233AGK(A)-XXX-9EU	-A	IR60-207-3
UPD703233AGK(A)-XXX-GAK	-AX	IR60-207-3
UPD703233GK(A)-XXX-9EU	-A	IR60-207-3
UPD703233GK(A)-XXX-GAK	-AX	IR60-207-3
UPD703234AGC(A)-XXX-8EA	-A	IR60-207-3
UPD703234AGC(A)-XXX-UEU	-AX	IR60-207-3
UPD703234GC(A)-XXX-8EA	-A	IR60-207-3
UPD703234GC(A)-XXX-UEU	-AX	IR60-207-3
UPD703235AGC(A)-XXX-8EA	-A	IR60-207-3
UPD703235AGC(A)-XXX-UEU	-AX	IR60-207-3
UPD703235GC(A)-XXX-8EA	-A	IR60-207-3
UPD703235GC(A)-XXX-UEU	-AX	IR60-207-3
UPD703249YGC-XXX-8EA	-A	IR60-207-3
UPD703249YGF-XXX-JBT	-A	IR60-207-3
UPD703252YGC-XXX-8EA	-A	IR60-207-3
UPD703252YGF-XXX-JBT	-A	IR60-207-3
UPD703253YGC-XXX-8EA	-A	IR60-207-3
UPD703260GC-XXX-8EA	-A	IR60-207-3
UPD703260GF-XXX-JBT	-A	IR50-203-3
UPD703260YGC-XXX-8EA	-A	IR60-207-3
UPD703260YGF-XXX-JBT	-A	IR50-203-3
UPD703261GC-XXX-8EA	-A	IR60-207-3
UPD703261GF-XXX-JBT	-A	IR50-203-3
UPD703261YGC-XXX-8EA	-A	IR60-207-3
UPD703261YGF-XXX-JBT	-A	IR50-203-3
UPD703262GC-XXX-8EA	-A	IR60-207-3
UPD703262HYGC-XXX-8EA	-A	IR60-207-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD703262YGC-XXX-8EA	-A	IR60-207-3
UPD703263GC-XXX-8EA	-A	IR60-207-3
UPD703263HYGC-XXX-8EA	-A	IR60-207-3
UPD703263YGC-XXX-8EA	-A	IR60-207-3
UPD703264GJ-XXX-UEN	-A	IR60-207-3
UPD703264YGJ-XXX-UEN	-A	IR60-207-3
UPD703265GJ-XXX-UEN	-A	IR60-207-3
UPD703265HYGJ-XXX-UEN	-A	IR60-207-3
UPD703265YGJ-XXX-UEN	-A	IR60-207-3
UPD703266GJ-XXX-UEN	-A	IR60-207-3
UPD703266HYGJ-XXX-UEN	-A	IR60-207-3
UPD703266YGJ-XXX-UEN	-A	IR60-207-3
UPD703270GC-XXX-8EA	-A	IR60-207-3
UPD703270GF-XXX-JBT	-A	IR50-203-3
UPD703270YGC-XXX-8EA	-A	IR60-207-3
UPD703270YGF-XXX-JBT	-A	IR50-203-3
UPD703271GC-XXX-8EA	-A	IR60-207-3
UPD703271GF-XXX-JBT	-A	IR50-203-3
UPD703271YGC-XXX-8EA	-A	IR60-207-3
UPD703271YGF-XXX-JBT	-A	IR50-203-3
UPD703272GC-XXX-8EA	-A	IR60-207-3
UPD703272HYGC-XXX-8EA	-A	IR60-207-3
UPD703272YGC-XXX-8EA	-A	IR60-207-3
UPD703273GC-XXX-8EA	-A	IR60-207-3
UPD703273HYGC-XXX-8EA	-A	IR60-207-3
UPD703273YGC-XXX-8EA	-A	IR60-207-3
UPD703274GJ-XXX-UEN	-A	IR60-207-3
UPD703274YGJ-XXX-UEN	-A	IR60-207-3
UPD703275GJ-XXX-UEN	-A	IR60-207-3
UPD703275HYGJ-XXX-UEN	-A	IR60-207-3
UPD703275YGJ-XXX-UEN	-A	IR60-207-3
UPD703276GJ-XXX-UEN	-A	IR60-207-3
UPD703276HYGJ-XXX-UEN	-A	IR60-207-3
UPD703276YGJ-XXX-UEN	-A	IR60-207-3
UPD703280GC-XXX-8EA	-A	IR60-207-3
UPD703280YGC-XXX-8EA	-A	IR60-207-3
UPD703281GC-XXX-8EA	-A	IR60-207-3
UPD703281YGC-XXX-8EA	-A	IR60-207-3
UPD703282GC-XXX-8EA	-A	IR60-207-3
UPD703282HYGC-XXX-8EA	-A	IR60-207-3
UPD703282YGC-XXX-8EA	-A	IR60-207-3
UPD703283GC-XXX-8EA	-A	IR60-207-3
UPD703283HYGC-XXX-8EA	-A	IR60-207-3
UPD703283YGC-XXX-8EA	-A	IR60-207-3
UPD703284YGJ-XXX-UEN	-A	IR60-207-3
UPD703285HYGJ-XXX-UEN	-A	IR60-207-3
UPD703285YGJ-XXX-UEN	-A	IR60-207-3
UPD703286HYGJ-XXX-UEN	-A	IR60-207-3
UPD703286YGJ-XXX-UEN	-A	IR60-207-3
UPD703287HYGJ-XXX-UEN	-A	IR60-207-3
UPD703287YGJ-XXX-UEN	-A	IR60-207-3
UPD703288HYGJ-XXX-UEN	-A	IR60-207-3
UPD703288YGJ-XXX-UEN	-A	IR60-207-3
UPD703302GB-XXX-8EU	-A	IR60-207-3
UPD703302GK-XXX-9ET	-A	IR60-207-3
UPD703302YGK-XXX-9ET	-A	IR60-207-3
UPD703313GC-XXX-8EA	-A	IR60-207-3
UPD703313GF-XXX-JBT	-A	IR60-207-3
UPD703313YGC-XXX-8EA	-A	IR60-207-3
UPD703313YGF-XXX-JBT	-A	IR60-207-3
UPD703327GC-XXX-8BS	-A	IR60-203-3
UPD703329GC-XXX-8BS	-A	IR60-203-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD703500GM-JEU	-A	IR60-207-3
UPD705101GM-100-8ED	-A	IR60-203-3
UPD705102GM-143-8ED	-A	IR60-207-3
UPD70F3003AGC-33-8EU	-A	IR60-207-3
UPD70F3015BF1-EA6	-A	IR60-203-3
UPD70F3015BGC-8EU	-A	IR60-203-3
UPD70F3015BYGC-8EU	-A	IR60-207-3
UPD70F3017AF1-EA6	-A	IR60-203-3
UPD70F3017AGC-8EU	-A	IR60-207-3
UPD70F3017AYF1-EA6	-A	IR60-203-3
UPD70F3017AYGC-8EU	-A	IR60-203-3
UPD70F3025AGC-33-8EU	-A	IR60-207-3
UPD70F3030BGC-8EU	-A	IR60-207-3
UPD70F3030BGF-3BA	-A	IR60-203-3
UPD70F3030BYGC-8EU	-A	IR60-207-3
UPD70F3030BYGF-3BA	-A	IR60-203-3
UPD70F3032AGF-3BA	-A	IR60-203-3
UPD70F3032AYGF-3BA	-A	IR60-203-3
UPD70F3032BGF-3BA	-A	IR60-203-3
UPD70F3032BYGF-3BA	-A	IR60-203-3
UPD70F3033AGC-8EU	-A	IR60-207-3
UPD70F3033AGF-3BA	-A	IR60-203-3
UPD70F3033AYGC-8EU	-A	IR60-207-3
UPD70F3033AYGF-3BA	-A	IR60-203-3
UPD70F3033BGC-8EU	-A	IR60-207-3
UPD70F3033BGF-3BA	-A	IR60-203-3
UPD70F3033BYGC-8EU	-A	IR60-207-3
UPD70F3033BYGF-3BA	-A	IR60-203-3
UPD70F3035AGC-8EU	-A	IR60-207-3
UPD70F3035AGF-3BA	-A	IR60-203-3
UPD70F3035AYGC-8EU	-A	IR60-207-3
UPD70F3035AYGF-3BA	-A	IR60-203-3
UPD70F3035BGC-8EU	-A	IR60-207-3
UPD70F3035BGF-3BA	-A	IR60-203-3
UPD70F3035BYGC-8EU	-A	IR60-203-3
UPD70F3035BYGF-3BA	-A	IR60-203-3
UPD70F3036HGC-8EU	-A	IR60-207-3
UPD70F3036HGF-3BA	-A	IR60-203-3
UPD70F3036HYGC-8EU	-A	IR60-207-3
UPD70F3036HYGF-3BA	-A	IR60-203-3
UPD70F3037AGF-3BA	-A	IR60-203-3
UPD70F3037AYGF-3BA	-A	IR60-203-3
UPD70F3037HGF-3BA	-A	IR60-203-3
UPD70F3037HYGF-3BA	-A	IR60-203-3
UPD70F3038F1-EN2	-A	IR60-203-3
UPD70F3038YF1-EN2	-A	IR60-203-3
UPD70F3040F1-EN2	-A	IR60-203-3
UPD70F3040GM-UEU	-A	IR60-207-3
UPD70F3040YF1-EN2	-A	IR60-203-3
UPD70F3040YGM-UEU	-A	IR60-207-3
UPD70F3079AYGC-8EU	-A	IR60-207-3
UPD70F3079AYGF-3BA	-A	IR60-203-3
UPD70F3079BYGC-8EU	-A	IR60-207-3
UPD70F3079BYGF-3BA	-A	IR60-203-3
UPD70F3089YGJ-UEN	-A	IR60-203-3
UPD70F3102AF1-33-FAA	-A	IR60-203-3
UPD70F3102AGJ-33-UEN	-A	IR60-203-3
UPD70F3102GJ-33-UEN	-A	IR60-203-3
UPD70F3107AF1-EN4	-A	IR60-203-3
UPD70F3107AGJ-UEN	-A	IR60-207-3
UPD70F3114GC-8EU	-A	IR60-207-3
UPD70F3114GF-3BA	-A	IR60-203-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD70F3116GJ-UEN	-A	IR60-203-3
UPD70F3134AGJ-UEN	-A	IR60-203-3
UPD70F3134AYF1-EN4	-A	IR60-203-3
UPD70F3134AYGJ-UEN	-A	IR60-207-3
UPD70F3134BYF1-EN4	-A	IR60-203-3
UPD70F3134BYGJ-UEN	-A	IR60-363-3
UPD70F3134GJ-UEN	-A	IR60-207-3
UPD70F3134YGJ-UEN	-A	IR60-207-3
UPD70F3166F1-FA5	-A	IR60-207-3
UPD70F3166YF1-FA5	-A	IR60-207-3
UPD70F3184GC-8BT	-A	IR60-207-3
UPD70F3186GC-8EU	-A	IR60-203-3
UPD70F3186GF-3BA	-A	IR60-203-3
UPD70F3201GC-YEU	-A	IR60-203-3
UPD70F3201YGC-YEU	-A	IR60-207-3
UPD70F3204F1-EA6	-A	IR60-203-3
UPD70F3204YF1-EA6	-A	IR60-363-3
UPD70F3207HGB-8EU	-A	IR60-207-3
UPD70F3207HGK-9ET	-A	IR60-207-3
UPD70F3207HYGB-8EU	-A	IR60-207-3
UPD70F3207HYGK-9ET	-A	IR60-207-3
UPD70F3210GC(A)-UBT	-A	IR60-203-3
UPD70F3210GC-8BT	-A	IR60-207-3
UPD70F3210GK-9EU	-A	IR60-207-3
UPD70F3210HGC-8BT	-A	IR60-207-3
UPD70F3210HGK-9EU	-A	IR60-207-3
UPD70F3210HYGC-8BT	-A	IR60-207-3
UPD70F3210HYGK-9EU	-A	IR60-207-3
UPD70F3210YGC(A)-UBT	-A	IR60-203-3
UPD70F3210YGC-8BT	-A	IR60-207-3
UPD70F3210YGK-9EU	-A	IR60-207-3
UPD70F3211HGC-8BT	-A	IR60-207-3
UPD70F3211HGK-9EU	-A	IR60-207-3
UPD70F3211HYGC-8BT	-A	IR60-207-3
UPD70F3211HYGK-9EU	-A	IR60-207-3
UPD70F3214GC-8EU	-A	IR60-203-3
UPD70F3214HGC-8EA	-A	IR60-207-3
UPD70F3214HGF-JBT	-A	IR60-207-3
UPD70F3214HYGC-8EA	-A	IR60-207-3
UPD70F3214HYGF-JBT	-A	IR60-207-3
UPD70F3214YGC-8EU	-A	IR60-207-3
UPD70F3215HGC-8EA	-A	IR60-207-3
UPD70F3215HGF-JBT	-A	IR60-207-3
UPD70F3215HYGC-8EA	-A	IR60-207-3
UPD70F3215HYGF-JBT	-A	IR60-207-3
UPD70F3217GJ-UEN	-A	IR60-203-3
UPD70F3217HGJ-UEN	-A	IR60-207-3
UPD70F3217HYGJ-UEN	-A	IR60-207-3
UPD70F3217YGJ-UEN	-A	IR60-207-3
UPD70F3218HGJ-UEN	-A	IR60-207-3
UPD70F3218HYGJ-UEN	-A	IR60-207-3
UPD70F3229AYGC-8EA	-A	IR50-203-3
UPD70F3231M1GB(A)-8EU	-A	IR60-207-3
UPD70F3231M1GB(A)-GAH	-AX	IR60-207-3
UPD70F3231M2GB(A)-8EU	-A	IR60-207-3
UPD70F3231M2GB(A)-GAH	-AX	IR60-207-3
UPD70F3232AMxGK(A)-GAK	-AX	IR60-207-3
UPD70F3232M1GK(A)-9EU	-A	IR60-207-3
UPD70F3232M1GK(A)-GAK	-AX	IR60-207-3
UPD70F3232M2GK(A)-9EU	-A	IR60-207-3
UPD70F3232M2GK(A)-GAK	-AX	IR60-207-3
UPD70F3233M1GK(A)-9EU	-A	IR60-207-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD70F3233M1GK(A)-GAK	-AX	IR60-207-3
UPD70F3233M2GK(A)-9EU	-A	IR60-207-3
UPD70F3233M2GK(A)-GAK	-AX	IR60-207-3
UPD70F3234AMxGC(A)-UEU	-AX	IR60-207-3
UPD70F3234M1GC(A)-8EA	-A	IR60-207-3
UPD70F3234M2GC(A)-8EA	-A	IR60-207-3
UPD70F3234MxGC(A)-UEU	-AX	IR60-207-3
UPD70F3235AMxGC(A)-UEU	-AX	IR60-207-3
UPD70F3235BMxGC(A)-UEU	-AX	IR60-207-3
UPD70F3235M1GC(A)-8EA	-A	IR60-207-3
UPD70F3235M2GC(A)-8EA	-A	IR60-207-3
UPD70F3235MxGC(A)-UEU	-AX	IR60-207-3
UPD70F3236AMxGC(A)-UEU	-AX	IR60-207-3
UPD70F3236BM1GC(A)-UEU	-AX	IR60-207-3
UPD70F3236M1GC(A)-8EA	-A	IR60-207-3
UPD70F3236M2GC(A)-8EA	-A	IR60-207-3
UPD70F3236MxGC(A)-UEU	-AX	IR60-207-3
UPD70F3237AMxGJ(A)-GAE	-AX	IR60-207-3
UPD70F3237BMxGJ(A)-GAE	-AX	IR60-207-3
UPD70F3237M1GJ(A)-UEN	-A	IR60-207-3
UPD70F3237M2GJ(A)-UEN	-A	IR60-207-3
UPD70F3237MxGJ(A)-GAE	-AX	IR60-207-3
UPD70F3238AM2GJ(A)-UEN	-A	IR60-207-3
UPD70F3238BMxGJ(A)-GAE	-AX	IR60-207-3
UPD70F3238M1GJ(A)-GAE	-AX	IR60-207-3
UPD70F3238M1GJ(A)-UEN	-A	IR60-207-3
UPD70F3238M2GJ(A)-GAE	-AX	IR60-207-3
UPD70F3238M2GJ(A)-UEN	-A	IR60-207-3
UPD70F3239AM2GJ(A)-UEN	-A	IR60-207-3
UPD70F3239BMxGJ(A)-GAE	-AX	IR60-207-3
UPD70F3239M1GJ(A)-GAE	-AX	IR60-207-3
UPD70F3239M2GJ(A)-GAE	-AX	IR60-207-3
UPD70F3239M2GJ(A)-UEN	-A	IR60-207-3
UPD70F3261GC-8EA	-A	IR60-207-3
UPD70F3261YGC-8EA	-A	IR60-207-3
UPD70F3261YGF-JBT	-A	IR60-207-3
UPD70F3263GC-8EA	-A	IR60-207-3
UPD70F3263HYGC-8EA	-A	IR60-207-3
UPD70F3263YGC-8EA	-A	IR60-207-3
UPD70F3264YGJ-UEN	-A	IR60-207-3
UPD70F3266GJ-UEN	-A	IR60-207-3
UPD70F3266HYGJ-UEN	-A	IR60-207-3
UPD70F3266YGJ-UEN	-A	IR60-207-3
UPD70F3271GC-8EA	-A	IR60-367-3
UPD70F3271YGC-8EA	-A	IR60-367-3
UPD70F3271YGF-JBT	-A	IR60-207-3
UPD70F3273GC-8EA	-A	IR60-207-3
UPD70F3273HYGC-8EA	-A	IR60-207-3
UPD70F3273YGC-8EA	-A	IR60-207-3
UPD70F3274YGJ-UEN	-A	IR60-207-3
UPD70F3276GJ-UEN	-A	IR60-207-3
UPD70F3276HYGJ-UEN	-A	IR60-207-3
UPD70F3276YGJ-UEN	-A	IR60-207-3
UPD70F3281GC-8EA	-A	IR60-207-3
UPD70F3281YGC-8EA	-A	IR60-207-3
UPD70F3283GC-8EA	-A	IR60-207-3
UPD70F3283HYGC-8EA	-A	IR60-207-3
UPD70F3283YGC-8EA	-A	IR60-207-3
UPD70F3284YGJ-UEN	-A	IR60-207-3
UPD70F3286GJ-UEN	-A	IR60-207-3
UPD70F3286HYGJ-UEN	-A	IR60-207-3
UPD70F3286YGJ-UEN	-A	IR60-207-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD70F3288GJ-UEN	-A	IR60-207-3
UPD70F3288HYGJ-UEN	-A	IR60-207-3
UPD70F3288YGJ-UEN	-A	IR60-207-3
UPD70F3302GB-8EU	-A	IR60-207-3
UPD70F3302GK-9ET	-A	IR60-207-3
UPD70F3302YGB-8EU	-A	IR60-207-3
UPD70F3302YGK-9ET	-A	IR60-207-3
UPD70F3306GC-8BT	-A	IR60-207-3
UPD70F3306GK-9EU	-A	IR60-207-3
UPD70F3306YGC-8BT	-A	IR60-207-3
UPD70F3306YGK-9EU	-A	IR60-207-3
UPD70F3308GC-8BT	-A	IR60-207-3
UPD70F3308GK-9EU	-A	IR60-207-3
UPD70F3308YGC-8BT	-A	IR60-207-3
UPD70F3308YGK-9EU	-A	IR60-207-3
UPD70F3311GC-8EA	-A	IR60-207-3
UPD70F3311GF-JBT	-A	IR60-207-3
UPD70F3311YGC-8EA	-A	IR60-207-3
UPD70F3311YGF-JBT	-A	IR60-207-3
UPD70F3313GC-8EA	-A	IR60-207-3
UPD70F3313GF-JBT	-A	IR60-207-3
UPD70F3313YGC-8EA	-A	IR60-207-3
UPD70F3313YGF-JBT	-A	IR60-207-3
UPD70F3316GJ-UEN	-A	IR60-207-3
UPD70F3316YGJ-UEN	-A	IR60-207-3
UPD70F3318GJ-UEN	-A	IR60-207-3
UPD70F3318YGJ-UEN	-A	IR60-207-3
UPD70F3329GC-8BS	-A	IR60-203-3
UPD70F3333GC(A)-UEU	-AX	IR60-207-3
UPD70F3334GC(A)-UEU	-AX	IR60-207-3
UPD70F3335GC(A)-UEU	-AX	IR60-207-3
UPD70F3336GC(A)-UEU	-AX	IR60-207-3
UPD70F3340GC(A)-UEU	-AX	IR60-207-3
UPD70F3341GC(A)-UEU	-AX	IR60-207-3
UPD70F3342GC(A)-UEU	-AX	IR60-207-3
UPD70F3343GC(A)-UEU	-AX	IR60-207-3
UPD70F3344GJ(A)-GAE	-AX	IR60-207-3
UPD70F3345GJ(A)-GAE	-AX	IR60-207-3
UPD70F3346GJ(A)-GAE	-AX	IR60-207-3
UPD70F3347GJ(A)-GAE	-AX	IR60-207-3
UPD70F3348GJ(A)-GAE	-AX	IR60-207-3
UPD70F3350GC(A)-UEU	-AX	IR60-207-3
UPD70F3351GC(A)-UEU	-AX	IR60-207-3
UPD70F3352GC(A)-UEU	-AX	IR60-207-3
UPD70F3353GC(A)-UEU	-AX	IR60-207-3
UPD70F3354GJ(A)-GAE	-AX	IR60-207-3
UPD70F3355GJ(A)-GAE	-AX	IR60-207-3
UPD70F3356GJ(A)-GAE	-AX	IR60-207-3
UPD70F3357GJ(A)-GAE	-AX	IR60-207-3
UPD70F3358GJ(A)-GAE	-AX	IR60-207-3
UPD70F3364GJ(A)-GAE	-AX	IR60-207-3
UPD70F3365GJ(A)-GAE	-AX	IR60-207-3
UPD70F3366GJ(A)-GAE	-AX	IR60-207-3
UPD70F3367GJ(A)-GAE	-AX	IR60-207-3
UPD70F3368GJ(A)-GAE	-AX	IR60-207-3
UPD70F3370AM1GBA-GAH	-AX	IR60-207-3
UPD70F3370AM2GBA-GAH	-AX	IR60-207-3
UPD70F3371M1GBA-GAH	-AX	IR60-207-3
UPD70F3371M2GBA-GAH	-AX	IR60-207-3
UPD70F3372M1GBA-GAH	-AX	IR60-207-3
UPD70F3372M2GBA-GAH	-AX	IR60-207-3
UPD70F3373M1GKA-GAK	-AX	IR60-207-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD70F3373M2GKA-GAK	-AX	IR60-207-3
UPD70F3374M1GCA-UEU	-AX	IR60-207-3
UPD70F3374M2GCA-UEU	-AX	IR60-207-3
UPD70F3375M1GCA-UEU	-AX	IR60-207-3
UPD70F3375M2GCA-UEU	-AX	IR60-207-3
UPD70F3376AM1GCA-UEU	-AX	IR60-207-3
UPD70F3376AM2GCA-UEU	-AX	IR60-207-3
UPD70F3377AM1GCA-UEU	-AX	IR60-207-3
UPD70F3377AM2GCA-UEU	-AX	IR60-207-3
UPD70F3378M1GJA-GAE	-AX	IR60-207-3
UPD70F3378M2GJA-GAE	-AX	IR60-207-3
UPD70F3379M1GJA-GAE	-AX	IR60-207-3
UPD70F3379M2GJA-GAE	-AX	IR60-207-3
UPD70F3380M1GJA-GAE	-AX	IR60-207-3
UPD70F3380M2GJA-GAE	-AX	IR60-207-3
UPD70F3381M1GJA-GAE	-AX	IR60-207-3
UPD70F3381M2GJA-GAE	-AX	IR60-207-3
UPD70F3382M1GJA-GAE	-AX	IR60-207-3
UPD70F3382M2GJA-GAE	-AX	IR60-207-3
UPD70F3383M1GMA-GAR	-AX	IR60-207-3
UPD70F3383M2GMA-GAR	-AX	IR60-207-3
UPD70F3384M1GMA-GAR	-AX	IR60-207-3
UPD70F3384M2GMA-GAR	-AX	IR60-207-3
UPD70F3385M1GMA-GAR	-AX	IR60-207-3
UPD70F3385M2GMA-GAR	-AX	IR60-207-3
UPD70F3413GC(A2)-JEA	-AX	IR50-367-2
UPD70F3421GJ(A)-GAE-E2X	-AX	IR60-207-3
UPD70F3422GJ(A)-GAE-E2X	-AX	IR60-207-3
UPD70F3423GJ(A)-GAE-E2X	-AX	IR60-207-3
UPD70F3424GJ(A)-GAE	-AX	IR60-207-3
UPD70F3451GC(R)-UBT	-A	IR60-207-3
UPD70F3452GC(R)-UBT	-A	IR60-207-3
UPD70F3453GC(R)-8EA	-A	IR60-207-3
UPD70F3453GF-GAS	-AX	IR60-207-3
UPD70F3454F1(S)/(R)-DA9	-A	IR60-207-3
UPD70F3454GC(R)-8EA	-A	IR60-207-3
UPD70F3454GC-8EA	-AX	IR60-107-3
UPD70F3454GF-GAS	-AX	IR60-207-3
UPD70F3474GJA-GAE	-G	IR60-207-3
UPD70F3475GJA-GAE	-G	IR60-207-3
UPD70F3476GJA-GAE	-G	IR60-207-3
UPD70F3477GJA-GAE	-G	IR60-207-3
UPD70F3478GJA-GAE	-G	IR60-207-3
UPD70F3479GJA-GAE	-G	IR60-207-3
UPD70F3480GMA-GAR	-G	IR60-207-3
UPD70F3481GMA-GAR	-G	IR60-207-3
UPD70F3482GMA-GAR	-G	IR60-207-3
UPD70F3486GMA-GAR	-G	IR60-207-3
UPD70F3487GMA-GAR	-G	IR60-207-3
UPD70F3488GMA-GAR	-G	IR60-207-3
UPD70F3610MxGB(A)-GAH	-AX	IR60-207-3
UPD70F3611MxGB(A)-GAH	-AX	IR60-207-3
UPD70F3612MxGB(A)-GAH	-AX	IR60-207-3
UPD70F3613MxGB(A)-GAH	-AX	IR60-207-3
UPD70F3614MxGB(A)-GAH	-AX	IR60-207-3
UPD70F3615MxGK(A)-GAK	-AX	IR60-207-3
UPD70F3616MxGK(A)-GAK	-AX	IR60-207-3
UPD70F3617MxGK(A)-GAK	-AX	IR60-207-3
UPD70F3618MxGK(A)-GAK	-AX	IR60-207-3
UPD70F3619MxGK(A)-GAK	-AX	IR60-207-3
UPD70F3620MxGC(A)-UEU	-AX	IR60-207-3
UPD70F3621MxGC(A)-UEU	-AX	IR60-207-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD70F3622MxGC(A)-UEU	-AX	IR60-207-3
UPD70F3700GB-8EU	-A	IR60-207-3
UPD70F3701GB-8EU	-A	IR60-207-3
UPD70F3702GK-9EU	-A	IR60-207-3
UPD70F3703GK-9EU	-A	IR60-207-3
UPD70F3704GK-9EU	-A	IR60-207-3
UPD70F3706GC-8EA	-A	IR60-207-3
UPD70F3707GC-8EA	-A	IR60-207-3
UPD70F3709GJ-UEN	-A	IR60-207-3
UPD70F3710GJ-UEN	-A	IR60-207-3
UPD70F3711GJ-UEN	-A	IR60-207-3
UPD70F3712GJ-UEN	-A	IR60-207-3
UPD70F3713GC-8BS	-A	IR60-203-3
UPD70F3714GC-8BS	-A	IR60-203-3
UPD70F3715GC-8EA	-A	IR60-207-3
UPD70F3715GF-JBT	-A	IR60-207-3
UPD70F3716GC-8EA	-A	IR60-207-3
UPD70F3716GF-JBT	-A	IR60-207-3
UPD70F3717GC-8EA	-A	IR60-207-3
UPD70F3717GF-JBT	-A	IR60-207-3
UPD70F3718GC-8EA	-A	IR60-207-3
UPD70F3719GC-8EA	-A	IR60-207-3
UPD70F3720GJ-UEN	-A	IR60-207-3
UPD70F3721GJ-UEN	-A	IR60-207-3
UPD70F3722GJ-UEN	-A	IR60-207-3
UPD70F3723GJ-UEN	-A	IR60-207-3
UPD70F3724GJ-UEN	-A	IR60-207-3
UPD70F3726GB-8EU	-A	IR60-207-3
UPD70F3728GC-8BT	-A	IR60-207-3
UPD70F3729GC-8BT	-A	IR60-207-3
UPD70F3731GC-8EA	-A	IR60-207-3
UPD70F3731GF-JBT	-A	IR60-207-3
UPD70F3732GC-8EA	-A	IR60-207-3
UPD70F3732GF-JBT	-A	IR60-207-3
UPD70F3733GJ-UEN	-A	IR60-207-3
UPD70F3734GJ-UEN	-A	IR60-207-3
UPD70F3735GK-GAK	-AX	IR60-207-3
UPD70F3736GC-GAD	-AX	IR60-207-3
UPD70F3736GK-GAK	-AX	IR60-207-3
UPD70F3737GC-UEU	-AX	IR60-207-3
UPD70F3738GC-UEU	-AX	IR60-207-3
UPD70F3741GC-UEU	-AX	IR60-207-3
UPD70F3745GJ-GAE	-AX	IR60-207-3
UPD70F3746GJ-GAE	-AX	IR60-207-3
UPD70F3747GB-GAH	-AX	IR60-207-3
UPD70F3750GK-GAK	-AX	IR60-207-3
UPD70F3752GC-UEU	-AX	IR60-207-3
UPD70F3755GJ-GAE	-AX	IR60-207-3
UPD70F3760GC-UEU	-AX	IR60-207-3
UPD70F3761GC-UEU	-AX	IR60-207-3
UPD70F3762GC-UEU	-AX	IR60-207-3
UPD70F3763GC-UEU	-AX	IR60-207-3
UPD70F3764GC-UEU	-AX	IR60-207-3
UPD70F3766GF(R)-XXX-GAT	-AX	IR60-207-3
UPD70F3766GF-GAT	-AX	IR60-207-3
UPD70F3767GF-GAT	-AX	IR60-207-3
UPD70F3768GF-GAT	-AX	IR60-207-3
UPD70F3769GF-GAT	-AX	IR60-207-3
UPD70F3770GC-UEU	-AX	IR60-207-3
UPD70F3771GF-GAT	-AX	IR60-207-3
UPD70F3913GC-UEU	-AX	IR60-107-3
UPD70F3913GF-GAS	-AX	IR60-107-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD70F3914GC-UEU	-AX	IR60-107-3
UPD70F3914GF-GAS	-AX	IR60-107-3
UPD70F3915GC-UEU	-AX	IR60-107-3
UPD70F3915GF-GAS	-AX	IR60-107-3
UPD70F3925GMA-GAR	-G	IR60-207-3
UPD70F3926GMA-GAR	-G	IR60-207-3
UPD70F3927GMA-GAR	-G	IR60-207-3
UPD70F3931GJA-GAE	-G	IR60-207-3
UPD70F3932GJA-GAE	-G	IR60-207-3
UPD70F3933GJA-GAE	-G	IR60-207-3
UPD70F3934GJA-GAE	-G	IR60-207-3
UPD70F3935GJA-GAE	-G	IR60-207-3
UPD70F3936GJA-GAE	-G	IR60-207-3
UPD70F3937GJA-GAE	-G	IR60-207-3
UPD70F3938GJA-GAE	-G	IR60-207-3
UPD70F3939GJA-GAE	-G	IR60-207-3
UPD71312GB(R)-UEU	-A	IR60-207-3
UPD71312GB(S)-UET	-A	IR60-207-3
UPD720100AGM	-A	IR60-107-3
UPD720100AS1	-A	IR60-107-3
UPD720101F1	-A	IR60-103-2
UPD720101GJ	-A	IR60-103-2
UPD720102F1	-A	IR60-107-3
UPD720102GC	-A	IR60-107-3
UPD720110AGC	-A	IR60-103-3
UPD720112GK	-A	IR45-107-3
UPD720113GK	-A	IR45-107-3
UPD720114GA-9EU	-A	IR60-107-3
UPD720114GA-YEU	-A	IR60-107-3
UPD720122F1	-A	IR60-103-3
UPD720122GC	-A	IR60-107-3
UPD720130F1	-A	IR50-103-2
UPD720130GC	-A	IR50-103-3
UPD720133GB	-A	IR60-103-3
UPD720150F1	-A	IR60-107-3
UPD720150GK	-A	IR60-107-3
UPD720170F1	-A	IR60-107-3
UPD720171F1	-A	IR60-107-3
UPD720180AGC/AF1	-A	IR60-107-3
UPD720180GC	-A	IR60-107-3
UPD720200F1-DAK	-A	IR60-107-3
UPD720400FF/CFF	-A	IR50-107-3
UPD720400KFF	-A	IR50-107-3
UPD720401N7	-A	IR50-107-3
UPD720403AFF	-A	IR50-107-3
UPD720403FF	-A	IR50-107-3
UPD720404F1	-A	IR50-203-3
UPD72042BGT	-A	IR60-207-3
UPD72042GT	-A	IR60-207-3
UPD720900F5(B5+standard)	-A	IR60-207-3
UPD720901AF5(D0 standard)	-A	IR60-207-3
UPD720902AF5(D1 standard)	-A	IR60-207-3
UPD72254YGD	-A	IR60-207-2
UPD7225GB	-A	IR50-00-2
UPD7225GC	-A	IR50-207-2
UPD7228AGF	-A	IR60-207-1
UPD72852AGB	-A	IR60-107-3
UPD72852BGB	-A	IR60-107-3
UPD72853GB	-A	IR60-107-3
UPD72873AGC	-A	IR60-107-3
UPD72873GC	-A	IR60-107-3
UPD72874AGC	-A	IR60-107-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD72874GC	-A	IR60-107-3
UPD72891BF1	-A	IR60-107-3
UPD72891BGD	-A	IR50-207-3
UPD72891GD	-A	IR50-207-3
UPD72893AGD	-A	IR50-207-3
UPD72893BF1	-A	IR60-107-3
UPD72893BGD	-A	IR60-207-3
UPD72893GD	-A	IR50-207-3
UPD750004GB-XXX-3BS-MTX	-A	IR60-207-3
UPD750006GB-XXX-3BS-MTX	-A	IR60-207-3
UPD750008GB-XXX-3BS-MTX	-A	IR60-207-3
UPD750104GB-XXX-3BS-MTX	-A	IR60-207-3
UPD750106GB-XXX-3BS-MTX	-A	IR60-207-3
UPD750108GB-XXX-3BS-MTX	-A	IR60-207-3
UPD753012AGC-XXX-3B9	-A	IR60-207-3
UPD753012AGC-XXX-8BT	-A	IR60-207-3
UPD753012AGK-XXX-9EU	-A	IR60-207-3
UPD753012AGK-XXX-BE9	-A	IR60-107-3
UPD753016AGC-XXX-3B9	-A	IR60-207-3
UPD753016AGC-XXX-8BT	-A	IR60-207-3
UPD753016AGK-XXX-9EU	-A	IR60-207-3
UPD753016AGK-XXX-BE9	-A	IR60-107-3
UPD753017AGC-XXX-3B9	-A	IR60-207-3
UPD753017AGC-XXX-8BT	-A	IR60-207-3
UPD753017AGK-XXX-9EU	-A	IR60-207-3
UPD753017AGK-XXX-BE9	-A	IR60-107-3
UPD753036GC-XXX-3B9	-A	IR60-207-3
UPD753036GK-XXX-BE9	-A	IR60-107-3
UPD753104GC-XXX-8BS	-A	IR60-207-3
UPD753104GC-XXX-AB8	-A	IR50-203-3
UPD753104GK-XXX-8A8	-A	IR60-203-3
UPD753104GK-XXX-9ET	-A	IR60-207-3
UPD753106GC-XXX-8BS	-A	IR60-207-3
UPD753106GC-XXX-AB8	-A	IR50-203-3
UPD753106GK-XXX-8A8	-A	IR60-203-3
UPD753106GK-XXX-9ET	-A	IR60-207-3
UPD753108GC-XXX-8BS	-A	IR60-207-3
UPD753108GC-XXX-AB8	-A	IR60-207-3
UPD753108GK-XXX-8A8	-A	IR60-203-3
UPD753108GK-XXX-9ET	-A	IR60-207-3
UPD753204GT-XXX	-A	IR60-207-3
UPD753206GT-XXX	-A	IR60-207-3
UPD753208GT-XXX	-A	IR60-207-3
UPD754144GS-XXX-BA5	-A	IR60-103-3
UPD754144GS-XXX-GJG	-A	IR60-207-3
UPD754202GS-XXX-BA5	-A	IR60-103-3
UPD754202GS-XXX-GJG	-A	IR60-207-3
UPD754244GS-XXX-BA5	-A	IR60-103-3
UPD754244GS-XXX-GJG	-A	IR60-207-3
UPD754264GS-XXX	-A	IR60-103-3
UPD754302GS-XXX	-A	IR60-207-3
UPD754304GS-XXX	-A	IR60-207-3
UPD75P0016GB-3BS-MTX	-A	IR60-207-3
UPD75P0076GT	-A	IR60-207-3
UPD75P0116GB-3BS-MTX	-A	IR60-207-3
UPD75P3018AGC-3B9	-A	IR60-207-3
UPD75P3018AGC-8BT	-A	IR60-207-3
UPD75P3018AGK-9EU	-A	IR60-207-3
UPD75P3018AGK-BE9	-A	IR60-107-3
UPD75P3036GC-3B9	-A	IR60-207-3
UPD75P3036GK-BE9	-A	IR60-107-3
UPD75P3116GC-8BS	-A	IR60-207-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD75P3116GC-AB8	-A	IR60-207-3
UPD75P3116GK-8A8	-A	IR60-203-3
UPD75P3216GT	-A	IR60-207-3
UPD75P4308GS	-A	IR60-207-3
UPD77019GC	-A	IR60-107-3
UPD77019GC-013	-A	IR60-107-3
UPD77110GC	-A	IR60-107-3
UPD77112GC	-A	IR60-107-3
UPD77114GC	-A	IR60-107-3
UPD77115AF1	-A	IR60-103-2
UPD77115GK	-A	IR60-107-3
UPD77210AGJ	-A	IR60-107-3
UPD77210F1	-A	IR60-107-2
UPD77210GJ	-A	IR60-107-3
UPD77213F1	-A	IR60-107-2
UPD77213GJ	-A	IR60-107-3
UPD77214F1	-A	IR60-107-2
UPD77545AF9	-A	IR60-107-3
UPD77545F9	-A	IR60-107-3
UPD77546F1	-A	IR60-107-3
UPD77546JF1	-A	IR60-107-3
UPD77630AF1-ENZ	-A	IR60-107-3
UPD77630AF1-ENZ	-A	IR60-107-3
UPD780021AGB-XXX-8EU	-A	IR60-207-3
UPD780021AGC-XXX-8BS	-A	IR60-207-3
UPD780021AGC-XXX-AB8	-A	IR60-207-3
UPD780021AGK-XXX-9ET	-A	IR60-207-3
UPD780021ASGB-XXX-8ET	-A	IR60-207-3
UPD780021AYGB-XXX-8EU	-A	IR60-207-3
UPD780021AYGC-XXX-8BS	-A	IR60-207-3
UPD780021AYGC-XXX-AB8	-A	IR60-207-3
UPD780021AYGK-XXX-9ET	-A	IR60-207-3
UPD780021FGB-XXX-8EU	-A	IR60-207-3
UPD780021FGC-XXX-8BS	-A	IR60-207-3
UPD780021FGK-XXX-9ET	-A	IR60-207-3
UPD780021FYGB-XXX-8EU	-A	IR60-207-3
UPD780021FYGC-XXX-8BS	-A	IR60-207-3
UPD780022AF1-XXX-CN3	-A	IR60-203-3
UPD780022AGB-XXX-8EU	-A	IR60-207-3
UPD780022AGC-XXX-8BS	-A	IR60-207-3
UPD780022AGC-XXX-AB8	-A	IR60-207-3
UPD780022AGK-XXX-9ET	-A	IR60-207-3
UPD780022ASGB-XXX-8ET	-A	IR60-207-3
UPD780022AYGB-XXX-8EU	-A	IR60-207-3
UPD780022AYGC-XXX-8BS	-A	IR60-207-3
UPD780022AYGC-XXX-AB8	-A	IR60-207-3
UPD780022AYGK-XXX-9ET	-A	IR60-207-3
UPD780022FGB-XXX-8EU	-A	IR60-207-3
UPD780022FGC-XXX-8BS	-A	IR60-207-3
UPD780022FGK-XXX-9ET	-A	IR60-207-3
UPD780022FYGB-XXX-8EU	-A	IR60-207-3
UPD780022FYGC-XXX-8BS	-A	IR60-207-3
UPD780023AF1-XXX-CN3	-A	IR60-203-3
UPD780023AGB-XXX-8EU	-A	IR60-207-3
UPD780023AGC-XXX-8BS	-A	IR60-207-3
UPD780023AGC-XXX-AB8	-A	IR60-207-3
UPD780023AGK-XXX-9ET	-A	IR60-207-3
UPD780023ASGB-XXX-8ET	-A	IR60-207-3
UPD780023AYGB-XXX-8EU	-A	IR60-207-3
UPD780023AYGC-XXX-8BS	-A	IR60-207-3
UPD780023AYGC-XXX-AB8	-A	IR60-207-3
UPD780023AYGK-XXX-9ET	-A	IR60-207-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD780023FGB-XXX-8EU	-A	IR60-207-3
UPD780023FGC-XXX-8BS	-A	IR60-207-3
UPD780023FGK-XXX-9ET	-A	IR60-207-3
UPD780023FYGB-XXX-8EU	-A	IR60-207-3
UPD780023FYGC-XXX-8BS	-A	IR60-207-3
UPD780024AF1-XXX-CN3	-A	IR60-203-3
UPD780024AGB-XXX-8EU	-A	IR60-207-3
UPD780024AGC-XXX-8BS	-A	IR60-207-3
UPD780024AGC-XXX-AB8	-A	IR60-207-3
UPD780024AGK-XXX-9ET	-A	IR60-207-3
UPD780024ASGB-XXX-8ET	-A	IR60-207-3
UPD780024AYGB-XXX-8EU	-A	IR60-207-3
UPD780024AYGC-XXX-8BS	-A	IR60-207-3
UPD780024AYGC-XXX-AB8	-A	IR60-207-3
UPD780024AYGK-XXX-9ET	-A	IR60-207-3
UPD780024FGB-XXX-8EU	-A	IR60-207-3
UPD780024FGC-XXX-8BS	-A	IR60-207-3
UPD780024FGK-XXX-9ET	-A	IR60-207-3
UPD780024FYGB-XXX-8EU	-A	IR60-207-3
UPD780024FYGC-XXX-8BS	-A	IR60-207-3
UPD780031AF1-XXX-CN3	-A	IR60-203-3
UPD780031AGB-XXX-8EU	-A	IR60-207-3
UPD780031AGC-XXX-8BS	-A	IR60-207-3
UPD780031AGC-XXX-AB8	-A	IR60-207-3
UPD780031AGK-XXX-9ET	-A	IR60-207-3
UPD780031ASGB-XXX-8ET	-A	IR60-207-3
UPD780031AYGB-XXX-8EU	-A	IR60-207-3
UPD780031AYGC-XXX-8BS	-A	IR60-207-3
UPD780031AYGC-XXX-AB8	-A	IR60-207-3
UPD780031AYGK-XXX-9ET	-A	IR60-207-3
UPD780031FGB-XXX-8EU	-A	IR60-207-3
UPD780031FGC-XXX-8BS	-A	IR60-207-3
UPD780031FGK-XXX-9ET	-A	IR60-207-3
UPD780031FYGB-XXX-8EU	-A	IR60-207-3
UPD780031FYGC-XXX-8BS	-A	IR60-207-3
UPD780032AF1-XXX-CN3	-A	IR60-203-3
UPD780032AGB-XXX-8EU	-A	IR60-207-3
UPD780032AGC-XXX-8BS	-A	IR60-207-3
UPD780032AGC-XXX-AB8	-A	IR60-207-3
UPD780032AGK-XXX-9ET	-A	IR60-207-3
UPD780032ASGB-XXX-8ET	-A	IR60-207-3
UPD780032AYGB-XXX-8EU	-A	IR60-207-3
UPD780032AYGC-XXX-8BS	-A	IR60-207-3
UPD780032AYGC-XXX-AB8	-A	IR60-207-3
UPD780032AYGK-XXX-9ET	-A	IR60-207-3
UPD780032FGB-XXX-8EU	-A	IR60-207-3
UPD780032FGC-XXX-8BS	-A	IR60-207-3
UPD780032FGK-XXX-9ET	-A	IR60-207-3
UPD780032FYGB-XXX-8EU	-A	IR60-207-3
UPD780032FYGC-XXX-8BS	-A	IR60-207-3
UPD780033AF1-XXX-CN3	-A	IR60-203-3
UPD780033AGB-XXX-8EU	-A	IR60-207-3
UPD780033AGC-XXX-8BS	-A	IR60-207-3
UPD780033AGC-XXX-AB8	-A	IR60-207-3
UPD780033AGK-XXX-9ET	-A	IR60-207-3
UPD780033ASGB-XXX-8ET	-A	IR60-207-3
UPD780033AYGB-XXX-8EU	-A	IR60-207-3
UPD780033AYGC-XXX-8BS	-A	IR60-207-3
UPD780033AYGC-XXX-AB8	-A	IR60-207-3
UPD780033AYGK-XXX-9ET	-A	IR60-207-3
UPD780033FGB-XXX-8EU	-A	IR60-207-3
UPD780033FGC-XXX-8BS	-A	IR60-207-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD780033FGK-XXX-9ET	-A	IR60-207-3
UPD780033FYGB-XXX-8EU	-A	IR60-207-3
UPD780033FYGC-XXX-8BS	-A	IR60-207-3
UPD780034AF1-XXX-CN3	-A	IR60-203-3
UPD780034AGB-XXX-8EU	-A	IR60-207-3
UPD780034AGC-XXX-8BS	-A	IR60-207-3
UPD780034AGC-XXX-AB8	-A	IR60-207-3
UPD780034AGK-XXX-9ET	-A	IR60-207-3
UPD780034ASGB-XXX-8ET	-A	IR60-207-3
UPD780034AYGB-XXX-8EU	-A	IR60-207-3
UPD780034AYGC-XXX-8BS	-A	IR60-207-3
UPD780034AYGC-XXX-AB8	-A	IR60-207-3
UPD780034AYGK-XXX-9ET	-A	IR60-207-3
UPD780034FGB-XXX-8EU	-A	IR60-207-3
UPD780034FGC-XXX-8BS	-A	IR60-207-3
UPD780034FGK-XXX-9ET	-A	IR60-207-3
UPD780034FYGB-XXX-8EU	-A	IR60-207-3
UPD780034FYGC-XXX-8BS	-A	IR60-207-3
UPD780053GC-XXX-8BT	-A	IR60-207-3
UPD780053GK-XXX-9EU	-A	IR60-207-3
UPD780053YGC-XXX-8BT	-A	IR60-207-3
UPD780053YGK-XXX-9EU	-A	IR60-207-3
UPD780054GC-XXX-8BT	-A	IR60-207-3
UPD780054GK-XXX-9EU	-A	IR60-207-3
UPD780054YGC-XXX-8BT	-A	IR60-207-3
UPD780054YGK-XXX-9EU	-A	IR60-207-3
UPD780055GC-XXX-8BT	-A	IR60-207-3
UPD780055GK-XXX-9EU	-A	IR60-207-3
UPD780055YGC-XXX-8BT	-A	IR60-207-3
UPD780055YGK-XXX-9EU	-A	IR60-207-3
UPD780056GC-XXX-8BT	-A	IR60-207-3
UPD780056GK-XXX-9EU	-A	IR60-207-3
UPD780056YGC-XXX-8BT	-A	IR60-207-3
UPD780056YGK-XXX-9EU	-A	IR60-207-3
UPD780058BGC-XXX-8BT	-A	IR60-207-3
UPD780058BGK-XXX-9EU	-A	IR60-207-3
UPD780058BYGC-XXX-8BT	-A	IR60-207-3
UPD780058BYGK-XXX-9EU	-A	IR60-207-3
UPD780058GC-XXX-8BT	-A	IR60-207-3
UPD780058GK-XXX-9EU	-A	IR60-207-3
UPD780065GC-XXX-8BT	-A	IR60-207-3
UPD780076GC-XXX-8BS	-A	IR60-207-3
UPD780076GC-XXX-AB8	-A	IR60-207-3
UPD780076GK-XXX-9ET	-A	IR60-207-3
UPD780076YGC-XXX-8BS	-A	IR60-207-3
UPD780076YGC-XXX-AB8	-A	IR60-207-3
UPD780076YGK-XXX-9ET	-A	IR60-207-3
UPD780078GC-XXX-8BS	-A	IR60-207-3
UPD780078GC-XXX-AB8	-A	IR60-207-3
UPD780078GK-XXX-9ET	-A	IR60-207-3
UPD780078YGC-XXX-8BS	-A	IR60-207-3
UPD780078YGC-XXX-AB8	-A	IR60-207-3
UPD780078YGK-XXX-9ET	-A	IR60-207-3
UPD780101MC-XXX-5A4	-A	IR60-207-3
UPD780102MC-XXX-5A4	-A	IR60-207-3
UPD780103MC-XXX-5A4	-A	IR60-207-3
UPD780111GB-XXX-8ES	-A	IR60-207-3
UPD780112GB-XXX-8ES	-A	IR60-207-3
UPD780113GB-XXX-8ES	-A	IR60-207-3
UPD780114GB-XXX-8ES	-A	IR60-207-3
UPD780121GB-XXX-8ET	-A	IR60-207-3
UPD780122GB-XXX-8ET	-A	IR60-207-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD780123GB-XXX-8ET	-A	IR60-207-3
UPD780124GB-XXX-8ET	-A	IR60-207-3
UPD780131GB-XXX-8EU	-A	IR60-207-3
UPD780131GC-XXX-8BS	-A	IR60-207-3
UPD780131GK-XXX-9ET	-A	IR60-207-3
UPD780132GB-XXX-8EU	-A	IR60-207-3
UPD780132GC-XXX-8BS	-A	IR60-207-3
UPD780132GK-XXX-9ET	-A	IR60-207-3
UPD780133GB-XXX-8EU	-A	IR60-207-3
UPD780133GC-XXX-8BS	-A	IR60-207-3
UPD780133GK-XXX-9ET	-A	IR60-207-3
UPD780134GB-XXX-8EU	-A	IR60-207-3
UPD780134GC-XXX-8BS	-A	IR60-207-3
UPD780134GK-XXX-9ET	-A	IR60-207-3
UPD780136GB-XXX-8EU	-A	IR60-207-3
UPD780136GC-XXX-8BS	-A	IR60-207-3
UPD780136GK-XXX-9ET	-A	IR60-207-3
UPD780138GB-XXX-8EU	-A	IR60-207-3
UPD780138GC-XXX-8BS	-A	IR60-207-3
UPD780138GK-XXX-9ET	-A	IR60-207-3
UPD780143GC-XXX-8BT	-A	IR60-207-3
UPD780143GK-XXX-9EU	-A	IR60-207-3
UPD780144GC-XXX-8BT	-A	IR60-207-3
UPD780144GK-XXX-9EU	-A	IR60-207-3
UPD780146GC-XXX-8BT	-A	IR60-207-3
UPD780146GK-XXX-9EU	-A	IR60-207-3
UPD780148GC-XXX-8BT	-A	IR60-207-3
UPD780148GK-XXX-9EU	-A	IR60-207-3
UPD780204AGF-XXX-3BA	-A	IR60-203-3
UPD780205AGF-XXX-3BA	-A	IR60-203-3
UPD780206GF-XXX-3BA	-A	IR60-203-3
UPD780208GF-XXX-3BA	-A	IR60-203-3
UPD780226GF-XXX-3BA	-A	IR60-203-3
UPD780228GF-XXX-3BA	-A	IR60-203-3
UPD780232GC-XXX-8BT	-A	IR60-207-3
UPD780233GC-XXX-8BT	-A	IR60-207-3
UPD780306GC-XXX-8EU	-A	IR60-207-3
UPD780306GF-XXX-3BA	-A	IR60-203-3
UPD780306YF1-XXX-EAB	-A	IR60-207-3
UPD780306YGC-XXX-8EU	-A	IR60-207-3
UPD780306YGF-XXX-3BA	-A	IR60-203-3
UPD780308GC-XXX-8EU	-A	IR60-207-3
UPD780308GF-XXX-3BA	-A	IR60-203-3
UPD780308YGC-XXX-8EU	-A	IR60-207-3
UPD780308YGF-XXX-3BA	-A	IR60-203-3
UPD780316GC-XXX-9EB	-A	IR60-207-3
UPD780318GC-XXX-9EB	-A	IR60-207-3
UPD780326GC-XXX-9EB	-A	IR60-207-3
UPD780328GC-XXX-9EB	-A	IR60-207-3
UPD780336GC-XXX-9EB	-A	IR60-207-3
UPD780338GC-XXX-9EB	-A	IR60-207-3
UPD780343F1-XXX-DA3	-A	IR60-207-3
UPD780343GC-XXX-8EU	-A	IR60-207-3
UPD780343YF1-XXX-DA3	-A	IR60-207-3
UPD780343YGC-XXX-8EU	-A	IR60-207-3
UPD780344F1-XXX-DA3	-A	IR60-207-3
UPD780344GC-XXX-8EU	-A	IR60-207-3
UPD780344YF1-XXX-DA3	-A	IR60-207-3
UPD780344YGC-XXX-8EU	-A	IR60-207-3
UPD780353F1-XXX-DA3	-A	IR60-207-3
UPD780353GC-XXX-8EU	-A	IR60-207-3
UPD780353YF1-XXX-DA3	-A	IR60-207-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD780353YGC-XXX-8EU	-A	IR60-207-3
UPD780354F1-XXX-DA3	-A	IR60-207-3
UPD780354GC-XXX-8EU	-A	IR60-207-3
UPD780354YF1-XXX-DA3	-A	IR60-207-3
UPD780354YGC-XXX-8EU	-A	IR60-207-3
UPD78042FGF-XXX-3B9	-A	IR60-203-3
UPD78043FGF-XXX-3B9	-A	IR60-203-3
UPD78044FGF-XXX-3B9	-A	IR60-203-3
UPD78045FGF-XXX-3B9	-A	IR60-203-3
UPD78062GC-XXX-8EU	-A	IR60-207-3
UPD78062GF-XXX-3BA	-A	IR60-203-3
UPD78062YGF-XXX-3BA	-A	IR60-203-3
UPD78063GC-XXX-8EU	-A	IR60-207-3
UPD78063GF-XXX-3BA	-A	IR60-203-3
UPD78063YGC-XXX-8EU	-A	IR60-207-3
UPD78063YGF-XXX-3BA	-A	IR60-203-3
UPD78064BGC-XXX-8EU	-A	IR60-207-3
UPD78064BGF-XXX-3BA	-A	IR60-203-3
UPD78064GC-XXX-8EU	-A	IR60-207-3
UPD78064GF-XXX-3BA	-A	IR60-203-3
UPD78064YGC-XXX-8EU	-A	IR60-207-3
UPD78064YGF-XXX-3BA	-A	IR60-203-3
UPD780703AYGC-XXX-8BT	-A	IR60-207-3
UPD78070AGF-3BA	-A	IR60-203-3
UPD78070AYGF-3BA	-A	IR60-203-3
UPD78074BGF-XXX-3BA	-A	IR60-203-3
UPD78075BGF-XXX-3BA	-A	IR60-203-3
UPD78076GC-XXX-8EU	-A	IR60-207-3
UPD78076GF-XXX-3BA	-A	IR60-203-3
UPD78076YGC-XXX-8EU	-A	IR60-207-3
UPD78076YGF-XXX-3BA	-A	IR60-203-3
UPD78078GC-XXX-8EU	-A	IR60-207-3
UPD78078GF-XXX-3BA	-A	IR60-203-3
UPD78078YGF-XXX-3BA	-A	IR60-203-3
UPD780814GK-XXX-9ET	-A	IR60-207-3
UPD780816AGK-XXX-9ET	-A	IR60-207-3
UPD78081GB-XXX-3BS-MTX	-A	IR60-207-3
UPD780824BGC-XXX-8BT	-A	IR60-207-3
UPD780826BGC-XXX-8BT	-A	IR60-207-3
UPD780828BGC-XXX-8BT	-A	IR60-207-3
UPD78082GB-XXX-3BS-MTX	-A	IR60-207-3
UPD780833YGC-XXX-8BT	-A	IR60-207-3
UPD780861MC-XXX-5A4	-A	IR60-207-3
UPD780862MC-XXX-5A4	-A	IR60-207-3
UPD78094GC-XXX-8BT	-A	IR60-207-3
UPD780957GC-XXX-8EU	-A	IR60-207-3
UPD780958GC-XXX-8EU	-A	IR60-207-3
UPD78095BGC-XXX-8BT	-A	IR60-207-3
UPD78095GC-XXX-8BT	-A	IR60-207-3
UPD78096BGC-XXX-8BT	-A	IR60-207-3
UPD78096GC-XXX-8BT	-A	IR60-207-3
UPD780973GF-XXX-3B9	-A	IR60-203-3
UPD780982GC-XXX-8BS	-A	IR60-207-3
UPD780983GC-XXX-8BS	-A	IR60-207-3
UPD780984GC-XXX-8BS	-A	IR60-207-3
UPD780986GC-XXX-8BS	-A	IR60-207-3
UPD780988GC-XXX-8BS	-A	IR60-207-3
UPD78098AGC-XXX-8BT	-A	IR60-207-3
UPD78098BGC-XXX-8BT	-A	IR60-207-3
UPD784031GC-8BT	-A	IR60-207-3
UPD784031GK-9EU	-A	IR60-203-3
UPD784031YGC-8BT	-A	IR60-207-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD784031YGK-9EU	-A	IR60-207-3
UPD784035GC-XXX-8BT	-A	IR60-207-3
UPD784035GK-XXX-9EU	-A	IR60-207-3
UPD784035YGC-XXX-8BT	-A	IR60-207-3
UPD784035YGK-XXX-9EU	-A	IR60-203-3
UPD784036GC-XXX-8BT	-A	IR60-207-3
UPD784036GK-XXX-9EU	-A	IR60-203-3
UPD784036YGC-XXX-8BT	-A	IR60-207-3
UPD784037GC-XXX-8BT	-A	IR60-207-3
UPD784037GK-XXX-9EU	-A	IR60-207-3
UPD784037YGC-XXX-8BT	-A	IR60-207-3
UPD784037YGK-XXX-9EU	-A	IR60-207-3
UPD784038GC-XXX-8BT	-A	IR60-207-3
UPD784038GK-XXX-9EU	-A	IR60-207-3
UPD784038YGC-XXX-8BT	-A	IR60-207-3
UPD784038YGK-XXX-9EU	-A	IR60-207-3
UPD784044GC-XXX-3B9	-A	IR60-207-3
UPD784046GC-XXX-3B9	-A	IR60-363-3
UPD784054GC-XXX-3B9	-A	IR60-207-3
UPD784214AGC-XXX-8EU	-A	IR60-207-3
UPD784214AGF-XXX-3BA	-A	IR60-363-3
UPD784214AYGC-XXX-8EU	-A	IR60-203-3
UPD784214AYGF-XXX-3BA	-A	IR60-207-3
UPD784215AGC-XXX-8EU	-A	IR60-207-3
UPD784215AGF-XXX-3BA	-A	IR60-207-3
UPD784215AYGC-XXX-8EU	-A	IR60-207-3
UPD784215AYGF-XXX-3BA	-A	IR60-207-3
UPD784216AGC-XXX-8EU	-A	IR60-207-3
UPD784216AGF-XXX-3BA	-A	IR60-203-3
UPD784216AYGC-XXX-8EU	-A	IR60-203-3
UPD784216AYGF-XXX-3BA	-A	IR60-207-3
UPD784217AGC-XXX-8EU	-A	IR60-207-3
UPD784217AGF-XXX-3BA	-A	IR60-203-3
UPD784217AYGC-XXX-8EU	-A	IR60-207-3
UPD784217AYGF-XXX-3BA	-A	IR60-203-3
UPD784218AGC-XXX-8EU	-A	IR60-207-3
UPD784218AGF-XXX-3BA	-A	IR60-203-3
UPD784218AYGC-XXX-8EU	-A	IR60-207-3
UPD784218AYGF-XXX-3BA	-A	IR60-203-3
UPD784224GC-XXX-8BT	-A	IR60-203-3
UPD784224GK-XXX-9EU	-A	IR60-207-3
UPD784224YGC-XXX-8BT	-A	IR60-207-3
UPD784224YGK-XXX-9EU	-A	IR60-207-3
UPD784225GC-XXX-8BT	-A	IR60-207-3
UPD784225GK-XXX-9EU	-A	IR60-203-3
UPD784225YGC-XXX-8BT	-A	IR60-207-3
UPD784225YGK-XXX-9EU	-A	IR60-207-3
UPD784927GC-XXX-8EU	-A	IR60-207-3
UPD784927GF-XXX-3BA	-A	IR60-207-3
UPD784927YGF-XXX-3BA	-A	IR60-207-3
UPD784928GC-XXX-8EU	-A	IR60-207-3
UPD784928GF-XXX-3BA	-A	IR60-207-3
UPD784928YGF-XXX-3BA	-A	IR60-207-3
UPD784935AGF-XXX-3BA	-A	IR60-203-3
UPD784936AGF-XXX-3BA	-A	IR60-203-3
UPD784937AGF-XXX-3BA	-A	IR60-203-3
UPD784938AGF-XXX-3BA	-A	IR60-203-3
UPD784953AGC-XXX-8BT	-A	IR60-207-3
UPD784953GC-XXX-8BT	-A	IR60-207-3
UPD784956AGC-XXX-8BT	-A	IR60-207-3
UPD784975AGF-XXX-3BA	-A	IR60-207-3
UPD789022GB-XXX-8ES	-A	IR60-207-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD789024GB-XXX-8ES	-A	IR60-207-3
UPD789025GB-XXX-8ES	-A	IR60-207-3
UPD789026GB-XXX-8ES	-A	IR60-207-3
UPD789046GB-XXX-8ES	-A	IR60-207-3
UPD789052MC-XXX-5A4	-A	IR60-207-3
UPD789062MC-XXX-5A4	-A	IR60-207-3
UPD789071MC-XXX-5A4	-A	IR60-207-3
UPD789072MC-XXX-5A4	-A	IR60-207-3
UPD789074MC-XXX-5A4	-A	IR60-207-3
UPD789086MC-XXX-5A4	-A	IR60-207-3
UPD789088MC-XXX-5A4	-A	IR60-207-3
UPD789101AMC-XXX-5A4	-A	IR60-207-3
UPD789102AMC-XXX-5A4	-A	IR60-207-3
UPD789102FMC-XXX-5A4	-A	IR60-207-3
UPD789104AMC-XXX-5A4	-A	IR60-207-3
UPD789104FMC-XXX-5A4	-A	IR60-207-3
UPD789111AMC-XXX-5A4	-A	IR60-207-3
UPD789112AMC-XXX-5A4	-A	IR60-207-3
UPD789114AMC-XXX-5A4	-A	IR60-207-3
UPD789121AMC-XXX-5A4	-A	IR60-207-3
UPD789122AMC-XXX-5A4	-A	IR60-207-3
UPD789124AMC-XXX-5A4	-A	IR60-207-3
UPD789131AMC-XXX-5A4	-A	IR60-207-3
UPD789132AMC-XXX-5A4	-A	IR60-207-3
UPD789134AMC-XXX-5A4	-A	IR60-207-3
UPD789166GB-8ES	-A	IR60-207-3
UPD789166GB-XXX-8ES	-A	IR60-207-3
UPD789166YGB-XXX-8ES	-A	IR60-207-3
UPD789167GB-XXX-8ES	-A	IR60-207-3
UPD789167YGB-XXX-8ES	-A	IR60-207-3
UPD789176GB-XXX-8ES	-A	IR60-207-3
UPD789176YGB-XXX-8ES	-A	IR60-207-3
UPD789177GB(A1)-XXX-GAF	-AX	IR60-107-3
UPD789177GB-XXX-8ES	-A	IR60-207-3
UPD789177YGB-XXX-8ES	-A	IR60-207-3
UPD789304GC-XXX-8BS	-A	IR60-207-3
UPD789304GK-XXX-9ET	-A	IR60-207-3
UPD789306GC-XXX-8BS	-A	IR60-207-3
UPD789306GK-XXX-9ET	-A	IR60-207-3
UPD789314GC-XXX-8BS	-A	IR60-207-3
UPD789314GK-XXX-9ET	-A	IR60-207-3
UPD789316GC-XXX-8BS	-A	IR60-207-3
UPD789316GK-XXX-9ET	-A	IR60-207-3
UPD789322GB-XXX-8ET	-A	IR60-207-3
UPD789324GB-XXX-8ET	-A	IR60-207-3
UPD789326GB-XXX-8ET	-A	IR60-207-3
UPD789327GB-XXX-8ET	-A	IR60-207-3
UPD789405AGC-XXX-8BT	-A	IR60-207-3
UPD789405AGK-XXX-9EU	-A	IR60-207-3
UPD789406AGC-XXX-8BT	-A	IR60-207-3
UPD789406AGK-XXX-9EU	-A	IR60-207-3
UPD789407AGC-XXX-8BT	-A	IR60-207-3
UPD789407AGK-XXX-9EU	-A	IR60-207-3
UPD789415AGC-XXX-8BT	-A	IR60-207-3
UPD789415AGK-XXX-9EU	-A	IR60-207-3
UPD789416AGC-XXX-8BT	-A	IR60-207-3
UPD789417AGC-XXX-8BT	-A	IR60-207-3
UPD789425GB-XXX-8EU	-A	IR60-207-3
UPD789425GK-XXX-9ET	-A	IR60-207-3
UPD789426GB-XXX-8EU	-A	IR60-207-3
UPD789426GK-XXX-9ET	-A	IR60-207-3
UPD789435GB-XXX-8EU	-A	IR60-207-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD789435GK-XXX-9ET	-A	IR60-207-3
UPD789436GB-XXX-8EU	-A	IR60-207-3
UPD789436GK-XXX-9ET	-A	IR60-207-3
UPD789445GB-XXX-8EU	-A	IR60-207-3
UPD789445GK-XXX-9ET	-A	IR60-207-3
UPD789446GB-XXX-8EU	-A	IR60-207-3
UPD789446GK-XXX-9ET	-A	IR60-207-3
UPD789455GB-XXX-8EU	-A	IR60-207-3
UPD789455GK-XXX-9ET	-A	IR60-207-3
UPD789456GB-XXX-8EU	-A	IR60-207-3
UPD789456GK-XXX-9ET	-A	IR60-207-3
UPD789462GB-XXX-8ET	-A	IR60-207-3
UPD789464GB-XXX-8ET	-A	IR60-207-3
UPD789466GB-XXX-8ET	-A	IR60-207-3
UPD789467GB-XXX-8ET	-A	IR60-207-3
UPD789477GC-XXX-8BT	-A	IR60-207-3
UPD789477GK-XXX-9EU	-A	IR60-207-3
UPD789478GC-XXX-8BT	-A	IR60-207-3
UPD789478GK-XXX-9EU	-A	IR60-207-3
UPD789479GC-XXX-8BT	-A	IR60-207-3
UPD789479GK-XXX-9EU	-A	IR60-207-3
UPD789488GC-XXX-8BT	-A	IR60-207-3
UPD789488GK-XXX-9EU	-A	IR60-207-3
UPD789489GC-XXX-8BT	-A	IR60-207-3
UPD789489GK-XXX-9EU	-A	IR60-207-3
UPD789800GB-XXX-8ES	-A	IR60-207-3
UPD789841GB-XXX-8ES	-A	IR60-207-3
UPD789842GB-XXX-8ES	-A	IR60-207-3
UPD789850AMC-XXX-5A4	-A	IR60-207-3
UPD789851GB-XXX-8ES	-A	IR60-207-3
UPD789852GB-XXX-8ES	-A	IR60-207-3
UPD789860MC-XXX-5A4	-A	IR60-207-3
UPD789861MC-XXX-5A4	-A	IR60-207-3
UPD789862MC-XXX-5A4	-A	IR60-207-3
UPD789870GB-XXX-8ET	-A	IR60-207-3
UPD789871GB-XXX-8ET	-A	IR60-207-3
UPD789881GB-XXX-8EU	-A	IR60-207-3
UPD78E9861AMC-5A4	-A	IR60-207-3
UPD78F0034AGB-8EU	-A	IR60-207-3
UPD78F0034AGC-8BS	-A	IR60-207-3
UPD78F0034AGK-9ET	-A	IR60-207-3
UPD78F0034AYGB-8EU	-A	IR60-207-3
UPD78F0034AYGC-8BS	-A	IR60-207-3
UPD78F0034AYGC-AB8	-A	IR60-207-3
UPD78F0034AYGK-9ET	-A	IR60-207-3
UPD78F0034BF1-CN3	-A	IR60-203-3
UPD78F0034BGB-8EU	-A	IR60-207-3
UPD78F0034BGC-8BS	-A	IR60-207-3
UPD78F0034BGK-9ET	-A	IR60-207-3
UPD78F0034BSGB-8ET	-A	IR60-207-3
UPD78F0034BYF1-CN3	-A	IR60-203-3
UPD78F0034BYGB-8EU	-A	IR60-207-3
UPD78F0034BYGC-8BS	-A	IR60-207-3
UPD78F0034BYGK-9ET	-A	IR60-207-3
UPD78F0058GC-8BT	-A	IR60-207-3
UPD78F0058GK-9EU	-A	IR60-207-3
UPD78F0058YGC-8BT	-A	IR60-207-3
UPD78F0058YGK-9EU	-A	IR60-207-3
UPD78F0066GC-8BT	-A	IR60-207-3
UPD78F0078GC-8BS	-A	IR60-207-3
UPD78F0078GC-AB8	-A	IR60-203-3
UPD78F0078GK-9ET	-A	IR60-207-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD78F0078YGC-8BS	-A	IR60-207-3
UPD78F0078YGC-AB8	-A	IR60-203-3
UPD78F0078YGK-9ET	-A	IR60-207-3
UPD78F0101HMC-5A4	-A	IR60-207-3
UPD78F0102HMC-5A4	-A	IR60-207-3
UPD78F0103HMC-5A4	-A	IR60-207-3
UPD78F0103M1MC-5A4	-A	IR60-207-3
UPD78F0103M2MC-5A4	-A	IR60-207-3
UPD78F0103M3MC-5A4	-A	IR60-207-3
UPD78F0103M4MC-5A4	-A	IR60-207-3
UPD78F0103M5MC-5A4	-A	IR60-207-3
UPD78F0103M6MC-5A4	-A	IR60-207-3
UPD78F0112HGB-8ES	-A	IR60-207-3
UPD78F0113HGB-8ES	-A	IR60-207-3
UPD78F0114HGB-8ES	-A	IR60-207-3
UPD78F0114M1GB-8ES	-A	IR60-207-3
UPD78F0114M2GB-8ES	-A	IR60-207-3
UPD78F0114M3GB-8ES	-A	IR60-207-3
UPD78F0114M4GB-8ES	-A	IR60-207-3
UPD78F0114M5GB-8ES	-A	IR60-207-3
UPD78F0114M6GB-8ES	-A	IR60-207-3
UPD78F0122HGB-8ET	-A	IR60-207-3
UPD78F0123HGB-8ET	-A	IR60-207-3
UPD78F0124HGB-8ET	-A	IR60-207-3
UPD78F0124M1GB-8ET	-A	IR60-207-3
UPD78F0124M2GB-8ET	-A	IR60-207-3
UPD78F0124M3GB-8ET	-A	IR60-207-3
UPD78F0124M4GB-8ET	-A	IR60-207-3
UPD78F0124M5GB-8ET	-A	IR60-207-3
UPD78F0124M6GB-8ET	-A	IR60-207-3
UPD78F0132HGB-8EU	-A	IR60-207-3
UPD78F0132HGC-8BS	-A	IR60-207-3
UPD78F0132H GK-9ET	-A	IR60-207-3
UPD78F0133HGB-8EU	-A	IR60-207-3
UPD78F0133HGC-8BS	-A	IR60-207-3
UPD78F0133H GK-9ET	-A	IR60-207-3
UPD78F0134HGB-8EU	-A	IR60-207-3
UPD78F0134HGC-8BS	-A	IR60-207-3
UPD78F0134H GK-9ET	-A	IR60-207-3
UPD78F0134M1GB-8EU	-A	IR60-207-3
UPD78F0134M1GC-8BS	-A	IR60-207-3
UPD78F0134M1GK-9ET	-A	IR60-207-3
UPD78F0134M2GB-8EU	-A	IR60-207-3
UPD78F0134M2GC-8BS	-A	IR60-207-3
UPD78F0134M2GK-9ET	-A	IR60-207-3
UPD78F0134M3GB-8EU	-A	IR60-207-3
UPD78F0134M3GC-8BS	-A	IR60-207-3
UPD78F0134M3GK-9ET	-A	IR60-207-3
UPD78F0134M4GB-8EU	-A	IR60-207-3
UPD78F0134M4GC-8BS	-A	IR60-207-3
UPD78F0134M4GK-9ET	-A	IR60-207-3
UPD78F0134M5GB-8EU	-A	IR60-207-3
UPD78F0134M5GC-8BS	-A	IR60-207-3
UPD78F0134M5GK-9ET	-A	IR60-207-3
UPD78F0134M6GB-8EU	-A	IR60-207-3
UPD78F0134M6GC-8BS	-A	IR60-207-3
UPD78F0134M6GK-9ET	-A	IR60-207-3
UPD78F0136HGB-8EU	-A	IR60-207-3
UPD78F0136HGC-8BS	-A	IR60-207-3
UPD78F0136H GK-9ET	-A	IR60-207-3
UPD78F0138HGB-8EU	-A	IR60-207-3
UPD78F0138HGC-8BS	-A	IR60-207-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD78F0138HGK-9ET	-A	IR60-207-3
UPD78F0138M1GB-8EU	-A	IR60-207-3
UPD78F0138M1GC-8BS	-A	IR60-207-3
UPD78F0138M1GK-9ET	-A	IR60-207-3
UPD78F0138M2GB-8EU	-A	IR60-207-3
UPD78F0138M2GC-8BS	-A	IR60-207-3
UPD78F0138M2GK-9ET	-A	IR60-207-3
UPD78F0138M3GB-8EU	-A	IR60-207-3
UPD78F0138M3GC-8BS	-A	IR60-207-3
UPD78F0138M3GK-9ET	-A	IR60-207-3
UPD78F0138M4GB-8EU	-A	IR60-207-3
UPD78F0138M4GC-8BS	-A	IR60-207-3
UPD78F0138M4GK-9ET	-A	IR60-207-3
UPD78F0138M5GB-8EU	-A	IR60-207-3
UPD78F0138M5GC-8BS	-A	IR60-207-3
UPD78F0138M5GK-9ET	-A	IR60-207-3
UPD78F0138M6GB-8EU	-A	IR60-207-3
UPD78F0138M6GC-8BS	-A	IR60-207-3
UPD78F0138M6GK-9ET	-A	IR60-207-3
UPD78F0148HGC-8BT	-A	IR60-207-3
UPD78F0148HGK-9EU	-A	IR60-207-3
UPD78F0148M1GC-8BT	-A	IR60-207-3
UPD78F0148M1GK-9EU	-A	IR60-207-3
UPD78F0148M2GC-8BT	-A	IR60-207-3
UPD78F0148M2GK-9EU	-A	IR60-207-3
UPD78F0148M3GC-8BT	-A	IR60-207-3
UPD78F0148M3GK-9EU	-A	IR60-207-3
UPD78F0148M4GC-8BT	-A	IR60-207-3
UPD78F0148M4GK-9EU	-A	IR60-207-3
UPD78F0148M5GC-8BT	-A	IR60-207-3
UPD78F0148M5GK-9EU	-A	IR60-207-3
UPD78F0148M6GC-8BT	-A	IR60-207-3
UPD78F0148M6GK-9EU	-A	IR60-207-3
UPD78F0233GC-8BT	-A	IR60-207-3
UPD78F0338GC-9EB	-A	IR60-207-3
UPD78F0354GC-8EU	-A	IR60-207-3
UPD78F0354YF1-DA3	-A	IR60-203-3
UPD78F0354YGC-8EU	-A	IR60-207-3
UPD78F0361GB-UEU	-A	IR60-207-3
UPD78F0361GK-UET	-A	IR60-207-3
UPD78F0362GB-UEU	-A	IR60-207-3
UPD78F0362GK-UET	-A	IR60-207-3
UPD78F0363DGB-UEU	-A	IR60-207-3
UPD78F0363DGK-UET	-A	IR60-207-3
UPD78F0363GB-UEU	-A	IR60-207-3
UPD78F0363GK-UET	-A	IR60-207-3
UPD78F0372GC-UBT	-A	IR60-207-3
UPD78F0372GK-8EU	-A	IR60-207-3
UPD78F0373GC-UBT	-A	IR60-207-3
UPD78F0373GK-8EU	-A	IR60-207-3
UPD78F0374GC-UBT	-A	IR60-207-3
UPD78F0374GK-8EU	-A	IR60-207-3
UPD78F0375GC-UBT	-A	IR60-207-3
UPD78F0375GK-8EU	-A	IR60-207-3
UPD78F0376DGC-UBT	-A	IR60-207-3
UPD78F0376DGK-8EU	-A	IR60-207-3
UPD78F0376GC-UBT	-A	IR60-207-3
UPD78F0376GK-8EU	-A	IR60-207-3
UPD78F0382GC-UBT	-A	IR60-207-3
UPD78F0382GK-8EU	-A	IR60-207-3
UPD78F0383GC-UBT	-A	IR60-207-3
UPD78F0383GK-8EU	-A	IR60-207-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD78F0384GC-UBT	-A	IR60-207-3
UPD78F0384GK-8EU	-A	IR60-207-3
UPD78F0385GC-UBT	-A	IR60-207-3
UPD78F0385GK-8EU	-A	IR60-207-3
UPD78F0386DGC-UBT	-A	IR60-207-3
UPD78F0386DGK-8EU	-A	IR60-207-3
UPD78F0386GC-UBT	-A	IR60-207-3
UPD78F0386GK-8EU	-A	IR60-207-3
UPD78F0393GC-8EA	-A	IR60-207-3
UPD78F0394GC-8EA	-A	IR60-207-3
UPD78F0395GC-8EA	-A	IR60-207-3
UPD78F0396GC-8EA	-A	IR60-207-3
UPD78F0397GC-8EA	-A	IR60-207-3
UPD78F0400GA-GAM	-AX	IR60-107-3
UPD78F0401GA-GAM	-AX	IR60-107-3
UPD78F0402GA-GAM	-AX	IR60-107-3
UPD78F0403GA-GAM	-AX	IR60-107-3
UPD78F0410GA-GAM	-AX	IR60-107-3
UPD78F0411GA-GAM	-AX	IR60-107-3
UPD78F0412GA-GAM	-AX	IR60-107-3
UPD78F0413GA-GAM	-AX	IR60-107-3
UPD78F0420GB-GAG	-AX	IR60-107-3
UPD78F0421GB-GAG	-AX	IR60-107-3
UPD78F0422GB-GAG	-AX	IR60-107-3
UPD78F0423GB-GAG	-AX	IR60-107-3
UPD78F0430GB-GAG	-AX	IR60-107-3
UPD78F0431GB-GAG	-AX	IR60-107-3
UPD78F0432GB-GAG	-AX	IR60-107-3
UPD78F0433GB-GAG	-AX	IR60-107-3
UPD78F0441GB-GAH	-AX	IR60-107-3
UPD78F0441GK-GAJ	-AX	IR60-107-3
UPD78F0442GB-GAH	-AX	IR60-107-3
UPD78F0442GK-GAJ	-AX	IR60-107-3
UPD78F0443GB-GAH	-AX	IR60-107-3
UPD78F0443GK-GAJ	-AX	IR60-107-3
UPD78F0444GB-GAH	-AX	IR60-107-3
UPD78F0444GK-GAJ	-AX	IR60-107-3
UPD78F0445GB-GAH	-AX	IR60-107-3
UPD78F0445GK-GAJ	-AX	IR60-107-3
UPD78F0451GA-HAB	-AX	IR60-107-3
UPD78F0451GB-GAH	-AX	IR60-107-3
UPD78F0451GK-GAJ	-AX	IR60-107-3
UPD78F0452GA-HAB	-AX	IR60-107-3
UPD78F0452GB-GAH	-AX	IR60-107-3
UPD78F0452GK-GAJ	-AX	IR60-107-3
UPD78F0453GA-HAB	-AX	IR60-107-3
UPD78F0453GB-GAH	-AX	IR60-107-3
UPD78F0453GK-GAJ	-AX	IR60-107-3
UPD78F0454GA-HAB	-AX	IR60-107-3
UPD78F0454GB-GAH	-AX	IR60-107-3
UPD78F0454GK-GAJ	-AX	IR60-107-3
UPD78F0455GA-HAB	-AX	IR60-107-3
UPD78F0455GB-GAH	-AX	IR60-107-3
UPD78F0455GK-GAJ	-AX	IR60-107-3
UPD78F0461GK-GAJ	-AX	IR60-107-3
UPD78F0462GB-GAH	-AX	IR60-107-3
UPD78F0462GK-GAJ	-AX	IR60-107-3
UPD78F0463GB-GAH	-AX	IR60-107-3
UPD78F0463GK-GAJ	-AX	IR60-107-3
UPD78F0464GB-GAH	-AX	IR60-107-3
UPD78F0464GK-GAJ	-AX	IR60-107-3
UPD78F0465GB-GAH	-AX	IR60-107-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD78F0465GK-GAJ	-AX	IR60-107-3
UPD78F0471GC-GAD	-AX	IR60-107-3
UPD78F0471GK-GAK	-AX	IR60-107-3
UPD78F0472GC-GAD	-AX	IR60-107-3
UPD78F0472GK-GAK	-AX	IR60-107-3
UPD78F0473GC-GAD	-AX	IR60-107-3
UPD78F0473GK-GAK	-AX	IR60-107-3
UPD78F0474GC-GAD	-AX	IR60-107-3
UPD78F0474GK-GAK	-AX	IR60-107-3
UPD78F0475GC-GAD	-AX	IR60-107-3
UPD78F0475GK-GAK	-AX	IR60-107-3
UPD78F0481GC-GAD	-AX	IR60-107-3
UPD78F0481GK-GAK	-AX	IR60-107-3
UPD78F0482GC-GAD	-AX	IR60-107-3
UPD78F0482GK-GAK	-AX	IR60-107-3
UPD78F0483GC-GAD	-AX	IR60-107-3
UPD78F0483GK-GAK	-AX	IR60-107-3
UPD78F0484GC-GAD	-AX	IR60-107-3
UPD78F0484GK-GAK	-AX	IR60-107-3
UPD78F0485GC-GAD	-AX	IR60-107-3
UPD78F0485GK-GAK	-AX	IR60-107-3
UPD78F0491GC-GAD	-AX	IR60-107-3
UPD78F0491GK-GAK	-AX	IR60-107-3
UPD78F0492GC-GAD	-AX	IR60-107-3
UPD78F0492GK-GAK	-AX	IR60-107-3
UPD78F0493GC-GAD	-AX	IR60-107-3
UPD78F0493GK-GAK	-AX	IR60-107-3
UPD78F0494GC-GAD	-AX	IR60-107-3
UPD78F0494GK-GAK	-AX	IR60-107-3
UPD78F0495GC-GAD	-AX	IR60-107-3
UPD78F0495GK-GAK	-AX	IR60-107-3
UPD78F0500AFC-AA3	-A	IR60-207-3
UPD78F0500AMCA-CAB	-G	IR60-107-3
UPD78F0500AMC-CAB	-AX	IR60-107-3
UPD78F0500FC-AA3	-A	IR60-207-3
UPD78F0500MC(A)-CAB	-AX	IR60-207-3
UPD78F0500MC-5A4	-A	IR60-207-3
UPD78F0501AFC-AA3	-A	IR60-207-3
UPD78F0501AMCA-CAB	-G	IR60-107-3
UPD78F0501AMC-CAB	-AX	IR60-107-3
UPD78F0501FC-AA3	-A	IR60-207-3
UPD78F0501MC(A)-CAB	-AX	IR60-207-3
UPD78F0501MC-5A4	-A	IR60-207-3
UPD78F0502AFC-AA3	-A	IR60-207-3
UPD78F0502AMCA-CAB	-G	IR60-107-3
UPD78F0502AMC-CAB	-AX	IR60-107-3
UPD78F0502FC-AA3	-A	IR60-207-3
UPD78F0502MC(A)-CAB	-AX	IR60-207-3
UPD78F0502MC-5A4	-A	IR60-207-3
UPD78F0503AFC-AA3	-A	IR60-207-3
UPD78F0503AMCA-CAB	-G	IR60-107-3
UPD78F0503AMC-CAB	-AX	IR60-107-3
UPD78F0503DFC-AA3	-A	IR60-207-3
UPD78F0503DMC-5A4	-A	IR60-207-3
UPD78F0503FC-AA3	-A	IR60-207-3
UPD78F0503MC(A)-CAB	-AX	IR60-207-3
UPD78F0503MC-5A4	-A	IR60-207-3
UPD78F0504AMCA-CAB	-G	IR60-107-3
UPD78F0505AMCA-CAB	-G	IR60-107-3
UPD78F0506AMCA-CAB	-G	IR60-107-3
UPD78F0507AMCA-CAB	-G	IR60-107-3
UPD78F0511AGAA-GAM	-G	IR60-107-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD78F0511AGA-GAM	-AX	IR60-107-3
UPD78F0511AGBA-GAF	-G	IR60-107-3
UPD78F0511AGB-GAF	-AX	IR60-107-3
UPD78F0511AMC-GAA	-AX	IR60-107-3
UPD78F0511GA(A)-GAM	-AX	IR60-207-3
UPD78F0511GA-8EU	-A	IR60-207-3
UPD78F0511GB(A)-GAF	-AX	IR60-207-3
UPD78F0511GB-UES	-A	IR60-207-3
UPD78F0512AGAA-GAM	-G	IR60-107-3
UPD78F0512AGA-GAM	-AX	IR60-107-3
UPD78F0512AGBA-GAF	-G	IR60-107-3
UPD78F0512AGB-GAF	-AX	IR60-107-3
UPD78F0512AMC-GAA	-AX	IR60-107-3
UPD78F0512GA(A)-GAM	-AX	IR60-207-3
UPD78F0512GA-8EU	-A	IR60-207-3
UPD78F0512GB(A)-GAF	-AX	IR60-207-3
UPD78F0512GB-UES	-A	IR60-207-3
UPD78F0513AGAA-GAM	-G	IR60-107-3
UPD78F0513AGA-GAM	-AX	IR60-107-3
UPD78F0513AGBA-GAF	-G	IR60-107-3
UPD78F0513AGB-GAF	-AX	IR60-107-3
UPD78F0513AMC-GAA	-AX	IR60-107-3
UPD78F0513DGB-UES	-A	IR60-207-3
UPD78F0513GA(A)-GAM	-AX	IR60-207-3
UPD78F0513GA-8EU	-A	IR60-207-3
UPD78F0513GB(A)-GAF	-AX	IR60-207-3
UPD78F0513GB-UES	-A	IR60-207-3
UPD78F0514AGAA-GAM	-G	IR60-107-3
UPD78F0514AGA-GAM	-AX	IR60-107-3
UPD78F0514GA(A)-GAM	-AX	IR60-207-3
UPD78F0514GA-8EU	-A	IR60-207-3
UPD78F0515AGAA-GAM	-G	IR60-107-3
UPD78F0515AGA-GAM	-AX	IR60-107-3
UPD78F0515DGA-8EU	-A	IR60-207-3
UPD78F0515GA(A)-GAM	-AX	IR60-207-3
UPD78F0515GA-8EU	-A	IR60-207-3
UPD78F0516AGAA-GAM	-G	IR60-107-3
UPD78F0517AGAA-GAM	-G	IR60-107-3
UPD78F0521AGBA-GAG	-G	IR60-107-3
UPD78F0521GB(A)-GAG	-AX	IR60-207-3
UPD78F0521GB-UET	-A	IR60-207-3
UPD78F0522AGBA-GAG	-G	IR60-107-3
UPD78F0522GB(A)-GAG	-AX	IR60-207-3
UPD78F0522GB-UET	-A	IR60-207-3
UPD78F0523AGBA-GAG	-G	IR60-107-3
UPD78F0523GB(A)-GAG	-AX	IR60-207-3
UPD78F0523GB-UET	-A	IR60-207-3
UPD78F0524AGBA-GAG	-G	IR60-107-3
UPD78F0524AGB-GAG	-AX	IR60-107-3
UPD78F0524GB(A)-GAG	-AX	IR60-207-3
UPD78F0524GB-UET	-A	IR60-207-3
UPD78F0525AGBA-GAG	-G	IR60-107-3
UPD78F0525AGB-GAG	-AX	IR60-107-3
UPD78F0525GB(A)-GAG	-AX	IR60-207-3
UPD78F0525GB-UET	-A	IR60-207-3
UPD78F0526AGBA-GAG	-G	IR60-107-3
UPD78F0526AGB-GAG	-AX	IR60-107-3
UPD78F0526GB(A)-GAG	-AX	IR60-207-3
UPD78F0526GB-UET	-A	IR60-207-3
UPD78F0527AGBA-GAG	-G	IR60-107-3
UPD78F0527AGB-GAG	-AX	IR60-107-3
UPD78F0527DGB-UET	-A	IR60-207-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD78F0527GB(A)-GAG	-AX	IR60-207-3
UPD78F0527GB-UET	-A	IR60-207-3
UPD78F0531AFC-AA1	-A	IR60-107-3
UPD78F0531AGA-HAB	-AX	IR60-107-3
UPD78F0531AGBA-GAH	-G	IR60-107-3
UPD78F0531AGB-GAH	-AX	IR60-107-3
UPD78F0531AGCA-GAL	-G	IR60-107-3
UPD78F0531AGC-GAL	-AX	IR60-107-3
UPD78F0531AGKA-GAJ	-G	IR60-107-3
UPD78F0531AGK-GAJ	-AX	IR60-107-3
UPD78F0531FCA1	-A	IR60-207-3
UPD78F0531GA-9EV	-A	IR60-207-3
UPD78F0531GB(A)-GAH	-AX	IR60-207-3
UPD78F0531GB-UEU	-A	IR60-207-3
UPD78F0531GC(A)-GAL	-AX	IR60-207-3
UPD78F0531GC-UBS	-A	IR60-207-3
UPD78F0531GK(A)-GAJ	-AX	IR60-207-3
UPD78F0531GK-UET	-A	IR60-207-3
UPD78F0532AFC-AA1	-A	IR60-107-3
UPD78F0532AGA-HAB	-AX	IR60-107-3
UPD78F0532AGBA-GAH	-G	IR60-107-3
UPD78F0532AGB-GAH	-AX	IR60-107-3
UPD78F0532AGCA-GAL	-G	IR60-107-3
UPD78F0532AGC-GAL	-AX	IR60-107-3
UPD78F0532AGKA-GAJ	-G	IR60-107-3
UPD78F0532AGK-GAJ	-AX	IR60-107-3
UPD78F0532FCA1	-A	IR60-207-3
UPD78F0532GA-9EV	-A	IR60-207-3
UPD78F0532GB(A)-GAH	-AX	IR60-207-3
UPD78F0532GB-UEU	-A	IR60-207-3
UPD78F0532GC(A)-GAL	-AX	IR60-207-3
UPD78F0532GC-UBS	-A	IR60-207-3
UPD78F0532GK(A)-GAJ	-AX	IR60-207-3
UPD78F0532GK-UET	-A	IR60-207-3
UPD78F0533AFC-AA1	-A	IR60-107-3
UPD78F0533AGA-HAB	-AX	IR60-107-3
UPD78F0533AGBA-GAH	-G	IR60-107-3
UPD78F0533AGB-GAH	-AX	IR60-107-3
UPD78F0533AGCA-GAL	-G	IR60-107-3
UPD78F0533AGC-GAL	-AX	IR60-107-3
UPD78F0533AGKA-GAJ	-G	IR60-107-3
UPD78F0533AGK-GAJ	-AX	IR60-107-3
UPD78F0533FC-AA1	-A	IR60-207-3
UPD78F0533GA-9EV	-A	IR60-207-3
UPD78F0533GB(A)-GAH	-AX	IR60-207-3
UPD78F0533GB-UEU	-A	IR60-207-3
UPD78F0533GC(A)-GAL	-AX	IR60-207-3
UPD78F0533GC-UBS	-A	IR60-207-3
UPD78F0533GK(A)-GAJ	-AX	IR60-207-3
UPD78F0533GK-UET	-A	IR60-207-3
UPD78F0534AFC-AA1	-A	IR60-107-3
UPD78F0534AGA-HAB	-AX	IR60-107-3
UPD78F0534AGBA-GAH	-G	IR60-107-3
UPD78F0534AGB-GAH	-AX	IR60-107-3
UPD78F0534AGCA-GAL	-G	IR60-107-3
UPD78F0534AGC-GAL	-AX	IR60-107-3
UPD78F0534AGKA-GAJ	-G	IR60-107-3
UPD78F0534AGK-GAJ	-AX	IR60-107-3
UPD78F0534FC-AA1	-A	IR60-207-3
UPD78F0534GA-9EV	-A	IR60-207-3
UPD78F0534GB(A)-GAH	-AX	IR60-207-3
UPD78F0534GB-UEU	-A	IR60-207-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD78F0534GC(A)-GAL	-AX	IR60-207-3
UPD78F0534GC-UBS	-A	IR60-207-3
UPD78F0534GK(A)-GAJ	-AX	IR60-207-3
UPD78F0534GK-UET	-A	IR60-207-3
UPD78F0535AFC-AA1	-A	IR60-107-3
UPD78F0535AGA-HAB	-AX	IR60-107-3
UPD78F0535AGBA-GAH	-G	IR60-107-3
UPD78F0535AGB-GAH	-AX	IR60-107-3
UPD78F0535AGCA-GAL	-G	IR60-107-3
UPD78F0535AGC-GAL	-AX	IR60-107-3
UPD78F0535AGKA-GAJ	-G	IR60-107-3
UPD78F0535AGK-GAJ	-AX	IR60-107-3
UPD78F0535FC-AA1	-A	IR60-207-3
UPD78F0535GA-9EV	-A	IR60-207-3
UPD78F0535GB(A)-GAH	-AX	IR60-207-3
UPD78F0535GB-UEU	-A	IR60-207-3
UPD78F0535GC(A)-GAL	-AX	IR60-207-3
UPD78F0535GC-UBS	-A	IR60-207-3
UPD78F0535GK(A)-GAJ	-AX	IR60-207-3
UPD78F0535GK-UET	-A	IR60-207-3
UPD78F0536AFC-AA1	-A	IR60-107-3
UPD78F0536AGA-HAB	-AX	IR60-107-3
UPD78F0536AGBA-GAH	-G	IR60-107-3
UPD78F0536AGB-GAH	-AX	IR60-107-3
UPD78F0536AGCA-GAL	-G	IR60-107-3
UPD78F0536AGC-GAL	-AX	IR60-107-3
UPD78F0536AGKA-GAJ	-G	IR60-107-3
UPD78F0536AGK-GAJ	-AX	IR60-107-3
UPD78F0536FC-AA1	-A	IR60-207-3
UPD78F0536GA-9EV	-A	IR60-207-3
UPD78F0536GB(A)-GAH	-AX	IR60-207-3
UPD78F0536GB-UEU	-A	IR60-207-3
UPD78F0536GC(A)-GAL	-AX	IR60-207-3
UPD78F0536GC-UBS	-A	IR60-207-3
UPD78F0536GK(A)-GAJ	-AX	IR60-207-3
UPD78F0536GK-UET	-A	IR60-207-3
UPD78F0537AFC-AA1	-A	IR60-107-3
UPD78F0537AGA-HAB	-AX	IR60-107-3
UPD78F0537AGBA-GAH	-G	IR60-107-3
UPD78F0537AGB-GAH	-AX	IR60-107-3
UPD78F0537AGCA-GAL	-G	IR60-107-3
UPD78F0537AGC-GAL	-AX	IR60-107-3
UPD78F0537AGKA-GAJ	-G	IR60-107-3
UPD78F0537AGK-GAJ	-AX	IR60-107-3
UPD78F0537DFC-AA1	-A	IR60-207-3
UPD78F0537DGA-9EV	-A	IR60-207-3
UPD78F0537DGB-UEU	-A	IR60-207-3
UPD78F0537DGC-UBS	-A	IR60-207-3
UPD78F0537DGK-UET	-A	IR60-207-3
UPD78F0537FC-AA1	-A	IR60-207-3
UPD78F0537GA-9EV	-A	IR60-207-3
UPD78F0537GB(A)-GAH	-AX	IR60-207-3
UPD78F0537GB-UEU	-A	IR60-207-3
UPD78F0537GC(A)-GAL	-AX	IR60-207-3
UPD78F0537GC-UBS	-A	IR60-207-3
UPD78F0537GK(A)-GAJ	-AX	IR60-207-3
UPD78F0537GK-UET	-A	IR60-207-3
UPD78F0544AGCA-GAD	-G	IR60-107-3
UPD78F0544AGC-GAD	-AX	IR60-107-3
UPD78F0544AGKA-GAK	-G	IR60-107-3
UPD78F0544AGK-GAK	-AX	IR60-107-3
UPD78F0544GC(A)-GAD	-AX	IR60-207-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD78F0544GC-UBT	-A	IR60-207-3
UPD78F0544GK(A)-GAK	-AX	IR60-207-3
UPD78F0544GK-8EU	-A	IR60-207-3
UPD78F0545AGCA-GAD	-G	IR60-107-3
UPD78F0545AGC-GAD	-AX	IR60-107-3
UPD78F0545AGKA-GAK	-G	IR60-107-3
UPD78F0545AGK-GAK	-AX	IR60-107-3
UPD78F0545GC(A)-GAD	-AX	IR60-207-3
UPD78F0545GC-UBT	-A	IR60-207-3
UPD78F0545GK(A)-GAK	-AX	IR60-207-3
UPD78F0545GK-8EU	-A	IR60-207-3
UPD78F0546AGCA-GAD	-G	IR60-107-3
UPD78F0546AGC-GAD	-AX	IR60-107-3
UPD78F0546AGKA-GAK	-G	IR60-107-3
UPD78F0546AGK-GAK	-AX	IR60-107-3
UPD78F0546GC(A)-GAD	-AX	IR60-207-3
UPD78F0546GC-UBT	-A	IR60-207-3
UPD78F0546GK(A)-GAK	-AX	IR60-207-3
UPD78F0546GK-8EU	-A	IR60-207-3
UPD78F0547AGCA-GAD	-G	IR60-107-3
UPD78F0547AGC-GAD	-AX	IR60-107-3
UPD78F0547AGKA-GAK	-G	IR60-107-3
UPD78F0547AGK-GAK	-AX	IR60-107-3
UPD78F0547DGC-UBT	-A	IR60-207-3
UPD78F0547DGK-8EU	-A	IR60-207-3
UPD78F0547GC(A)-GAD	-AX	IR60-207-3
UPD78F0547GC-UBT	-A	IR60-207-3
UPD78F0547GK(A)-GAK	-AX	IR60-207-3
UPD78F0547GK-8EU	-A	IR60-207-3
UPD78F0550MA-FAA	-AX	IR60-107-3
UPD78F0551MA-FAA	-AX	IR60-107-3
UPD78F0552MA-FAA	-AX	IR60-107-3
UPD78F0555MA-FAA	-AX	IR60-107-3
UPD78F0556MA-FAA	-AX	IR60-107-3
UPD78F0557MA-FAA	-AX	IR60-107-3
UPD78F0560MC-CAA	-AX	IR60-107-3
UPD78F0561MC-CAA	-AX	IR60-107-3
UPD78F0562MC-CAA	-AX	IR60-107-3
UPD78F0565MC-CAA	-AX	IR60-107-3
UPD78F0566MC-CAA	-AX	IR60-107-3
UPD78F0567MC-CAA	-AX	IR60-107-3
UPD78F0572MC-CAB	-AX	IR60-107-3
UPD78F0573MC-CAB	-AX	IR60-107-3
UPD78F0576MC-CAB	-AX	IR60-107-3
UPD78F0577MC-CAB	-AX	IR60-107-3
UPD78F0578MC-CAB	-AX	IR60-107-3
UPD78F0581GA-GAM	-AX	IR60-107-3
UPD78F0581GB-GAF	-AX	IR60-107-3
UPD78F0582GA-GAM	-AX	IR60-107-3
UPD78F0582GB-GAF	-AX	IR60-107-3
UPD78F0583GA-GAM	-AX	IR60-107-3
UPD78F0583GB-GAF	-AX	IR60-107-3
UPD78F0586GA-GAM	-AX	IR60-107-3
UPD78F0586GB-GAF	-AX	IR60-107-3
UPD78F0587GA-GAM	-AX	IR60-107-3
UPD78F0587GB-GAF	-AX	IR60-107-3
UPD78F0588GA-GAM	-AX	IR60-107-3
UPD78F0588GB-GAF	-AX	IR60-107-3
UPD78F0701YGC-8BT	-A	IR60-207-3
UPD78F0703YGC-8BT	-A	IR60-207-3
UPD78F0714GK-9ET	-A	IR60-207-3
UPD78F0730MC-CAB	-AX	IR60-107-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD78F0740MA-FAA	-AX	IR60-107-3
UPD78F0741MA-FAA	-AX	IR60-107-3
UPD78F0742MA-FAA	-AX	IR60-107-3
UPD78F0743MC-CAA	-AX	IR60-107-3
UPD78F0744MC-CAA	-AX	IR60-107-3
UPD78F0745MC-CAB	-AX	IR60-107-3
UPD78F0746MC-CAB	-AX	IR60-107-3
UPD78F0750MA-FAA	-AX	IR60-107-3
UPD78F0751MA-FAA	-AX	IR60-107-3
UPD78F0752MA-FAA	-AX	IR60-107-3
UPD78F0753MC-CAA	-AX	IR60-107-3
UPD78F0754MC-CAA	-AX	IR60-107-3
UPD78F0755MC-CAB	-AX	IR60-107-3
UPD78F0756MC-CAB	-AX	IR60-107-3
UPD78F0818AGK-9ET	-A	IR60-207-3
UPD78F0818GK-9ET	-A	IR60-207-3
UPD78F0828BGC-8BT	-A	IR60-207-3
UPD78F0833YGC-8BT	-A	IR60-207-3
UPD78F0862AMC-5A4	-A	IR60-207-3
UPD78F0862MC-5A4	-A	IR60-207-3
UPD78F0881AGBA-GAF	-G	IR60-107-3
UPD78F0881GB(A)-GAF	-AX	IR60-207-3
UPD78F0882AGBA-GAF	-G	IR60-107-3
UPD78F0882GB(A)-GAF	-AX	IR60-207-3
UPD78F0883AGBA-GAF	-G	IR60-107-3
UPD78F0883GB(A)-GAF	-AX	IR60-207-3
UPD78F0884AGAA-GAM	-G	IR60-107-3
UPD78F0884GA(A)-GAM	-AX	IR60-207-3
UPD78F0885AGAA-GAM	-G	IR60-107-3
UPD78F0885GA(A)-GAM	-AX	IR60-207-3
UPD78F0886AGAA-GAM	-G	IR60-107-3
UPD78F0886GA(A)-GAM	-AX	IR60-207-3
UPD78F0887AGBA-GAH	-G	IR60-107-3
UPD78F0887AGKA-GAJ	-G	IR60-107-3
UPD78F0887GB(A)-GAH	-AX	IR60-207-3
UPD78F0887GK(A)-GAJ	-AX	IR60-207-3
UPD78F0888AGBA-GAH	-G	IR60-107-3
UPD78F0888AGKA-GAJ	-G	IR60-107-3
UPD78F0888GB(A)-GAH	-AX	IR60-207-3
UPD78F0888GK(A)-GAJ	-AX	IR60-207-3
UPD78F0889AGBA-GAH	-G	IR60-107-3
UPD78F0889AGKA-GAJ	-G	IR60-107-3
UPD78F0889GB(A)-GAH	-AX	IR60-207-3
UPD78F0889GK(A)-GAJ	-AX	IR60-207-3
UPD78F0890AGBA-GAH	-G	IR60-107-3
UPD78F0890AGKA-GAJ	-G	IR60-107-3
UPD78F0890GB(A)-GAH	-AX	IR60-207-3
UPD78F0890GK(A)-GAJ	-AX	IR60-207-3
UPD78F0891AGCA-GAD	-G	IR60-107-3
UPD78F0891AGKA-GAK	-G	IR60-107-3
UPD78F0891GC(A)-GAD	-AX	IR60-207-3
UPD78F0891GK(A)-GAK	-AX	IR60-207-3
UPD78F0892AGCA-GAD	-G	IR60-107-3
UPD78F0892AGKA-GAK	-G	IR60-107-3
UPD78F0892GC(A)-GAD	-AX	IR60-207-3
UPD78F0892GK(A)-GAK	-AX	IR60-207-3
UPD78F0893AGCA-GAD	-G	IR60-107-3
UPD78F0893AGKA-GAK	-G	IR60-107-3
UPD78F0893GC(A)-GAD	-AX	IR60-207-3
UPD78F0893GK(A)-GAK	-AX	IR60-207-3
UPD78F0894AGAA-GAM	-G	IR60-107-3
UPD78F0895AGAA-GAM	-G	IR60-107-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD78F0948GF-3BA	-A	IR60-203-3
UPD78F0988AGC-8BS	-A	IR60-207-3
UPD78F0988AGC-AB8	-A	IR60-203-3
UPD78F0988GC-AB8	-A	IR60-203-3
UPD78F1000GB-GAF	-AX	IR60-107-3
UPD78F1001GA-HAA	-AX	IR60-107-3
UPD78F1001GB-GAF	-AX	IR60-107-3
UPD78F1002GA-HAA	-AX	IR60-107-3
UPD78F1002GB-GAF	-AX	IR60-107-3
UPD78F1003GA-HAA	-AX	IR60-107-3
UPD78F1003GB-GAF	-AX	IR60-107-3
UPD78F1004GB-GAG	-AX	IR60-107-3
UPD78F1005GB-GAG	-AX	IR60-107-3
UPD78F1006GB-GAG	-AX	IR60-107-3
UPD78F1007F1-AN1	-A	IR60-107-3
UPD78F1007GA-HAB	-AX	IR60-107-3
UPD78F1007GB-GAH	-AX	IR60-107-3
UPD78F1007GK-GAJ	-AX	IR60-107-3
UPD78F1008F1-AN1	-A	IR60-107-3
UPD78F1008GA-HAB	-AX	IR60-107-3
UPD78F1008GB-GAH	-AX	IR60-107-3
UPD78F1008GK-GAJ	-AX	IR60-107-3
UPD78F1009F1-AN1	-A	IR60-107-3
UPD78F1009GA-HAB	-AX	IR60-107-3
UPD78F1009GB-GAH	-AX	IR60-107-3
UPD78F1009GK-GAJ	-AX	IR60-107-3
UPD78F1010GC-GAD	-AX	IR60-107-3
UPD78F1010GK-GAK	-AX	IR60-107-3
UPD78F1011GC-GAD	-AX	IR60-107-3
UPD78F1011GK-GAK	-AX	IR60-107-3
UPD78F1012GC-GAD	-AX	IR60-107-3
UPD78F1012GK-GAK	-AX	IR60-107-3
UPD78F1013GC-UEU	-AX	IR60-107-3
UPD78F1013GF-GAS	-AX	IR60-107-3
UPD78F1014GC-UEU	-AX	IR60-107-3
UPD78F1014GF-GAS	-AX	IR60-107-3
UPD78F1142AF1-AN1-A	-A	IR60-107-3
UPD78F1142AF1-BA4-A	-A	IR60-107-3
UPD78F1142AGA-HAB	-AX	IR60-107-3
UPD78F1142AGB-GAB	-AX	IR60-107-3
UPD78F1142AGK-GAJ	-AX	IR60-107-3
UPD78F1142GB-GAH	-AX	IR60-107-3
UPD78F1142GK-GAJ	-AX	IR60-107-3
UPD78F1143AF1-AN1-A	-A	IR60-107-3
UPD78F1143AF1-BA4-A	-A	IR60-107-3
UPD78F1143AGA-HAB	-AX	IR60-107-3
UPD78F1143AGB-GAB	-AX	IR60-107-3
UPD78F1143AGK-GAJ	-AX	IR60-107-3
UPD78F1143GB-GAH	-AX	IR60-107-3
UPD78F1143GK-GAJ	-AX	IR60-107-3
UPD78F1144AF1-AN1-A	-A	IR60-107-3
UPD78F1144AF1-BA4-A	-A	IR60-107-3
UPD78F1144AGA-HAB	-AX	IR60-107-3
UPD78F1144AGB-GAB	-AX	IR60-107-3
UPD78F1144AGK-GAJ	-AX	IR60-107-3
UPD78F1144GB-GAH	-AX	IR60-107-3
UPD78F1144GK-GAJ	-AX	IR60-107-3
UPD78F1145AF1-AN1-A	-A	IR60-107-3
UPD78F1145AF1-BA4-A	-A	IR60-107-3
UPD78F1145AGA-HAB	-AX	IR60-107-3
UPD78F1145AGB-GAB	-AX	IR60-107-3
UPD78F1145AGK-GAJ	-AX	IR60-107-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD78F1145GB-GAH	-AX	IR60-107-3
UPD78F1145GK-GAJ	-AX	IR60-107-3
UPD78F1146AF1-AN1-A	-A	IR60-107-3
UPD78F1146AF1-BA4-A	-A	IR60-107-3
UPD78F1146AGA-HAB	-AX	IR60-107-3
UPD78F1146AGB-GAB	-AX	IR60-107-3
UPD78F1146AGK-GAJ	-AX	IR60-107-3
UPD78F1146GB-GAH	-AX	IR60-107-3
UPD78F1146GK-GAJ	-AX	IR60-107-3
UPD78F1152AGC-GAD	-AX	IR60-107-3
UPD78F1152AGK-GAK	-AX	IR60-107-3
UPD78F1152GC-GAD	-AX	IR60-107-3
UPD78F1152GK-GAK	-AX	IR60-107-3
UPD78F1153AGC-GAD	-AX	IR60-107-3
UPD78F1153AGK-GAK	-AX	IR60-107-3
UPD78F1153GC-GAD	-AX	IR60-107-3
UPD78F1153GK-GAK	-AX	IR60-107-3
UPD78F1154AGC-GAD	-AX	IR60-107-3
UPD78F1154AGK-GAK	-AX	IR60-107-3
UPD78F1154GC-GAD	-AX	IR60-107-3
UPD78F1154GK-GAK	-AX	IR60-107-3
UPD78F1155AGC-GAD	-AX	IR60-107-3
UPD78F1155AGK-GAK	-AX	IR60-107-3
UPD78F1155GC-GAD	-AX	IR60-107-3
UPD78F1155GK-GAK	-AX	IR60-107-3
UPD78F1156AGC-GAD	-AX	IR60-107-3
UPD78F1156AGK-GAK	-AX	IR60-107-3
UPD78F1156GC-GAD	-AX	IR60-107-3
UPD78F1156GK-GAK	-AX	IR60-107-3
UPD78F1162AGC-UEU	-AX	IR60-107-3
UPD78F1162AGF-GAS	-AX	IR60-107-3
UPD78F1162GC-UEU	-AX	IR60-107-3
UPD78F1162GF-GAS	-AX	IR60-107-3
UPD78F1163AGC-UEU	-AX	IR60-107-3
UPD78F1163AGF-GAS	-AX	IR60-107-3
UPD78F1163GC-UEU	-AX	IR60-107-3
UPD78F1163GF-GAS	-AX	IR60-107-3
UPD78F1164AGC-UEU	-AX	IR60-107-3
UPD78F1164AGF-GAS	-AX	IR60-107-3
UPD78F1164GC-UEU	-AX	IR60-107-3
UPD78F1164GF-GAS	-AX	IR60-107-3
UPD78F1165AGC-UEU	-AX	IR60-107-3
UPD78F1165AGF-GAS	-AX	IR60-107-3
UPD78F1165GC-UEU	-AX	IR60-107-3
UPD78F1165GF-GAS	-AX	IR60-107-3
UPD78F1166AGC-UEU	-AX	IR60-107-3
UPD78F1166AGF-GAS	-AX	IR60-107-3
UPD78F1166GC-UEU	-AX	IR60-107-3
UPD78F1166GF-GAS	-AX	IR60-107-3
UPD78F1167AGC-UEU	-AX	IR60-107-3
UPD78F1167AGF-GAS	-AX	IR60-107-3
UPD78F1167GC-UEU	-AX	IR60-107-3
UPD78F1167GF-GAS	-AX	IR60-107-3
UPD78F1168AGC-UEU	-AX	IR60-107-3
UPD78F1168AGF-GAS	-AX	IR60-107-3
UPD78F1168GC-UEU	-AX	IR60-107-3
UPD78F1168GF-GAS	-AX	IR60-107-3
UPD78F1174AGF-GAT	-AX	IR60-107-3
UPD78F1174GF-GAT	-AX	IR60-107-3
UPD78F1175AGF-GAT	-AX	IR60-107-3
UPD78F1175GF-GAT	-AX	IR60-107-3
UPD78F1176AGF-GAT	-AX	IR60-107-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD78F1176GF-GAT	-AX	IR60-107-3
UPD78F1177AGF-GAT	-AX	IR60-107-3
UPD78F1177GF-GAT	-AX	IR60-107-3
UPD78F1178AGF-GAT	-AX	IR60-107-3
UPD78F1178GF-GAT	-AX	IR60-107-3
UPD78F1184AGJ-GAE	-AX	IR60-107-3
UPD78F1185AGJ-GAE	-AX	IR60-107-3
UPD78F1186AGJ-GAE	-AX	IR60-107-3
UPD78F1187AGJ-GAE	-AX	IR60-107-3
UPD78F1188AGJ-GAE	-AX	IR60-107-3
UPD78F1201MC-CAB	-AX	IR60-107-3
UPD78F1203MC-CAB	-AX	IR60-107-3
UPD78F1211GB-GAF	-AX	IR60-107-3
UPD78F1211MC-GAA	-AX	IR60-107-3
UPD78F1213GA-HAA	-AX	IR60-107-3
UPD78F1213GB-GAF	-AX	IR60-107-3
UPD78F1213MC-GAA	-AX	IR60-107-3
UPD78F1214GA-HAA	-AX	IR60-107-3
UPD78F1215GA-HAA	-AX	IR60-107-3
UPD78F1223GB-GAG	-AX	IR60-107-3
UPD78F1224GB-GAG	-AX	IR60-107-3
UPD78F1225GB-GAG	-AX	IR60-107-3
UPD78F1233GB-GAH	-AX	IR60-107-3
UPD78F1233GK-GAJ	-AX	IR60-107-3
UPD78F1234GB-GAH	-AX	IR60-107-3
UPD78F1234GK-GAJ	-AX	IR60-107-3
UPD78F1235GB-GAH	-AX	IR60-107-3
UPD78F1235GK-GAJ	-AX	IR60-107-3
UPD78F1816GAA-GAM	-G	IR60-107-3
UPD78F1817GAA-GAM	-G	IR60-107-3
UPD78F1821GBA-GAH	-G	IR60-107-3
UPD78F1822GBA-GAH	-G	IR60-107-3
UPD78F1823GKA-GAK	-G	IR60-107-3
UPD78F1824GKA-GAK	-G	IR60-107-3
UPD78F1825GKA-GAK	-G	IR60-107-3
UPD78F1826GAA-GAM	-G	IR60-107-3
UPD78F1827GAA-GAM	-G	IR60-107-3
UPD78F1828GAA-GAM	-G	IR60-107-3
UPD78F1829GAA-GAM	-G	IR60-107-3
UPD78F1830GAA-GAM	-G	IR60-107-3
UPD78F1831GBA-GAH	-G	IR60-107-3
UPD78F1832GBA-GAH	-G	IR60-107-3
UPD78F1833GBA-GAH	-G	IR60-107-3
UPD78F1834GBA-GAH	-G	IR60-107-3
UPD78F1835GBA-GAH	-G	IR60-107-3
UPD78F1836GKA-GAK	-G	IR60-107-3
UPD78F1837GKA-GAK	-G	IR60-107-3
UPD78F1838GKA-GAK	-G	IR60-107-3
UPD78F1839GKA-GAK	-G	IR60-107-3
UPD78F1840GKA-GAK	-G	IR60-107-3
UPD78F1841GCA-UEU	-G	IR60-107-3
UPD78F1842GCA-UEU	-G	IR60-107-3
UPD78F1843GCA-UEU	-G	IR60-107-3
UPD78F1844GCA-UEU	-G	IR60-107-3
UPD78F1845GCA-UEU	-G	IR60-107-3
UPD78F4046GC-3B9	-A	IR60-363-3
UPD78F4216AGC-8EU	-A	IR60-207-3
UPD78F4216AGF-3BA	-A	IR60-203-3
UPD78F4216AYGC-8EU	-A	IR60-207-3
UPD78F4216AYGF-3BA	-A	IR60-203-3
UPD78F4218AGC-8EU	-A	IR60-207-3
UPD78F4218AGF-3BA	-A	IR60-203-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD78F4218AYGC-8EU	-A	IR60-207-3
UPD78F4218AYGF-3BA	-A	IR60-203-3
UPD78F4225GC-8BT	-A	IR60-207-3
UPD78F4225GK-9EU	-A	IR60-207-3
UPD78F4225YGC-8BT	-A	IR60-207-3
UPD78F4225YGK-9EU	-A	IR60-207-3
UPD78F4928GF-3BA	-A	IR60-203-3
UPD78F4928YGF-3BA	-A	IR60-203-3
UPD78F4938AGF-3BA	-A	IR60-203-3
UPD78F4956AGC-8BT	-A	IR60-207-3
UPD78F4976AGF-3BA	-A	IR60-203-3
UPD78F9026AGB-8ES	-A	IR60-207-3
UPD78F9046GB-8ES	-A	IR60-207-3
UPD78F9076MC-5A4	-A	IR60-207-3
UPD78F9088M1MC-5A4	-A	IR60-207-3
UPD78F9116AMC-5A4	-A	IR60-207-3
UPD78F9116BMC-5A4	-A	IR60-207-3
UPD78F9136AMC-5A4	-A	IR60-207-3
UPD78F9136BMC-5A4	-A	IR60-207-3
UPD78F9177AGB-8ES	-A	IR60-207-3
UPD78F9177AYGB-8ES	-A	IR60-207-3
UPD78F9177GB-8ES	-A	IR60-207-3
UPD78F9177YGA-9EU	-A	IR60-207-3
UPD78F9177YGB-8ES	-A	IR60-207-3
UPD78F9200MA-CAC	-A	IR60-207-3
UPD78F9201MA-CAC	-A	IR60-207-3
UPD78F9202MA-CAC	-A	IR60-207-3
UPD78F9210FH-2A2	-A	IR60-00-3
UPD78F9210GR(A)-JJG	-A	IR60-207-3
UPD78F9210GR-JJG	-A	IR60-207-3
UPD78F9211FH-2A2	-A	IR60-00-3
UPD78F9211GR(A)-JJG	-A	IR60-207-3
UPD78F9211GR-JJG	-A	IR60-207-3
UPD78F9212FH-2A2	-A	IR60-00-3
UPD78F9212GR(A)-JJG	-A	IR60-207-3
UPD78F9212GR-JJG	-A	IR60-207-3
UPD78F9221MC(A)-5A4	-A	IR60-207-3
UPD78F9221MC(A)-CAA	-AX	IR60-107-3
UPD78F9221MC-5A4	-A	IR60-207-3
UPD78F9222MC(A)-5A4	-A	IR60-207-3
UPD78F9222MC(A)-CAA	-AX	IR60-107-3
UPD78F9222MC-5A4	-A	IR60-207-3
UPD78F9232MC(A)-5A4	-A	IR60-207-3
UPD78F9232MC(A)-CAB	-AX	IR60-107-3
UPD78F9232MC-5A4	-A	IR60-207-3
UPD78F9234MC(A)-5A4	-A	IR60-207-3
UPD78F9234MC(A)-CAB	-AX	IR60-107-3
UPD78F9234MC-5A4	-A	IR60-207-3
UPD78F9306GC-8BS	-A	IR60-207-3
UPD78F9306GK-9ET	-A	IR60-207-3
UPD78F9316GC-8BS	-A	IR60-207-3
UPD78F9316GK-9ET	-A	IR60-207-3
UPD78F9328GB-8ET	-A	IR60-207-3
UPD78F9418AGC-8BT	-A	IR60-207-3
UPD78F9418AGK-9EU	-A	IR60-207-3
UPD78F9436GB-8EU	-A	IR60-207-3
UPD78F9436GK-9ET	-A	IR60-207-3
UPD78F9456GB-8EU	-A	IR60-207-3
UPD78F9456GK-9ET	-A	IR60-207-3
UPD78F9468GB-8ET	-A	IR60-207-3
UPD78F9478GC-8BT	-A	IR60-207-3
UPD78F9478GK-9EU	-A	IR60-207-3

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD78F9479GC-8BT	-A	IR60-207-3
UPD78F9479GK-9EU	-A	IR60-207-3
UPD78F9488GC-8BT	-A	IR60-207-3
UPD78F9488GK-9EU	-A	IR60-207-3
UPD78F9489GC-8BT	-A	IR60-207-3
UPD78F9489GK-9EU	-A	IR60-207-3
UPD78F9510GR-JJG	-A	IR60-207-3
UPD78F9511GR-JJG	-A	IR60-207-3
UPD78F9512GR-JJG	-A	IR60-207-3
UPD78F9801GB-8ES	-A	IR60-207-3
UPD78F9831GC-8EU	-A	IR60-207-3
UPD78F9835GJ-UEN	-A	IR60-203-3
UPD78F9842GB-8ES	-A	IR60-207-3
UPD78F9850AMC-5A4	-A	IR60-207-3
UPD78F9852GB-8ES	-A	IR60-207-3
UPD78F9882GB-8EU	-A	IR60-207-3
UPD78P0208GF-3BA	-A	IR60-203-3
UPD78P0308GC-8EU	-A	IR60-207-3
UPD78P0308GF-3BA	-A	IR60-203-3
UPD78P0308YGC-8EU	-A	IR60-207-3
UPD78P0308YGF-3BA	-A	IR60-203-3
UPD78P048AGF-3B9	-A	IR60-203-3
UPD78P054GK-BE9	-A	IR60-107-3
UPD78P058FGC-8BT	-A	IR60-207-3
UPD78P058GC-8BT	-A	IR60-207-3
UPD78P058YGC-8BT	-A	IR60-207-3
UPD78P064BGC-8EU	-A	IR60-207-3
UPD78P064BGF-3BA	-A	IR60-203-3
UPD78P064GC-8EU	-A	IR60-207-3
UPD78P064GF-3BA	-A	IR60-203-3
UPD78P078GC-8EU	-A	IR60-207-3
UPD78P078GF-3BA	-A	IR60-203-3
UPD78P078YGF-3BA	-A	IR60-203-3
UPD78P083GB-3BS-MTX	-A	IR60-207-3
UPD78P098AGC-8BT	-A	IR60-207-3
UPD78P098BGC-8BT	-A	IR60-207-3
UPD78P214GC-AB8	-A	IR60-203-3
UPD78P218AGC-AB8	-A	IR60-203-3
UPD78P238GC-3B9	-A	IR60-207-3
UPD78P4038GC-8BT	-A	IR60-207-3
UPD78P4038GK-9EU	-A	IR60-207-3
UPD78P4038YGC-8BT	-A	IR60-207-3
UPD78P4038YGK-9EU	-A	IR60-207-3
UPD8670ACY	-A	P350
UPD8670CY	-A	P350
UPD8821CZ	-A	P380
UPD8826D	-AZ	P300
UPD8827ACZ	-A	P380
UPD8827BCZ	-A	P380
UPD8828AD	-A,-AZ	P380
UPD8830CU	-A	P380
UPD8831BCT-FAA	-A	P380
UPD8831BCT-FAB	-A	P380
UPD8831D	-A	P300
UPD8833D	-A	P380
UPD8834ACT-FAA	-A	P380
UPD8834ACT-FAB	-A	P380
UPD8834AD	-A	P300
UPD8835CU	-A	P380
UPD8861CY	-A	P300
UPD8871CY	-A	P300
UPD8872CY	-A	P300
UPD8873CY	-A	P300

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPD8874CY	-A	P380
UPD8875ACY	-A	P380
UPD8875CY	-A	P380
UPD8880CY	-A	P300
UPD8882CY	-A	P300
UPD8884ACY	-A	P300
UPD8891CY	-A	P300
UPD8894CY	-A	P300
UPD98401AGD-MML	-A	IR50-207-3
UPD98404GJ-KEU	-A	IR60-207-3
UPD98405S1-6C	-A	IR50-107-3
UPD98408GD-LML	-A	IR50-207-3
UPD98409GN-LMU	-A	IR50-207-3
UPD98412N7-H6	-A	IR60-107-3
UPD98501N7-F6	-A	IR60-107-3
UPD98502N7-H6	-A	IR60-107-3
UPD9971F9	-A	IR60-107-2
UPD9972F1	-A	IR60-107-2
UPD99910F9	-A	IR60-107-2
UPD99911F9	-A	IR60-107-2
UPD99913F9	-A	IR60-107-2
UPD99914F9	-A	IR60-107-2
UPD99920F9	-A	IR60-107-2
UPD9993AF1	-A	IR60-107-2
UPD9993AF9	-A	IR60-107-2
UPD9993BFH	-A	IR60-00-3
UPD9995F1	-A	IR60-107-2
UPD9995F9	-A	IR60-107-2
UPD9996F9	-A	IR60-107-2
UPG2009TB	-A	IR260/WS260/HS350 (*)
UPG2010TB	-A	IR260/WS260/HS350 (*)
UPG2012TB	-A	IR260/WS260/HS350 (*)
UPG2012TK	-A	IR260/WS260/HS350 (*)
UPG2015TB	-A	IR260/WS260/HS350 (*)
UPG2030TK	-A	IR260/WS260/HS350 (*)
UPG2031TQ	-A	IR260/WS260/HS350 (*)
UPG2035T5F	-A	IR260/WS260/HS350 (*)
UPG2045TQ	-A	IR260/WS260/HS350 (*)
UPG2053K	-A	IR260/WS260/HS350 (*)
UPG2054K	-A	IR260/WS260/HS350 (*)
UPG2134TB	-A	IR260/WS260/HS350 (*)
UPG2150T5L	-A	IR260/WS260/HS350 (*)
UPG2151T5K	-A	IR260/WS260/HS350 (*)
UPG2151TK	-A	IR260/WS260/HS350 (*)
UPG2155TB	-A	IR260/WS260/HS350 (*)
UPG2156TB	-A	IR260/WS260/HS350 (*)
UPG2157T5F	-A	IR260/WS260/HS350 (*)
UPG2158T5K	-A	IR260/WS260/HS350 (*)
UPG2159T6R	-A	IR260/WS260/HS350 (*)
UPG2160T5K	-A	IR260/WS260/HS350 (*)
UPG2162T5N	-A	IR260/WS260/HS350 (*)
UPG2163T5N	-A	IR260/WS260/HS350 (*)
UPG2164T5N	-A	IR260/WS260/HS350 (*)
UPG2176T5N	-A	IR260/WS260/HS350 (*)
UPG2179TB	-A	IR260/WS260/HS350 (*)
UPG2181T5R	-A	IR260/WS260/HS350 (*)
UPG2183T6C	-A	IR260/HS350 (*)
UPG2185T6R	-A	IR260/WS260/HS350 (*)
UPG2193T6E	-A	IR260/HS350 (*)
UPG2214TB	-A	IR260/WS260/HS350 (*)
UPG2214TK	-A	IR260/WS260/HS350 (*)
UPG2227T5F	-A	IR260/WS260/HS350 (*)
UPG2250T5N	-A	IR260/WS260/HS350 (*)

Products Number	Additional Order Code for Lead-free Products	Recommended Soldering Conditions for Lead-free Products
UPG2251T6M	-A	IR260/HS350 (*)
UPG2253T6S	-A	IR260/HS350 (*)
UPG2255T6N	-A	IR260/WS260/HS350 (*)
UPG2301T5L	-A	IR260/WS260/HS350 (*)
UPG2301TQ	-A	IR260/WS260/HS350 (*)
UPG2304TK	-A	IR260/WS260/HS350 (*)
UPG2310TK	-A	IR260/WS260/HS350 (*)
UPG2311T5F	-A	IR260/WS260/HS350 (*)
UPG2314T5N	-A	IR260/WS260/HS350 (*)
UPG2315T5T	-A	IR260/WS260/HS350 (*)
UPG2317T5J	-A	IR260/WS260/HS350 (*)
UPG2318T5N	-A	IR260/WS260/HS350 (*)
UPG2404T6Q	-A	IR260/WS260/HS350 (*)
UPG2405T6Q	-A	IR260/HS350 (*)
UPG2406T6R	-A	IR260/HS350 (*)
UPG2406TB	-A	IR260/WS260/HS350 (*)
UPG2406TK	-A	IR260/WS260/HS350 (*)
UPG2413T6M	-A	IR260/HS350 (*)